



nantucket°



nantucket®

T ntroducing our newest line of beaded panels and strip products. We have now expanded our line of primed MDF beadboard to include all of Nantucket Beadboard's product offerings and manufacturing capabilities.

- Broadened mix of on ground inventory
- Quick ship program for all non stock products
- Custom profile & pattern availability
- No minimum quantities


Stock items = 1-3 day lead time Quick Ship items = 2-3 week lead time Special Order items = 3-4 week lead time

GARDEN STATE LUMBER STOCK

IN STOCK FOR IMMEDIATE SHIPMENT

Standard Bead - 2" & 3" On Center Profile Shown at 45%


			- 1 mp-16		
THICKNESS		MDF			PVC
ITIUMINESS	8'	10'	12'	8'	8'
1/4"	14-SB2SB				
1/4	14-SB3SB			MRI/NAF* 8' SB2SB-MRI SB3SB-MRI	
1/2"	SB2SB	SB2SB-10	SB2SB-12	SB2SB-MRI	SB2SB-PVC
1/2	SB3SB	SB3SB-10	SB3SB-12	SB3SB-MRI	SB3SB-PVC



V-Bead – 1-5/8" & 2-1/2" On Center

Profile Shown at 45%


THICKNESS		MDF	MRI/NAF*	PVC	
ITIONNESS	8'	10'	12'	8'	8'
1 //	14-SB158VB				
1/4"	14-SB212VB				
1 /0	SB158VB	SB158VB-10	SB158VB-12	SB158VB-MRI	SB158VB-PVC
1/2"	SB212VB	SB212VB-10	SB212VB-12	SB212VB-MRI	SB212VB-PVC



Modern Groove – 6" On Center

Profile Shown at 45%

THICKNESS		MDF		MRI/NAF*	PVC
IHICKINESS	8'	10'	12'	8'	8'
1/2"	SB6MG	SB6MG-10	SB6MG-12		



V-Groove – 6" On Center

Profile Shown at 45%

THICKNESS		MDF		MRI/NAF*	PVC
THICKNESS	8'	10'	12'	8'	8'
1/2"	SB6VG	SB6VG-10	SB6VG-12	SB6VG-MRI	SB6VG-PVC



* MRI/NAF = MOISTURE RESISTANT & NO ADDED FORMALDEHYDE - PRIMED ON BOTH SIDES

QUICK SHIP+ SHEET PRODUCTS

2-3 WEEK LEAD TIME

Our Quick Ship+ products offer a variety of styles you won't find elsewhere.

■ Short Lead Time Of 2-3 Weeks

■ No Minimum Quantities



3" Standard Board, MRI/NAF , BBCAP12 , GSB725



2-1/2" V-Bead Fire Rated MDF, BS134, D8121, GSB534



8" On Center V-Groove, LK4 Casing, FS312 Stool, LK3 apron



2" On Center Standard Bead, PLC634 Crown, Cap Combination: 1x4, SC214, FS312



2-1/2" On Center V-Bead, GSC512, 8577 (Coffered Ceiling), LK4 Casing

QUICK SHIP+ SHEET PRODUCTS

2-3 WEEK LEAD TIME



Standard Bead Quick Ship Items

AVAILABLE 2" AND 3" ON CENTER (2-3 Week Lead Time)

				Profile Show	on at 45%
THICKNESS	MDF	MRI/NAF	MRX	FR MDF	PVC
3/8"	8' 10' 12'				
1/2"	16'	10' 16'	8' 16'	8'	8'

*All sheet goods are available in 4' wide the above chart depicts the available lengths MRI = MOISTURE RESISTANT / NO ADDED FORMALDEHYDE - MRX = EXTERIOR MDF - FR= FIRE RATED (CLASS A)

V-Bead Quick Ship Items

AVAILABLE 1-5/8" AND 2-1/2" ON CENTER (2-3 Week Lead Time)

				Profile Show	v n at 45%
THICKNESS	MDF	MRI/NAF	MRX	FR MDF	PVC
3/8"	8' 10' 12'				
1/2"	16'	10' 16'	8' 16'	8'	8'

*All sheet goods are available in 4' wide the above chart depicts the available lengths MRI = MOISTURE RESISTANT / NO ADDED FORMALDEHYDE - MRX = EXTERIOR MDF - FR= FIRE RATED (CLASS A)

V-Groove Quick Ship Items

AVAILABLE 4", 6" & 8" ON CENTER (2-3 Week Lead Time)

			Y /	Projite sh	nown at 45%
THICKNESS	MDF	MRI/NAF	MRX	FR MDF	PVC
1/2"	8' 10' 12' 16'	8' 10' 16'	8' 16'	8'	8'

*All sheet goods are available in 4' wide the above chart depicts the available lengths MRI = MOISTURE RESISTANT / NO ADDED FORMALDEHYDE | MRX = EXTERIOR MDF | FR = FIRE RATED (CLASS A)

QUICK SHIP+ SHEET PRODUCTS

2-3 WEEK LEAD TIME







Cap Combination: 1x4, SC214, FS312


GSB725 Base, LK4 Casing

1/8"x1/4" Modern Groove (4" On Center), 1/4"x1/4" Modern Groove (4" On Center), 1/4"x1/8" Modern Groove (6" On Center), 1/8"x1/4" Modern Groove (6" On Center), FS312 Stool, LWM432 Apron, SAN525 Base

Modern Grooves


Available in 4", 6" & 8" On Center

Profile Shown at 45%




1/8" x 1/8" Modern Groove

Profile Shown at 45%




1/8" x 1/4" Modern Groove

Profile Shown at 45%



1/4" x 1/8" Modern Groove

Profile Shown at 45%



1/4" x 1/4" Modern Groove

(2-3 Week Lead Time)

THICKNESS	MDF	MRI/NAF	MRX	FR MDF	PVC
1/4"	8' **				
3/8"	8' 10' 12' **				
1/2"	8' 10' 12' 16'	8' 10' 16'	8' 16'	8'	8'

*All sheet goods are available in 4' wide the above chart depicts the available lengths ** Only Available In 1/4" x 1/8" & 1/8" x 1/8"

MRI = MOISTURE RESISTANT / NO ADDED FORMALDEHYDE MRX = EXTERIOR MDF FR= FIRE RATED (CLASS A)

QUICK SHIP+ SHEET PRODUCTS

2-3 WEEK LEAD TIME

Random VG-1 & Random VG-2



Random VG-1

Shown 48" wide at 15%


Random VG-2

Most patterns depicted in this catalogue can be special ordered to the Random 1 and Random 2 configurations.

Random 1: $3\frac{1}{2}$ ", $5\frac{1}{2}$ ", $5\frac{1}{2}$ ", $7\frac{1}{2}$ ", $5\frac{1}{2}$ ", $3\frac{1}{2}$ ", $7\frac{1}{2}$ ", $4\frac{1}{2}$ ", 5 = 48"

Random 2: 4'', 6'', 8'', 4'', 6'', 8'', 4'', 8'' = 48''

(2-3 Week Lead Time)



*All sheet goods are available in 4' wide the above chart depicts the available lengths

Mini V-Groove & Mini Mini V-Groove

Available in 4", 6" & 8" On Center

Profile Shown at 45%

Mini V-Groove

Profile Shown at 45%



Mini Mini V-Groove

(2-3 Week Lead Time)

THICKNESS	MDF	MRI/NAF	MRX	FR MDF	PVC
1/4"	8' (Mini Mini V-Groove Only)				
3/8"	8' 10' 12'				
1/2"	8' 10' 12' 16'	8' 10' 16'	8' 16'	8'	8'
		200	4		

*All sheet goods are available in 4' wide the above chart depicts the available lengths

MRI = MOISTURE RESISTANT / NO ADDED FORMALDEHYDE \mid MRX = EXTERIOR MDF \mid FR= FIRE RATED (CLASS A)

SHIPLAP STRIP PRODUCTS

2-3 WEEK LEAD TIME

Outstanding for Ceiling Applications

Another elegant solution we offer from Nantucket BeadBoard is their shiplap strip products. These easy to install strips dramatically increase your building options by giving you another dimension in beadboard.

- Ideal For Ceiling Applications
- Easy To Handle
- Dramatically Decreases Your Install Time
- Short Lead Time Of 2-3 Weeks

Standard Bead

Profile Shown at 60%

2" STANDARD BEAD (10" FACE) 1 LINEAL FT = .83 SQ FT - ORDER IN 4 PIECE INCREMENTS

Profile Shown at 60%

3" STANDARD BEAD (9" FACE) 1 LINEAL FT = .75 SO FT - ORDER IN 5 PIECE INCREMENTS

V-Bead

Profile Shown at 60%

1-5/8" V-BEAD (9.6" FACE) 1 LINEAL FT = .80 SQ FT - ORDER IN 4 PIECE INCREMENTS

Profile Shown at 60%

5-1/2"

2-1/2" V-BEAD (10.104" FACE) 1 LINEAL FT - .842 SQ FT - ORDER IN 4 PIECE INCREMENTS

V-Groove

Profile Shown at 60%

5-1/2" V-GROOVE (11" FACE) 1 LINEAL FT = .917 SQ FT - ORDER IN 4 PIECE INCREMENTS

All Shiplap Products are Quick Ship

(2-3 Week Lead Time)

THICKNESS	MDF	MRI/NAF	MRX	FR MDF
1/2"	8' 10' 12' 16'	8' 10' 16'	8' 16'	8'

MRI = MOISTURE RESISTANT / NO ADDED FORMALDEHYDE MRX = EXTERIOR MDF FR= FIRE RATED (CLASS A)


All Bead Patterns Can Be **Special Ordered** To Your Desired Distance On Center

SHIPLAP STRIP PRODUCTS

2-3 WEEK LEAD TIME



Modern Shiplap Strip



Specify your desired fit:


- Flush Fit
- 1/8" Groove
- 1/4" Groove

See details below





10" MODERN SHIPLAP STRIP Profile Shown at 60%

Flush Fit Detail



1/8" Groove Detail





All Shiplap Products are Quick Ship

(2-3 Week Lead Time)

THICKNESS	MDF	MRI/NAF	MRX	FR MDF
1/2"	12' 16'	8' 10' 16'	8' 16'	8'

MRI = MOISTURE RESISTANT / NO ADDED FORMALDEHYDE MRX = EXTERIOR MDF FR= FIRE RATED (CLASS A)

SPECIAL ORDER SHEET PRODUCTS

3-4 WEEK LEAD TIME

Manufactured To Your Specified Distance On Center If you are looking for something both unique and highly customizable, our special order products offer a wide variety of options.

- Unique Selection Of Styles
- Manufactured To Your Desired Distance
- Beads Run In Either 4' Or 8' Direction
- No Minimum Quantities
- Short Lead Times Of 3-4 Weeks



V-Channel (4" On Center), Cap Combination: 1x4, SC214, FS312



Jumbo V-Bead (3" On Center), GSB725 Base, LK4 Casing



Butterfly (4" On Center), FS312 Stool, LK3 Apron, GSB725





Standard Bead (Modified to 6" On Center),

SPECIAL ORDER SHEET PRODUCTS

3-4 WEEK LEAD TIME

Manufactured To Your Specified Distance On Center








V-Channel (2-1/2" On Center), GSB725 Base, LK4 Casing




Large Butterfly (5" On Center), Cap Combination: 1x4, SC214, FS312



Butterfly



Profile Shown at 45%



Large Butterfly

		N. D. C.			
THICKNESS	MDF	MRI/NAF	MRX	FR MDF	PVC
1/2"	8' 10' 12'	8' 10'	8'	8'	8'

(3-4 Week Lead Time)


- 2-1/2"

*All sheet goods are available in 4' wide the above chart depicts the available lengths MRI = MOISTURE RESISTANT / NO ADDED FORMALDEHYDE MRX = EXTERIOR MDF FR= FIRE RATED (CLASS A)

SPECIAL ORDER SHEET PRODUCTS

3-4 WEEK LEAD TIME

Manufactured To Your Specified Distance On Center










Large Standard Bead (3" On Center),

Large Special Order Beads
Profile Shown at 45%





















Jumbo Standard Bead

(3-4	Week	: Lead	Time)

THICKNESS	MDF	MRI/NAF	MRX	FR MDF	PVC
1/2"	8' 10' 12'	8' 10'	8'	8'	8'

*All sheet goods are available in 4' wide the above chart depicts the available lengths MRI = MOISTURE RESISTANT / NO ADDED FORMALDEHYDE MRX = EXTERIOR MDF FR= FIRE RATED (CLASS A)



13



nantucket°



SPRING 2017

ABOUT OUR ASK OTHER PRODUCTS:





