



THERMA-TRU® DOORS

REEB® IN-STOCK FIBERGLASS & STEEL DOORS CATALOG



Table of Contents

Why Choose Reeb®	4
-------------------------------	----------

Reeb® Finish	6
---------------------------	----------

PrismaGuard® Finish	6
---------------------------	---

PrismaGuard® Paint.....	8
-------------------------	---

PrismaGuard® Stain.....	10
-------------------------	----

Featured Products	12
--------------------------------	-----------

Decorative Glass Design	12
-------------------------------	----

DDB & SDL Styles.....	13
-----------------------	----

Flush-Glaze 1/2 Lite Shaker 1 Panel	14
---	----

Advanta™ Lite Frame.....	15
--------------------------	----

How to Choose a Therma-Tru® Door.....	16
--	-----------

Overview.....	18
----------------------	-----------

Exposure Types.....	18
---------------------	----

Choosing a Durable Door.....	19
------------------------------	----

Classic Craft® Construction.....	20
----------------------------------	----

Fiber-Classic®/Smooth-Star® Construction	21
--	----

Why Choose Classic Craft®	22
---------------------------------	----

Glass Options.....	24
---------------------------	-----------

Decorative & Specialty Glass	24
------------------------------------	----

Privacy Glass.....	25
--------------------	----

Low-E Glass.....	26
------------------	----

Internal Blinds	26
-----------------------	----

EnLiten™ Flush-Glazed Glass	27
-----------------------------------	----

Divided Lites.....	28
--------------------	----

Featured Glass Options.....	30
------------------------------------	-----------

RSP Curved Aluminum SDL Bars.....	30
-----------------------------------	----

RSP Composite SDL Bars	31
------------------------------	----

Clavos, Strap Hinges & Dentil Shelves.....	32
---	-----------

Classic Craft® Collection.....	34
---------------------------------------	-----------

Solid Panel	36
-------------------	----

Arborwatch®	44
-------------------	----

Augustine®	48
------------------	----

Borrassa®	52
-----------------	----

Homeward™	56
-----------------	----

Longford™	60
-----------------	----

Lucerna®	64
----------------	----

Zaha®	68
-------------	----

Low-E Glass	72
-------------------	----

Privacy & Textured Glass.....	74
-------------------------------	----

Fiber-Classic® &

Smooth-Star® Collections	86
---------------------------------------	-----------

Solid Panel	88
-------------------	----

Axis®	94
-------------	----

Blackstone®	108
-------------------	-----

Calix	114
-------------	-----

Concorde™	122
-----------------	-----

Crystalline™	128
--------------------	-----

Echelon	134
---------------	-----

Kensington™	138
-------------------	-----

Latitude	144
----------------	-----

Maple Park®	150
-------------------	-----

Pembridge™	156
------------------	-----

Riserva®	164
----------------	-----

Salinas®	170
----------------	-----

Saratoga™	176
-----------------	-----

Sedona.....	184
-------------	-----

Wellesley™	190
------------------	-----

Internal Blinds	196
-----------------------	-----

Screen Vented.....	202
--------------------	-----

Clear Glass.....	204
------------------	-----

Privacy & Textured.....	206
-------------------------	-----


Profiles™ & Traditions Steel.....	248
Door System Components.....	264
Anatomy of an Exterior Door.....	264
Door Unit Configurations.....	265
Engineered to Work Together.....	266
Door Frames.....	268
Astragals	269
Door Sills.....	270
Hardware, Hinges & Locks	272
Reeb® Learning Center.....	276
Custom Doors.....	278
Rough Openings	280
Tru-Guard™.....	282
Wood Edge.....	283
Index	284
Education Tools & Guided Selling	291

Featured Products

Pages 12-15




Decorative Glass Designs



DDB & SDL Styles



Flush-Glazed 1/2 Lite Shaker Panel



Advanta™ Life Frame

Why choose Reeb® ?



Large Inventory & Fast Lead time

Reeb has five manufacturing locations. Each location maintains a large inventory to create pre-hung units because the more we stock, the faster the lead time is for you. While each location can stand alone, they are also able to operate as one cohesive unit when production levels increase, allowing Reeb to keep its lead time low and product availability high.




Unit Components & Finishing

In addition to a large door inventory, Reeb stocks all the components necessary to create a pre-hung door unit – frames, sills, hinges, transoms, and sidelites. The entire door unit can be pre-finished by Reeb for superior endurance and protection from head to sill. Reeb Finish creates units that are ready to be installed and backed with a 10 year limited warranty.



Support & Service

When choosing Reeb, our Sales team will be available to help with any questions or concerns. Sometimes warranty questions arise and Reeb has help for that with our Field Service team, who are committed to ensuring each homeowner, builder and dealer receive a quick, courteous and professional resolution to any warranty concern.



Education & Guided Selling

Education is important because an educated individual feels empowered when doing their job. Reeb® feels strongly about education and provides knowledge to our dealers and homeowners through our Reeb Learning Center.

Combining the power of technology, education and hands-on working displays, our Interactive Showroom directs the end user quickly and accurately through the decision making process, to choose the best product for their needs. Our catalogs showcase our in-stock product, provide educational content to help guide our customers, and assist in making decisions such as configuration, additional components, or hardware to use.

What is Reeb® Specialty Products?

Reeb Specialty Products (RSP) is a Reeb brand that offers high quality products with big savings. The quality of the products provided under the RSP brand is competitive with other major brands within our industry.

Glass is a beautiful part of a front door and our RSP fiberglass door offerings include additional door glass styles.

One of the exciting styles includes blinds between the glass with grilles between the glass which provides a divided lite look and the ease of blind use (see page 209).

Reeb Specialty Products – providing value pricing on quality products.





Reeb® Finish *PrismaGuard® Finish*

Handcrafted and professionally applied in a controlled environment, a PrismaGuard premium finish is built to last, giving you confidence and peace of mind. The premium finish undergoes rigorous testing with specialized equipment to help ensure it delivers a consistent high-end appearance with a low-maintenance coating that preserves the door's color for years to come.

- Designed for optimal performance with Therma-Tru fiberglass doors
- Features enhanced durability to protect from everyday wear and tear
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints


Door Units Finished in PrismaGuard®

The door isn't the only thing that can be finished! PrismaGuard Stain and PrismaGuard Paint can be applied to On-Guard composite or Solid Wood frames, exterior brickmould, or interior casing. The 10 year limited warranty continues to any other door unit components that are finished.

Having a completely pre-finished unit makes install easier, and if you want the exterior finished different than the interior, there is also the option of a split finish. The outside of the unit can match the exterior motif while the interior can match your home's design.

SS in Total Eclipse

Buying a door unit doesn't have to be complicated. Reeb® has created the Reeb Learning Center which educates on all things door related. For more information on PrismaGuard® and the Reeb Finish process, please visit our Reeb Learning Center at learn.reeb.com/knowledge-base/reeb-finish/.



Top: CCA in Acorn, Bottom: Left - SS in Moonless Night, Right - SS in Nautilus



Reeb® Finish

PrismaGuard® Paint

PrismaGuard Paint is a versatile color palette featuring elegant, modern hues and bold, rustic tones providing exciting options to achieve the look you desire. This offering boasts vibrant, truer-to-life colors that give the finished product additional depth and resistance to fading. Several color options are trade-matched to Reeb's storm door offering as well. All finishes on fiberglass doors are backed by a 10 year limited warranty and Reeb's unmatched reputation for quality and customer service.

We strive to make the colors shown as accurate as possible. However, due to the inconsistencies of the printing process, the colors shown may not be an accurate depiction of the actual color.






Reeb has developed a Paint Swatch Deck, which provides the best visualization of the final paint color. Each set contains samples finished in Reeb's 22 paint options. We strongly recommend using these paint decks when choosing a color.

For more information on the Reeb Finish Paint System visit learn.reeb.com/knowledge-base/reeb-finish-paint-system/



CCV in Rio


Alaskan Storm / Alpine

Morning Dove

Harbor Fog

Grace Bay


Nautilus

Tanned Leather

Brighton

Urban Dusk / Granite

Falcon Gray

Java Bean

Mocha Chip / Chestnut

Sienna Bronze

Luna Moth / Cypress

Deep Moss

Bamboo Forest

Royal Marine

Moonless Night / Indigo

Total Eclipse / Onyx

Rio / Ruby Red

Mojave Red

Dahlia / Cabernet

Dried Cranberry

Reeb® Finish applies colors to its own and Therma-Tru's color palette. Despite dual names, colors are identical; all finished with the PrismaGuard® process.



All finishes on fiberglass doors are backed by a 10 year limited warranty and Reeb's unmatched reputation for quality and customer service. Visit reeb.com/warranties for complete warranty information.

Therma-Tru® PrismaGuard® Paint

In addition to the Reeb® Finish paint palette, Reeb Finish can also apply these additional Therma-Tru® PrismaGuard® paint colors.


Peregrine

Obsidian

Estuary

Arctic Ice

Golden Wheat

Canyon

Elk



Reeb® Finish

PrismaGuard® Stain

PrismaGuard Stain is a superior staining system for fiberglass doors that produces a uniquely realistic and durable finish. Skilled Reeb Finish craftsmen hand-brush each component of the door to enhance its deep embossments and authentic grain patterns. A dual top-coat highlights fine details and ensures superior endurance and protection from the elements. All finishes on fiberglass doors are backed by a 10 year limited warranty and Reeb's unmatched reputation for quality and customer service.

We strive to make the colors shown as accurate as possible. However, due to the inconsistencies of the printing process, the colors shown may not be an accurate depiction of the actual color.



Reeb has developed a PrismaGuard® Swatch Kit for each grain, which provides the best visualization of the final stain color. Each kit contains grain samples finished in Reeb's 12 stain options. We strongly recommend using these swatch kits when choosing a color.


For more information on the Reeb Finish Stain System visit learn.reeb.com/knowledge-base/reeb-finish-stain-system/



CCM in Dark Maple



Tumbleweed



Wildflower Honey




Rustic Clay



Autumn Harvest



Mulberry



Acorn




Driftwood




New Earth




Dark Maple



Bark



Shale



Raven



All finishes on fiberglass doors are backed by a 10 year limited warranty and Reeb's unmatched reputation for quality and customer service.

Visit reeb.com/warranties for complete warranty information.

Due to the inconsistencies of the printing process, the colors shown may not be an accurate depiction of the actual color.

CCA in Acorn

Featured Products

NEW Decorative Glass Designs

For Fiber-Classic®, Smooth-Star® & Pulse®



FCM82223 Stained in Acorn

Calix™

A clean and delicate classic.

Elevate your entry with this new, on-trend take on a classic style. Featuring clear glass and delicate coming, Calix is ideal for traditional and casual homes.

Available for Fiber-Classic and Smooth-Star, starting on page 114; Pulse, starting on page 117.



S83EC Painted in Brighton

Echelon™

At the edge of boldness.

Reimagine a daring entryway with the bold edges of Echelon. This modern design features clear glass and eased angles infused with elements of diamonds and triangles.

Available for Fiber-Classic and Smooth-Star, starting on page 134; Pulse, starting on page 136.



S4525 Painted in Total Eclipse

Latitude™


Bending Tradition.

Create new traditions with the curved elegance of Latitude. This design's seedy glass and curved coming is a great addition to traditional and casual homes.


Available for Fiber-Classic and Smooth-Star, starting on page 144; and Pulse, starting on page 146.

Featured Products

NEW Door Divider Bar (DDB) & Simulated Divided Lite (SDL) Styles For Smooth-Star® Doors



S5701 Painted in Elk



On-trend design, timeless style.

Discover new ways to bring popular Shaker charm to the entry. New DDB and SDL styles for flush-glazed full-lite and solid-panel Shaker-style doors blend on-trend contours with purposeful Shaker design to complete the look of Contemporary and Modern home styles.

DDB Styles available in Smooth-Star, starting on page 92.
SDL Styles available in Smooth-Star, starting on page 242.



Residential



Multi-Family /
Commercial



Featured Products

Door Divider Bar (DDB) & Simulated Divided Lite (SDL) Styles

Featured Products

NEW Flush-Glazed Half-Lite 1-Panel Shaker
Doors & Sidelites For Smooth-Star® Doors



S84200 Painted in Golden Wheat



Classic Shaker-style charm.

Capture the beautiful simplicity of Shaker style with half-lite 1-panel Shaker doors and sidelites with flush-glazed glass. Available with privacy and textured, energy-efficient Low-E glass and divided lite styles.



Residential



Multi-Family /
Commercial



Featured Products

NEW Advanta Lite Frame

For Fiber-Classic®, Smooth-Star®, Profiles™, Traditons & Pulse®



ADVANTA
LITE FRAME

A new frame of mind.

Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.



The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.

Four-piece design includes two interchangeable frame covers and a two-piece base frame.

AVAILABLE LITE FRAME SIZES

Fiber-Classic®, Smooth-Star®, Profiles™, Traditons & Pulse®



AVAILABLE LITE FRAME SIZES

Glass options vary by size.

Decorative Glass Divided Lites
Privacy & Textured Clear / Low-E
Internal Blinds

How to Choose a Therma-Tru® Door

1 Buying a door unit can be confusing and complicated. Reeb® is dedicated to making the door buying process simpler and our catalog reflects that. The first thing to understand is the type of door unit that you need.

Many entryways consist of a single door, however additional components such as sidelites and transoms are available for larger openings.



Single Door



Door with Sidelites



Door Unit with Sidelites and Transom


2 After understanding what type of opening you have, the door is the next item to choose. This is the focal point of the entryway and there are a lot of decisions surrounding it.

Would you like a grain or smooth door?

How much light do you want brought into the home?

What level of privacy is desired?

All these questions will help lead you to choosing the perfect door.



-
- 3** If your door unit needs a sidelite or transom, the next step is to choose a complementary one. Reeb stocks sidelites and transoms in matching decorative and privacy glass for a consistent look, or if you choose you can mix and match as you like.



-
- 4** Deciding on the components of your door allows for a cohesive look across the entire unit.


Choose a solid wood or composite frame to match the grain of your door. If the unit has black nickel coming, you may want to consider a bronze sill with oil rubbed bronze hardware so all the components match.



-
- 5** The final decision is what color to pre-finish the unit as there are multiple stain and paint options available. The exterior and interior of the door can be finished differently as can the frames.



PrismaGuard® Stain



PrismaGuard® Paint

Exposure Types

Exposure type is related to the protection level of the doorway. Less protection over a door will require a tougher door to withstand the elements. Knowing how to determine the exposure type is an important first step in extending the life of your door unit.



Fully Protected Doorways

Fully Protected Doorways have a large porch and are completely covered by the front overhang where no rain or moisture can reach the door. Because the door unit is completely protected, the widest variety of door units are available for this exposure type.



Partially Protected Doorways

Partially Protected Doorways have mid-sized porches and an overhang, but only enough to protect the top half of the door. The bottom half is much more susceptible to water and moisture as the sun can break down the finishing seal over time by baking the bottom half of the door. This type of exposure requires specially constructed door units to help withstand the elements.



Unprotected Doorways

Unprotected Doorways offer no protection from the weather. There is no overhang at all to protect the door unit from wind, snow, rain, and sun exposure. Most homes have at least one unprotected doorway so it's important to choose a tough door to provide maximum protection from the elements.



Buying a door unit doesn't need to be complicated.

Reeb has created the Reeb Learning Center which focuses on all things door related.

Topics such as Understanding Exposure Types and Premium Fiberglass door construction provide information on choosing the best product for your needs.

Visit learn.reeb.com/knowledge-base/understanding-exposure-types/

Choosing a Durable Door

Kids, pets and neighbors come and go all day long. Which means that when it comes to your new door, reliability and durability matters. Here are some of the factors you'll want to consider when choosing a door.



The Fiberglass Difference

Fiberglass doors look like wood, but they don't warp or rot like wood, or dent or rust like steel. In fact, a fiberglass door needs only a fraction of the maintenance wood and steel doors do. The inside of a Therma-Tru fiberglass door is filled with an exceptional heat and cold-resistant material that helps keep your home warm in winter and cool in summer.



Engineered to Work Together

A Therma-Tru door with genuine Therma-Tru parts is more than just a beautiful door. It's a complete door system made to perform as well as it looks. Unlike many door companies, Therma-Tru makes or recommends every aspect – from the glass to the hinges – to ensure durability and reliability through the years.



Tested for Endurance

Go ahead and slam the door if you want. Therma-Tru did – over and over – to make sure their doors, glass and parts live up to your toughest expectations. They are exposed to extreme weather conditions. Heavy objects are rolled over their sills. They immerse parts with metal finishes in corrosive salt atmospheres, and expose them to ultraviolet (UV) light to make sure their weathersealing parts and metal finishes can resist deteriorating and color fading in the sun. That's how Therma-Tru knows that their door is designed to stand up to almost anything life throws at it.




A Comprehensive Warranty

By paying close attention to every detail that goes into a door, Therma-Tru can stand behind its parts for longer than the rest. That's why Therma-Tru fiberglass door systems are backed with a lifetime limited warranty, the industry's most comprehensive warranty of its kind.

Classic Craft®

Premium Construction

Classic Craft® doors offer the authentic look of wood. It's virtually impossible to tell the difference. But the beauty goes beyond skin deep. Discover the craftsmanship and innovation of a premium entryway that performs as exceptionally as it looks, offering long-lasting energy efficiency, durability and security.



1 Enhanced Weather Resistance

Both the top and bottom of the door are protected by composite rails for a longer-lasting entryway.

2 Solid Security

4" wide beam of engineered lumber runs from the top to the bottom of the locking side of the door to add mass and rigidity.

3 Excellent Durability

Fiberglass skins are thicker for added durability and better long-term performance.

4 Higher R-Values

A polyurethane foam core provides up to four times the insulating R-value of wood.

5 Edge-to-Edge Moisture Protection

Hardwood and composite edges that help prevent moisture penetration.

Fiber-Classic® & Smooth-Star®

Standard Construction

Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



1 Weather Resistance

Composite stiles and rail protect the door at the top, bottom, and sides.

2 Security

An enhanced lock block increases rigidity and stability.

3 Durability

Unlike wood, fiberglass will not warp or rot.
Unlike steel, it will not dent or rust.



4 R-Values

Built with a polyurethane foam core, offering up to four times the insulating R-value of wood.

Why Choose Classic Craft®

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



Engineered for Moisture Protection

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.




Designed with Authenticity

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider* to welcome more natural light into the home.




Tested to Withstand Mother Nature


Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



Therma-Tru® Door Frame

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.





Designed for Long-Term Performance

Features fiberglass skins that are 46% thicker* for added durability and better long-term performance.



Triple-Pane Construction

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



Crafted for a True-to-Wood Appearance

Revolutionary AccuGrain® technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



Built for Strength and Security

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.*



Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.**




Glass Options

What is Decorative & Specialty Glass?

A Therma-Tru® door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- A wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Each glass design is researched in the market to ensure they are highly rated in consumer preference.
- Numerous glass colors, textures, shapes and coming options are available to complement any door.
- All Low-E and clear glass panels are tempered to provide added safety.




All decorative glass is handcrafted and built with all-glass bevels for premium quality.

Contributes to an energy-efficient home.



Triple-Pane Construction

Triple Pane Construction — All decorative, as well as privacy and textured, glass panels are enclosed between two tempered pieces of glass, making them triple-paned and offering superior quality and thermal performance.



CCR822215 Stained in New Earth



What is Privacy Glass?


Therma-Tru® doors and sidelites can be fitted with beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- Category includes diverse textures for individual design expression.
- Varying opacity levels range from 7–10.
- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless Flush-Glazed options, in select doors.


Glass Options

What is Low-E Glass?


Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse®. Look for the (☀) icon.



In cold weather, Low-E glass can help reduce the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, helping to keep the interior of the home cool.



S8132RT Painted in Alaskan Storm

What are Internal Blinds?

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Choose Low-E glass for improved energy efficiency or standard clear glass.

Glass Options

What is EnLiten™ Flush-Glazed Glass?

For Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten™ Flush-Glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need.



See the difference.

EnLiten™ Flush-Glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass
with Detailed Sticking



Flush-Glazed Glass
with Square Sticking



Lip-Lite Frame

Maximum views.

Create an airy, open feeling in the home with larger daylight openings. EnLiten™ Flush-Glazed designs offer up to a 16% increase in visible glass area than conventional lite frames.



Flush-Glazed Glass



Lip-Lite Frame

Durable by design.


Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.

Glass Options

What are Divided Lites?

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices.

- Coordinate with the home's window patterns for a cohesive look and increased curb appeal.
- Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.



Fixed Grilles (FXG)

Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home décor.

Look for the (⊞) icon.




Grilles Between Glass (GBGs)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the (⊞⊞) icon.


GBG Bar Options




⊞ White
(20 mm / 0.787 in.)



⊞ Almond
(20 mm / 0.787 in.)



⊞ Bronze
(20 mm / 0.787 in.)



⊞ Black
(20 mm / 0.787 in.)



⊞ White
(18 mm / 0.708 in.)



⊞ Black
(18 mm / 0.708 in.)

Simulated Divided Lites (SDLs) with Grilles Between Glass (GBGs)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the () icon.

Shown with
flat bronze GBGs,
recommended

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted to complement the door and home.

Look for the (  ) icons.

SDL Bar Options

Classic Craft® Fir



(40.64 mm / 1.6 in.)

Look for the  (SDL) icon



(107.96 mm / 4.25 in.)

Look for the  (SDLF3) icon



(139.70 mm / 5.5 in.)

Look for the  (SDLF4) icon

Classic Craft® Canvas



(40.64 mm / 1.6 in.)

Look for the  (SDL) icon

Classic Craft® Mahogany



(40.64 mm / 1.6 in.)

Look for the  (SDLF6) icon

**SDLF5 is a mix of SDLF3 and SDLF4

Fiber-Classic®



(28.6 mm / 1.125 in.)

Look for the  (SDL) icon

Smooth-Star®



(28.6 mm / 1.125 in.)

Look for the  (SDLF1) icon

Fiber-Classic®



Smooth-Star®



Fiber-Classic®



(88.9 mm / 3.5 in.)

Look for the  (SDLF2) icon


Smooth-Star®



Featured Glass Options

Reeb® Specialty Products - Aluminum Simulated Divided Lite Bars (SDL)

Aluminum SDL bars are rugged and sturdy with superior coating adhesion. They can handle extreme temperatures of high heat exposure when painted dark colors, including behind storm doors.



The RSP Aluminum SDL Bar can create traditional SDL Bar configurations, but also provides the opportunity to have a unique curved bar design. Please note, not all designs can be made with either profile.

Interested in one of these new, unique door designs featuring RSP Curved Aluminum SDL Bars? Please go to page 251 to see our stock product sizes. And remember, all Simulated Divided Lite door styles you see in this catalog in Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions can also be ordered with RSP Aluminum SDL Bars. Ask your Reeb sales representative for more information.



1-1/8"
Ovolo Buff



1-1/8"
Ovolo White



1-1/8"
Flat Buff




1-1/8"
Flat White



End to match Lite Surround



End to match Flush-Glazed



RS2009 Painted in Alaskan Storm



Reeb® Specialty Products - Composite Simulated Divided Lite Bars (SDL)

The RSP Composite SDL Bars allow for versatility with your doorway allowing the ability to create custom bar layouts.

They are ovolo in profile, 7/8" in width to complement window dividing bars, and are available in two colors: buff to match oak doors and a white to match smooth doors. The buff can be stained or painted, while the white can be painted.




7/8" Oak



7/8" White

Along with traditional SDL Bar configurations, RSP Composite SDL Bars can be used for any custom design. Contact Reeb for more details on creating custom bar layouts.




Clavos, Strap Hinges & Dentil Shelves

For Classic Craft® Doors

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



These are not applied by Reeb® and are shipped loose with doors.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4 and 16-block options.



Classic Craft® Fir Grain

4-Block Dentil Shelf for a 3'0" door



Classic Craft® Fir Grain

4-Block Dentil Shelf for a 3'6" door



Classic Craft® Fir Grain

16-Block Dentil Shelf for a 3'0" door



Classic Craft® Canvas Collection™

4-Block Dentil Shelf for a 3'0" door




4-Block Dentil Shelf
Shown on 3'6" x 8'0" door



4-Block Dentil Shelf
Shown on 3'0" x 8'0" door

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic® Mahogany 4-Block Dentil Shelf
for a 2'8", 2'10" or 3'0" door



Smooth-Star® 4-Block Dentil Shelf
for a 2'8", 2'10" or 3'0" door



True-To-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

Choose from premium fiberglass entryways in four wood grains or a smooth surface that all rival custom wood. **Pages 34-85**



Fir Grain

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.




Walnut Grain

Crafted to reflect the prized hardwood of the mighty Black Walnut Grain trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



Mahogany Grain


Derived from the finest African and Honduran Mahogany Grain, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.




Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.


Decorative & Specialty Glass



Arborwatch®
Privacy Rating: **6**




Augustine®
Privacy Rating: **10**




Borrassa®
Privacy Rating: **10**



Homeward™
Privacy Rating: **4**



Longford™
Privacy Rating: **8**



Lucerna®
Privacy Rating: **7**




Zaha®
Privacy Rating: **3**

Low-E Clear Glass

All Classic Craft® clear glass comes standard with Low-E. See **Page 72**.

Privacy & Textured Glass

For Privacy & Textured Glass options, see **Page 74**.



Low-E Glass
Privacy Rating: **1**



Privacy Glass
Privacy Rating: **7-10**


Solid Panel



CCW8906L Stained in Acorn

Classic Craft® Fir Grain

Classic Craft® Walnut Grain



Classic Craft® Mahogany Grain




Classic Craft® Canvas




Solid Panel

Door Styles




Classic Craft® Fir Grain	X				X						
Classic Craft® Walnut Grain											
Classic Craft® Mahogany Grain			X				X	X	X	X	X
Classic Craft® Canvas		X		X		X		X			



Classic Craft® Fir Grain			X	X	X	X			X	X	X
Classic Craft® Walnut Grain											
Classic Craft® Mahogany Grain	X	X					X	X			
Classic Craft® Canvas											



Classic Craft® Fir Grain		X									
Classic Craft® Walnut Grain						X	X	X	X	X	X
Classic Craft® Mahogany Grain			X	X	X						
Classic Craft® Canvas	X		X								



Classic Craft® Fir Grain		X	X	X	X	X
Classic Craft® Walnut Grain	X					
Classic Craft® Mahogany Grain						
Classic Craft® Canvas						

Solid Panel

Classic Craft® Fir Grain



CCA1100
CCA81100
3/0 | 6/8 | 8/0



CCA1133
CCA81133
3/0 | 6/8 | 8/0



CCA1145
CCA81145
3/0 | 6/8 | 8/0



CCA1150
CCA81150
3/0 | 6/8 | 8/0



CCA1125
CCA81125
3/0 | 6/8 | 8/0



CCA1149
CCA81149
3/0 | 6/8 | 8/0



CCA1147
CCA81147
3/0 | 6/8 | 8/0



CCA1166
CCA81166
3/0 | 6/8 | 8/0



CCA1158
CCA81158
3/0 | 6/8 | 8/0



CCA1127
CCA81127
3/0 | 6/8 | 8/0



CCA4905
CCA84905
3/0 | 6/8 | 8/0



CCA4915L
CCA84915L
3/0 | 6/8 | 8/0

Solid Panel

Note: Product images show the exterior side of the door.

Classic Craft® Fir Grain

SHAKER +



CCA4915R
CCA84915R
3/0 | 6/8 | 8/0

SHAKER +



CCA4925L
CCA84925L
3/0 | 6/8 | 8/0

SHAKER +



CCA4925R
CCA84925R
3/0 | 6/8 | 8/0

SHAKER +



CCA4935
CCA84935
3/0 | 6/8 | 8/0

SHAKER +



CCA4945
CCA84945
3/0 | 6/8 | 8/0



CCA1149 Stained in Mulberry

- + Door Divider Bars (3)

+ Door Divider Bars (4)
- + Door Divider Bars (5)

Classic Craft® Walnut Grain



CCW1000
CCW81000

2/6	6/8		
2/8	6/8		
3/0	6/8	7/0	8/0
3/6	6/8		



CCW900L
CCW8900L

2/6	6/8		
2/8	6/8		
3/0	6/8	7/0	8/0



CCW900R
CCW8900R

2/6	6/8		
2/8	6/8		
3/0	6/8	7/0	8/0



CCW905
CCW8905

2/6	6/8		
2/8	6/8		
3/0	6/8	7/0	8/0



CCW903
CCW8903

2/6	6/8		
2/8	6/8		
3/0	6/8	7/0	8/0



CCW904L
CCW8904L

2/6	6/8		
2/8	6/8		
3/0	6/8	7/0	8/0



CCW904R
CCW8904R

2/6	6/8		
2/8	6/8		
3/0	6/8	7/0	8/0



CCW906L
CCW8906L

2/6	6/8		
2/8	6/8		
3/0	6/8	7/0	8/0



CCW906R
CCW8906R

2/6	6/8		
2/8	6/8		
3/0	6/8	7/0	8/0



DRS2131SL
DRS82131SL

12"	6/8	7/0	8/0
14"	6/8	7/0	8/0

There are currently no sidelites available in walnut grain.
These doors are recommended for single or double door configurations only.



Option: Grille Sticks Applied


19020T

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



19220T

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



19200T

3'0" door only



19210T

12" and 14"
sidelite only

Solid Panel



CCW902R Stained in Driftwood

+ Door Divider Bars (3)
+ Door Divider Bars (4)

+ Door Divider Bars (5)

Solid Panel

Classic Craft® Mahogany Grain



CCM890
3/0 | 8/0



CCM60
3/0 | 6/8



CCR205/CCR205H*
CCR8205
3/0 | 6/8 | 8/0



CCR205A
3/0 | 6/8



CCR8225
3/0 | 8/0



CCR8005
3/0 | 8/0



CCR040
CCR8040
3/0 | 6/8 | 8/0



CCR040R
3/0 | 6/8



CCR8222
3/0 | 8/0
3/6 | 8/0



CCR200
CCR8200
3/0 | 6/8 | 8/0



CCR200A
3/0 | 6/8



CCR100
CCR8100
3/0 | 6/8 | 8/0



CCR100R
3/0 | 6/8

Solid Panel

Note: Product images show the exterior side of the door.

Classic Craft® Canvas



CCV205/CCV205H*
CCV8205
3/0 | 6/8 | 8/0




CCV220
CCV8220
3/0 | 6/8 | 8/0



CCV200
3/0 | 6/8



CCV060/CCV060H*
3/0 | 6/8



CCV831
3/0 | 8/0



CCV050
3/0 | 6/8

Choose from any of the decorative, privacy or clear glass sidelites on pages 46-85 to complete your door unit.



CCR205 Stained in Raven

- + Door Divider Bars (3)
- + Door Divider Bars (4)

- + Door Divider Bars (5)


*Internal steel reinforcement for additional security.



Classic Craft® Fir Grain

Classic Craft® Mahogany Grain

Classic Craft® Canvas





Shown in Black Nickel Caming (1D)

Glass Privacy Rating



Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.



Brushed Nickel Caming (1C)

Arborwatch®

Door Styles



Classic Craft® Fir Grain						
Classic Craft® Mahogany Grain	X		X	X	X	X
Classic Craft® Canvas		X		X	X	X



Classic Craft® Fir Grain				X	X
Classic Craft® Mahogany Grain					
Classic Craft® Canvas	X	X	X		

Classic Craft® Fir Grain



CCA9100

3/0 | 6/8



CCA9300

3/0 | 6/8



CCA1423SL

12" | 6/8
14" | 6/8



CCA9100SL

12" | 6/8
14" | 6/8



ABRT


3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



AB30T

3'0" door only

Classic Craft® Mahogany Grain



CCM1419

3/0 | 6/8



CCR1417
CCR81417

3/0 | 6/8 | 8/0



CCR1415
CCR81415

3/0 | 6/8 | 8/0



CCR1414
CCR81414

3/0 | 6/8 | 8/0



CCR822214

3/0 | 8/0
3/6 | 8/0



CCR1423SL

12" | 6/8
14" | 6/8



ABRT


3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



AB30T

3'0" door only


Classic Craft® Canvas



CCV1418
3/0 | 6/8




CCV1415
CCV81415
3/0 | 6/8 | 8/0




CCV1414
CCV81414
3/0 | 6/8 | 8/0




CCV81417
3/0 | 8/0




CCV4100
3/0 | 6/8



CCV4300
3/0 | 6/8



CCV1423SL
12" | 6/8
14" | 6/8




CCV4100SL
12" | 6/8
14" | 6/8



ABRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only





AB30T
3'0" door only



Classic Craft® Mahogany Grain


Classic Craft® Canvas





Shown in Wrought Iron (1W)

Glass Privacy Rating




Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.


Note: Glass image shows the exterior side of the door.

Augustine®

Door Styles



Classic Craft® Mahogany Grain	X	X	X		X	X	X	X
Classic Craft® Canvas	X			X	X			X



Classic Craft® Mahogany Grain	X	X	X	X	X	X
Classic Craft® Canvas	X		X			

Classic Craft® Mahogany Grain



CCM1485

3/0 | 6/8



CCM805027

3/0 | 8/0



CCM1495

3/0 | 6/8



CCR30027

3/0 | 6/8



CCR04027

CCR804027

3/0 | 6/8 | 8/0



CCR04037

CCR804037

3/0 | 6/8 | 8/0



CCR20527

CCR820527

3/0 | 6/8 | 8/0



CCR20537

CCR820537

3/0 | 6/8 | 8/0



CCR20537A

3/0 | 6/8



CCR20027

3/0 | 6/8



CCR822227

3/0 | 8/0

3/6 | 8/0



CCR20037


CCR820037

3/0 | 6/8 | 8/0



CCR20037A

3/0 | 6/8



CCR3400XNSL


CCR8000XNSL

12" | 6/8 | 8/0


14" | 6/8 | 8/0

Note: Product images show the exterior side of the door.
Augustine sidelites feature matching granite glass and no wrought iron.

Classic Craft® Canvas



CCV10027
3/0 | 6/8



CCV05027
CCV805027
3/0 | 6/8 | 8/0




CCV20527
CCV820527
3/0 | 6/8 | 8/0



CCV22027
CCV822027
3/0 | 6/8 | 8/0



CCV20537
CCV820537
3/0 | 6/8 | 8/0





CCV100XNSL
12" | 6/8
14" | 6/8



CCV1515 Painted in Luna Moth


Classic Craft® Mahogany Grain

Classic Craft® Canvas





Glass Privacy Rating




Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.


Note: Glass image shows the exterior side of the door.

Borrassa®

Door Styles



Classic Craft® Mahogany Grain	X	X	X		X	X	X	X
Classic Craft® Canvas	X			X	X			X



Classic Craft® Mahogany Grain	X	X	X	X	X
Classic Craft® Canvas	X		X		

Classic Craft® Mahogany Grain



CCM1475

3/0 | 6/8



CCM81519

3/0 | 8/0



CCM1465

3/0 | 6/8



CCR1528

3/0 | 6/8



CCR1518

CCR81518

3/0 | 6/8 | 8/0



CCR1514

CCR81514

3/0 | 6/8 | 8/0



CCR1516

CCR81516

3/0 | 6/8 | 8/0



CCR1512

CCR81512

3/0 | 6/8 | 8/0



CCR1512A

3/0 | 6/8



CCR1515

3/0 | 6/8



CCR822215

3/0 | 8/0
3/6 | 8/0



CCR1511

CCR81511

3/0 | 6/8 | 8/0



CCR1511A

3/0 | 6/8




CCR3400XHSL

CCR8000XHSL

12" | 6/8 | 8/0
14" | 6/8 | 8/0

Classic Craft® Canvas

Note: Product images show the exterior side of the door.
Note: Borrassa sidelites feature matching hammered glass and no wrought iron.



CCV1528
3/0 | 6/8



CCV1519
CCV81519
3/0 | 6/8 | 8/0



CCV1516
CCV81516
3/0 | 6/8 | 8/0



CCV1515
CCV81515
3/0 | 6/8 | 8/0



CCV1512
CCV81512
3/0 | 6/8 | 8/0



CCV100XHSL
12" | 6/8
14" | 6/8



CCV950XHSL
12" | 6/8
14" | 6/8




CCM89922 Stained in Bark

Classic Craft® Fir Grain

Classic Craft® Mahogany Grain

Classic Craft® Canvas





Shown in Black Nickel Caming (1D)

Glass Privacy Rating




Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.



Brushed Nickel Caming (1C)

Homeward™
Door Styles



Classic Craft® Fir Grain			
Classic Craft® Mahogany Grain	X	X	
Classic Craft® Canvas	X	X	X



Classic Craft® Fir Grain		X	X
Classic Craft® Mahogany Grain			
Classic Craft® Canvas	X		


Classic Craft® Fir Grain



CCA211
CCA8211
3/0 | 6/8 | 8/0




CCA87112
3/6 | 8/0



CCA231
CCA8231
3/0 | 6/8 | 8/0



CCA87132
3/6 | 8/0



CCA3401SL
CCA3501SL
12" | 6/8 | 8/0
14" | 6/8 | 8/0



CCA211SL
12" | 6/8
14" | 6/8



HWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



HW30T
3'0" door only


Classic Craft® Mahogany Grain



CCM89922
3/0 | 8/0



CCR9925
3/0 | 6/8



CCR9925SL
12" | 6/8
14" | 6/8




HWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



HW30T
3'0" door only

Classic Craft® Canvas




CCV9925

3/0 | 6/8




CCV89922

3/0 | 8/0




CCV911

3/0 | 6/8



CCV931

3/0 | 6/8



CCV911SL

12" | 6/8
14" | 6/8



CCV9011SL

12" | 6/8
14" | 6/8



HWRT

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



HW30T

3'0" door only



CCV89922 Painted in Morning Dove

● Brass Caming (1A)
● Brushed Nickel Caming (1C)



● Black Nickel Caming (1D)
■ Wrought Iron (1W)


□ Flush Glazed (FG)
+ Simulated Divided Lites



Classic Craft® Mahogany Grain

Classic Craft® Canvas





Shown in Black Nickel Caming (1D)

Glass Privacy Rating



Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)


Note: Glass image shows the exterior side of the door.

Longford™

Door Styles



Classic Craft® Mahogany Grain	X	X		X	X
Classic Craft® Canvas			X		X



Classic Craft® Mahogany Grain	X	X	X	X	X
Classic Craft® Canvas	X	X	X		

Classic Craft® Mahogany Grain



CCM203
3/0 | 6/8



CCM303
3/0 | 6/8



CCM603
3/0 | 6/8



CCM703
3/0 | 6/8



CCM803
3/0 | 6/8



CCR04023
CCR804023
3/0 | 6/8 | 8/0



CCR20523
CCR820523
3/0 | 6/8 | 8/0



CCR20023
CCR820023
3/0 | 6/8 | 8/0



CCR822223
3/0 | 8/0



CCM3303SL
12" | 6/8
14" | 6/8



CCM3503SL
12" | 6/8
14" | 6/8



CCR3407SL
12" | 6/8
14" | 6/8



LFRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



LFET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



LF30T
3'0" door only

Classic Craft® Canvas



CCV05023
3/0 | 6/8




CCV20523
CCV820523
3/0 | 6/8 | 8/0



CCV22023
CCV822023
3/0 | 6/8 | 8/0



CCV06023
3/0 | 6/8



CCV103SL
CCV8103SL
12" | 6/8 | 8/0
14" | 6/8 | 8/0



LFRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



LFET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



LF30T
3'0" door only





CCV05023 Painted in Dried Cranberry



CCM82802 Stained in Autumn Harvest

Classic Craft® Mahogany Grain

Classic Craft® Canvas





Glass Privacy Rating




Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)

Lucerna®

Door Styles




Classic Craft® Mahogany Grain	X	X	X	X	X	X	X	X
Classic Craft® Canvas	X			X	X		X	X




Classic Craft® Mahogany Grain	X	X	X	X	X	X	X
Classic Craft® Canvas	X	X		X			


Classic Craft® Mahogany Grain



Classic Craft® Canvas



CCV10022
3/0 | 6/8



CCV05022
CCV805022
3/0 | 6/8 | 8/0



CCV20522
CCV820522
3/0 | 6/8 | 8/0



CCV22022
CCV822022
3/0 | 6/8 | 8/0



CCV06022
3/0 | 6/8



CCV820532
3/0 | 8/0




CCV3412SL
12" | 6/8
14" | 6/8



LCRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



LC30T
3'0" door only





LCET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



Classic Craft® Mahogany Grain

Classic Craft® Canvas





Shown in Black Nickel Caming (1D)

Glass Privacy Rating



Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)


Note: Glass image shows the exterior side of the door.

Zaha®

Door Styles



Classic Craft® Mahogany Grain	X	X	X		X	X	X
Classic Craft® Canvas	X			X	X		X




Classic Craft® Mahogany Grain	X	X	X	X	X	X
Classic Craft® Canvas	X	X	X			

Classic Craft® Mahogany Grain



Classic Craft® Canvas





CCM81843 Stained in Shale

- Brass Caming (1A)
- Brushed Nickel Caming (1C)

- Black Nickel Caming (1D)
- Wrought Iron (1W)

- Flush Glazed (FG)

Low-E Glass





CCV960 Painted in Mocha Chip

Classic Craft® Fir Grain

Classic Craft® Mahogany Grain

Classic Craft® Canvas





Shown in Low-E Glass (LE)

Glass Privacy Rating



Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.

All Classic Craft® doors are standard with Low-E Glass. For Privacy Glass options, see the next page.

Divided Lites

Clear and Privacy glass can be divided with either removable wood grilles or simulated lite bars for a unique look. For more information on Divided Lites, please see [pages 30-33](#).



Simulated Divided Lite Bars (SDL)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted to complement the door and home.

Available for Classic Craft® American and Classic Craft® Canvas starting on [page 99](#).

- Brass Caming (1A)
- Brushed Nickel Caming (1C)

- Black Nickel Caming (1D)
- Wrought Iron (1W)

- Flush Glazed (FG)

Privacy & Textured Glass



CCV22020 Painted in Moonless Night



Chord Glass (XC)

Glass Privacy Rating

10 9 8 7 6 5 4 3 2 1



Chinchilla Glass (XJ)

Glass Privacy Rating

10 9 8 7 6 5 4 3 2 1



Rainglass (XR)

Glass Privacy Rating

10 9 8 7 6 5 4 3 2 1



Granite Glass (XN)

Glass Privacy Rating


10 9 8 7 6 5 4 3 2 1



Satin Etch (XE)

Glass Privacy Rating

10 9 8 7 6 5 4 3 2 1



Reeded Glass (XK)

Glass Privacy Rating

10 9 8 7 6 5 4 3 2 1



CCM200

3/0 | 6/8



CCM891

3/0 | 8/0



CCM300

3/0 | 6/8



CCM600__*

3/0 | 6/8



CCR30020

3/0 | 6/8



CCR04020__*

CCR804020

3/0 | 6/8 | 8/0



CCR804030

3/0 | 8/0



CCR20520__*

CCR820520

3/0 | 6/8 | 8/0



CCR820530

3/0 | 8/0



CCR20020__*

CCR820020

3/0 | 6/8 | 8/0



CCR822220

3/0 | 8/0

3/6 | 8/0



CCR820030

3/0 | 8/0



CCM3300SL

10" | 6/8
12" | 6/8
14" | 6/8



CCR3400__SL*

CCR8000__SL*

12" | 6/8 | 8/0
14" | 6/8 | 8/0



Option: Grille Sticks Applied


19020T

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



19220T

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



19200T

3'0" door only



19210T

12" and 14"
sidelite only

Classic Craft® Canvas



CCV10020
3/0 | 6/8



CCV05020
CCV805020
3/0 | 6/8 | 8/0



CCV20520 *
CCV820520
3/0 | 6/8 | 8/0




CCV22020 *
CCV822020
3/0 | 6/8 | 8/0



CCV06020 *
CCV806020
3/0 | 6/8 | 8/0



CCV820530
3/0 | 8/0



CCV100 SL*
CCV8100SL
12" | 6/8 | 8/0
14" | 6/8 | 8/0



Option: Grille Sticks Applied

19020T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



19220T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



19200T
3'0" door only



19210T
12" and 14"
sidelite only

*Add the code to the blank in the style number for the desired door and glass combination.

XC Chord Glass (XC)

XJ Chinchilla Glass (XJ)

XR Rainglass (XR)

XN Granite Glass (XN)

XG Geometric Glass (XG)

XE Satin Etch Glass (XE)

 Flush-Glazed (FG)

EnLiten™ Flush-Glazed Designs

Simplified beauty. Resilient designs.


Create a clean look with maximum views.

During manufacturing, double or triple-pane glass is built directly into the door. This design eliminates the need for a lite frame and screw plugs, achieving a seamless, consistent finish. EnLiten flush-glazed designs offer up to a 16% increase in visible glass area as compared to conventional lite frames, creating an airy, open feeling in the home with larger daylight openings.

All Classic Craft collection sidelites utilize Flush-Glazed glass.



Flush-Glazed Glass




Lip-Lite Frame




EnLiten flush-glazed designs are backed by the industry's most comprehensive lifetime limited warranty, plus warranty riders for peace of mind - all from the entry door brand building professionals choose most.**


**Brand Use Study, 2018 Builder magazine.



Classic Craft® Fir Grain



CCA2400___*
CCA82400___*
 3/0 | 6/8 | 8/0



CCA210___*
CCA8210___*
 3/0 | 6/8 | 8/0



CCA87100___*
 3/6 | 8/0

Please see page 104-105 for sidelite and transom options to complete your door unit.

Classic Craft® Mahogany Grain



CCM302L___*
CCM8302L___*
 3/0 | 6/8 | 8/0



CCM302R___*
CCM8302R___*
 3/0 | 6/8 | 8/0



CCM301CAL___*
CCM8301CAL___*
 3/0 | 6/8 | 8/0



CCM301CAR___*
CCM8301CAR___*
 3/0 | 6/8 | 8/0



CCM2800
 3/0 | 6/8

*Add the code to the blank in the style number for the desired door and glass combination.

XC Chord Glass (XC)
XJ Chinchilla Glass (XJ)

XR Rainglass (XR)
XN Granite Glass (XN)


XG Geometric Glass (XG)
XE Satin Etch

XK Reeded Glass (X)
 Flush-Glazed (FG)




CCA2320 Stained in Wildflower Honey


Classic Craft® Fir Grain




CCA2300__*
CCA82300__*
3/0 | 6/8 | 8/0




CCA2310__*
CCA82310__*
3/0 | 6/8 | 8/0




CCA2320__*
CCA82320__*
3/0 | 6/8 | 8/0



CCA2330__*
CCA82330__*
3/0 | 6/8 | 8/0




CCA2340__*
CCA82340__*
3/0 | 6/8 | 8/0




CCA2350__*
CCA82350__*
3/0 | 6/8 | 8/0



CCA2360__*
CCA82360__*
3/0 | 6/8 | 8/0



CCA2380__*
CCA82380__*
3/0 | 6/8 | 8/0



CCA2370__*
CCA82370__*
3/0 | 6/8 | 8/0


Classic Craft® Fir Grain Flat Profile Divider Bars



SDL3 (107.95 mm / 4-1/4")



SDL4 (139.70 mm / 5-1/2")



SDL5
Some door styles use a combination of 4-1/4" and 5-1/2" divider bars.

*Add the code to the blank in the style number for the desired door and glass combination.


XC Chord Glass (XC)
XJ Chinchilla Glass (XJ)

XR Rainglass (XR)
XN Granite Glass (XN)
XE Satin Etch (XE)


XG Geometric Glass (XG)
XK Reeded Glass (XK)
FG Flush-Glazed (FG)

+ Simulated Divided Lites (page 31)
+ Simulated Divided Lites (SDL3)
+ Simulated Divided Lites (SDL4)


Classic Craft® Fir Grain




CCA4900__*
CCA84900__*
3/0 | 6/8 | 8/0




CCA4910L__*
CCA84910L__*
3/0 | 6/8 | 8/0




CCA4910R__*
CCA84910R__*
3/0 | 6/8 | 8/0




CCA4920L__
CCA84920L__
3/0 | 6/8 | 8/0




CCA4920R__*
CCA84920R__*
3/0 | 6/8 | 8/0




CCA4930__*
CCA84930__*
3/0 | 6/8 | 8/0




CCA4940__*
CCA84940__*
3/0 | 6/8 | 8/0




CCA2400__SL*
CCA82400SL*
12" | 6/8 | 8/0
14" | 6/8 | 8/0




CCA2300__SL*
CCA82300SL
12" | 6/8 | 8/0
14" | 6/8 | 8/0




CCA2310__SL*
CCA82310SL
12" | 6/8 | 8/0
14" | 6/8 | 8/0



CCA2320__SL*
CCA82320SL
12" | 6/8 | 8/0
14" | 6/8 | 8/0



CCA2330__SL*
CCA82330SL
12" | 6/8 | 8/0
14" | 6/8 | 8/0



CCA2340__SL*
CCA82340SL
12" | 6/8 | 8/0
14" | 6/8 | 8/0

Classic Craft® Fir Grain



CCA220__*
CCA8220__*
3/0 | 6/8 | 8/0



CCA87200__*
3/6 | 8/0



CCA230__*
CCA8230__*
3/0 | 6/8 | 8/0



CCA87300__*
3/6 | 8/0



CCA240__*
CCA8240__*
3/0 | 6/8 | 8/0



CCA87400__*
3/6 | 8/0



CCA260__*
CCA8260__*
3/0 | 6/8 | 8/0



CCA87600__*
3/6 | 8/0



CCA3400__SL*
CCA3500__SL*
12" | 6/8 | 8/0
14" | 6/8 | 8/0



CCA3450__SL*
CCA3560__SL*
12" | 6/8 | 8/0
14" | 6/8 | 8/0



CCA210__SL*
12" | 6/8
14" | 6/8



CCA220__SL*
12" | 6/8
14" | 6/8



Option: Grille Sticks Applied

19020T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



19220T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



19200T
3'0" door only



19210T
12" and 14" sidelite only

8/0 - XC only available in 1"

*Add the code to the blank in the style number for the desired door and glass combination.

XC Chord Glass (XC)
XJ Chinchilla Glass (XJ)

XR Rainglass (XR)
XN Granite Glass (XN)
XE Satin Etch (XE)

XG Geometric Glass (XG)
XK Reeded Glass (XK)
 Flush-Glazed (FG)

+ Simulated Divided Lites (page 31)
+ Simulated Divided Lites (SDL3)
+ Simulated Divided Lites (SDL4)

Classic Craft® Mahogany Grain



CCM304L__*
CCM8304L__*
3/0 | 6/8 | 8/0



CCM304R__*
CCM8304R__*
3/0 | 6/8 | 8/0



CCM303L__*
CCM8303L__*
3/0 | 6/8 | 8/0



CCM303R__*
CCM8303R__*
3/0 | 6/8 | 8/0



CCM305CAL__*
CCM8305CAL__*
3/0 | 6/8 | 8/0



CCM305CAR__*
CCM8305CAR__*
3/0 | 6/8 | 8/0



CCM306CAL__*
CCM8306CAL__*
3/0 | 6/8 | 8/0



CCM306CAR__*
CCM8306CAR__*
3/0 | 6/8 | 8/0



CCM2804
3/0 | 6/8



CCM2806
3/0 | 6/8



CCM2812
3/0 | 6/8




CCR2025SL
12" | 6/8
14" | 6/8




CCR82035SL
12" | 8/0
14" | 8/0


Classic Craft® Canvas



CCV910__*
3/0 | 6/8




CCV920__*
3/0 | 6/8




CCV930__*
3/0 | 6/8




CCV940__*
3/0 | 6/8




CCV960__*
3/0 | 6/8



CCV100__SL*
CCV8100SL
12" | 6/8 | 8/0
14" | 6/8 | 8/0



CCV9010SL
CCV910__SL*
12" | 6/8
14" | 6/8



CCV9020SL
CCV920__SL*
12" | 6/8
14" | 6/8



CCV8950SL
12" | 8/0
14" | 8/0



CCV950__SL*
12" | 6/8
14" | 6/8

Please see page 95 for transom options to complete your door unit.

*Add the code to the blank in the style number for the desired door and glass combination.

XC Chord Glass (XC)
XJ Chinchilla Glass (XJ)
XH Hammered Glass (XH)

XR Rainglass (XR)
XN Granite Glass (XN)
XE Satin Etch (XE)

XG Geometric Glass (XG)
XK Reeded Glass (XK)
 Flush-Glazed (FG)

+ Simulated Divided Lites (page 31)
+ Simulated Divided Lites (SDL3)
+ Simulated Divided Lites (SDL4)

Fiber-Classic® & Smooth-Star® Collection

Introduction

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value. [Pages 106-253](#).




**Fiber-Classic®
Mahogany Collection™**

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



**Fiber-Classic®
Oak Collection™**

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



Smooth-Star®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



Pulse® Collection™

Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

With 3 distinct aesthetic approaches, the entrance becomes modern art.



Ari




Línea



Echo



Scrolled Lite




Flat Lite (look for the  icon)

Decorative & Specialty Glass




Axis®
Privacy Rating: **7**



Blackstone®
Privacy Rating: **7**




Calix™
Privacy Rating: **1**



Concorde™
Privacy Rating: **8**




Crystalline
Privacy Rating: **7**



Echelon™
Privacy Rating: **1**




Kensington™
Privacy Rating: **8**



Latitude™
Privacy Rating: **2**




Maple Park®
Privacy Rating: **6**



Pembroke™
Privacy Rating: **7**



Riserva®
Privacy Rating: **10**



Salinas®
Privacy Rating: **10**




Saratoga™
Privacy Rating: **7**



Sedona™
Privacy Rating: **7**



Wellesley™
Privacy Rating: **6**



Internal Blinds



Screen Vented



Clear Glass
Privacy Rating: **1**
Options: Low-E (☀)



Privacy & Textured Glass

For Privacy & Textured Glass options, see **Page 206**.

Solid Panel



FCM60 Stained in Raven

Fiber-Classic® Mahogany

Fiber-Classic® Oak


Smooth-Star®




Solid Panel

Door Styles


All styles shown come standard with Tru-Guard® composite edge.
See page ## for more details.



Fiber-Classic® Mahogany	X		X				X	
Fiber-Classic® Oak	X	X						
Smooth-Star®		X	X	X	X	X	X	X



Fiber-Classic® Mahogany			X	X		X	X
Fiber-Classic® Oak	X	X	X			X	X
Smooth-Star®	X	X	X	X	X	X	X



Fiber-Classic® Mahogany						
Fiber-Classic® Oak						
Smooth-Star®	X	X	X	X	X	X

Solid Panel

Fiber-Classic® Mahogany



FCM31

2/8	6/8
2/10	6/8
3/0	6/8



FCM220

2/8	6/8
2/10	6/8
3/0	6/8



FCM205

2/8	6/8
2/10	6/8
3/0	6/8



FCM755

2/8	6/8
2/10	6/8
3/0	6/8



FCM600

2/8	6/8
2/10	6/8
3/0	6/8



FCM60 FCM860

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM1000* FCM81000*

2/0	6/8			2/8	6/8	7/0	8/0
2/4	6/8			2/10	6/8	7/0	
2/6	6/8	7/0	8/0	3/0	6/8	7/0	8/0

Fiber-Classic® Oak



FC31

2/8	6/8
2/10	6/8
3/0	6/8



FC809

2/8	6/8
3/0	6/8



FC862

2/8	8/0
3/0	8/0




FC755

2/8	6/8
2/10	6/8
3/0	6/8



FC60 FC860

2/6	6/8		
2/6N		7/0	
2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0




1000* 81000*

2/0	6/8		
2/4	6/8		
2/6	6/8	7/0	8/0
2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0

Solid Panel

Smooth-Star®

Note: Product images show the exterior side of the door.



S93

2/8	6/8
3/0	6/8

S220

S8200

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

S1100

S81100

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0

S120

S8120

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0

S200

S897

2/6N	6/8	
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S205 **S8201**

2/8	6/8	8/0
2/10		8/0
3/0	6/8	8/0



S31 **S831**

2/8	6/8	8/0
3/0	6/8	8/0




S960

2/8	6/8
2/10	6/8
3/0	6/8




S755

2/8	6/8
3/0	6/8




S4800 **S84800**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S600 **S8600**


2/8	6/8	
2/10	6/8	
3/0	6/8	8/0



S210/S210H **S810/S810H**

2/6N	6/8	8/0
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

2868, 3068, 3080 - Available with internal steel reinforcement for additional security



S100* **S81000***

2/0	6/8	
2/4	6/8	
2/6	6/8	8/0
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8	8/0

Choose from any of the decorative, privacy or clear glass sidelites on pages 94-247 to complete your door unit.

Solid Panel


Discover new ways to bring popular Shaker charm to your Smooth-Star solid panel door.

New Door Divider Bar (DDB) styles for solid-panel Shaker-style doors blend on-trend contours with purposeful Shaker design to complete the look of Contemporary and Modern home styles. Door divider bars offer new ways to express personal style while maintaining privacy with a solid-panel door. Therma-Tru® DDBs are made with a durable composite material engineered to withstand extreme weather and resist warping and shrinking, and they have a smooth, flat surface to apply seamlessly to a Smooth-Star flat panel door.



Flat Profile Divider Bars

Smooth, flat-profile divider bars can be applied to doors with or without glass to create a variety of styles.



S3501L Painted in Golden Wheat

Solid Panel


Smooth-Star®

Note: Product images show the exterior side of the door.



S5701 **S85701**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S3301 **S83301**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S5721 **S85721**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S3401L **S83401L**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S3401R **S83401R**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S3501L **S83501L**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S3501R **S83501R**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S3601L **S83601L**


2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S3601R **S83601R**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0

Choose from any of the decorative, privacy or clear glass sidelites on pages 94-247 to complete your door unit.



S83AX Painted in Total Eclipse

Fiber-Classic® Mahogany

Fiber-Classic® Oak

Smooth-Star®






Shown in Black Nickel Caming (1D)

Glass Privacy Rating



Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.

Axis®
Door Styles




Fiber-Classic® Mahogany	X	X		X	X		X			X	
Fiber-Classic® Oak	X	X	X	X					X		
Smooth-Star®	X	X	X	X	X	X	X	X	X	X	X




Fiber-Classic® Mahogany		X	X	X	X	X	X	X	X	X
Fiber-Classic® Oak		X	X	X	X	X	X	X	X	X
Smooth-Star®	X	X	X	X	X	X	X	X	X	X

All styles shown come standard with Tru-Guard™ composite edge. See page 282 for more details.



FCM1652 Stained in Driftwood

© TheHouseDesigners.com



When building a double door unit with Axis Glass, please note the glass layout, viewed from the exterior of the door.

Fiber-Classic® Mahogany



FCM1652 **FCM1651***

2/4	6/8*	
2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM1647

2/8	6/8
2/10	6/8
3/0	6/8



FCM1654 **FCM81654**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM1650

2/8	6/8
2/10	6/8
3/0	6/8




FCM1656

2/8	6/8
2/10	6/8
3/0	6/8



FCM1658

2/8	6/8
2/10	6/8
3/0	6/8



FCM1651SL*
FCM81651SL*

10"	6/8		
12"	6/8	7/0	8/0
14"	6/8	7/0	8/0



FCM81652SL

12"	8/0
14"	8/0



FCM1646SL
FCM81646SL

12"	6/8	8/0
14"	6/8	8/0



FCM1656SL
FCM81654SL

12"	6/8	8/0
14"	6/8	8/0



AXRT

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only

PULSE

Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.






FCM2AX* **FCM83AX***

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0




FCM1AX* **FCM81AX***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0




FCM4AX* **FCM84AX***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0




FCM8AX* **FCM8LAX*** **FCM8RAX***

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM9AX* **FCM9LAX*** **FCM9RAX***

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM5AX* **FCM85AX***


2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

FCM5LAX*
FCM85LAX*

FCM5RAX*
FCM85RAX*

Fiber-Classic® Mahogany | Pulse®

Echo




FCM810AX*

2/6 | 8/0
2/8 | 8/0
3/0 | 8/0

FCM810LAX*

FCM810RAX*

Echo




FCM811AX*

2/6 | 8/0
2/8 | 8/0
3/0 | 8/0

FCM811LAX*

FCM811RAX*

Echo



FCM86AX*

2/6 | 8/0
2/8 | 8/0
3/0 | 8/0


FCM86LAX*

FCM86RAX*



FCM1651SL*
FCM81651SL*

10" | 6/8 | 8/0
12" | 6/8 | 8/0
14" | 6/8 | 8/0



FCM4AXSL*
FCM84AXSL*

12" | 6/8 | 8/0
14" | 6/8 | 8/0



FCM5AXSL*
FCM85AXSL*

12" | 6/8 | 8/0
14" | 6/8 | 8/0



FCM810AXSL*

12" | 8/0
14" | 8/0



FCM811AXSL*

12" | 8/0
14" | 8/0



FCM86AXSL*

12" | 8/0
14" | 8/0



FCM9AXSL*

12" | 6/8
14" | 6/8




FCM10AXSL*

12" | 6/8
14" | 6/8



FC1AX Stained in Wildflower Honey



When building a double door unit with Axis Glass, please note the glass layout, viewed from the exterior of the door.

Fiber-Classic® Oak


FC1652 FC1651*

2/4	6/8*	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0


FC1647

2/8	6/8
2/10	6/8
3/0	6/8


FC1646

2/8	6/8
3/0	6/8


FC81646

2/8	8/0
3/0	8/0


FC1654 FC81654


2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0


FC81653

2/8	8/0
3/0	8/0


**FC1652SL
FC81652SL**

10"	6/8	
12"	6/8	8/0
14"	6/8	8/0


**FC1651SL*
FC81651SL***

12"	6/8	7/0	8/0
14"	6/8	7/0	8/0


**FC1646SL
FC81646SL**

12"	6/8	8/0
14"	6/8	8/0


**FC1656SL
FC81654SL**

12"	6/8	8/0
14"	6/8	8/0


AXRT

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only

* This door style is made from a flush door and will not have stile lines.



Brass Caming (1A)



Brushed Nickel Caming (1C)



Black Nickel Caming (1D)



Wrought Iron (1W)



Flat Lite Frame




Vented Sidelite

Fiber-Classic® Oak | Pulse®

PULSE

Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.

Ari



FC2AX*

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

FC83AX*

Línea



FC1AX*

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

FC81AX*




FC1LAX*
FC81LAX*



FC1RAX*
FC81RAX*


Echo




FC4AX*

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

FC84AX*



FC4LAX*
FC84LAX*



FC4RAX*
FC84RAX*

Echo



FC8AX*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC8LAX*



FC8RAX*

Echo



FC9AX*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FC9LAX*



FC9RAX*

Echo




FC5AX*

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

FC85AX*




FC5LAX*
FC85LAX*



FC5RAX*
FC85RAX*

Fiber-Classic® Oak | Pulse®

Echo




FC810AX*

2/6 | 8/0
2/8 | 8/0
3/0 | 8/0

FC810LAX*

FC810RAX*

Echo




FC811AX*

2/6 | 8/0
2/8 | 8/0
3/0 | 8/0

FC811LAX*

FC811RAX*

Echo



FC86AX*

2/6 | 8/0
2/8 | 8/0
3/0 | 8/0

FC86LAX*

FC86RAX*

FC1651SL*
FC81651SL*

10" | 6/8 |
12" | 6/8 | 8/0
14" | 6/8 | 8/0

FC4AXSL*
FC84AXSL*

12" | 6/8 | 8/0
14" | 6/8 | 8/0

FC5AXSL*
FC85AXSL*

12" | 6/8 | 8/0
14" | 6/8 | 8/0



FC810AXSL*

12" | 8/0
14" | 8/0



FC811AXSL*

12" | 8/0
14" | 8/0



FC86AXSL*

12" | 8/0
14" | 8/0



FC9AXSL*

12" | 6/8
14" | 6/8




FC10AXSL*

12" | 6/8
14" | 6/8




S1646 Painted in Moonless Night



When building a double door unit with Axis Glass, please note the glass layout, viewed from the exterior of the door.

Smooth-Star®



S1652	S1651*
2/4	6/8*
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8*



S1647
2/8
2/10
3/0




S1646	S81646
2/8	6/8
3/0	6/8



S1654	S81654
2/8	6/8
2/10	6/8
3/0	6/8



S1656	S81656
2/8	6/8
2/10	6/8
3/0	6/8




S4311	S84311
2/8	6/8
2/10	6/8
3/0	6/8




S1658
2/8
3/0



S1653	S81653
2/8	6/8
3/0	6/8




S2620	S82620
2/8	6/8
2/10	6/8
3/0	6/8




S1650	S81650
2/8	6/8
2/10	6/8
3/0	6/8




S1661
2/10
2/8
3/0



S1652SL	S81652SL
12"	6/8
14"	6/8



S1651SL*	S81651SL*
10"	6/8
12"	6/8
14"	6/8



S1646SL	S81646SL
12"	6/8
14"	6/8



S1656SL	S81654SL
12"	6/8
14"	6/8




AXRT


3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only

PULSE


Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.




S2AX*	S83AX*
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8




S1AX*	S81AX*
2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8




S4AX*	S84AX*
2/6	6/8
2/8	6/8
2/10	6/8



S8AX*	S8LAX*	S8RAX*
2/6	6/8	3/0
2/8	6/8	3/6
2/10	6/8	6/8




S9AX*	S9LAX*	S9RAX*
2/6	6/8	3/0
2/8	6/8	3/6
2/10	6/8	6/8



S5AX*	S85AX*
2/6	6/8
2/8	6/8
2/10	6/8

Smooth-Star® | Pulse®

Echo




S810AX*

2/6 | 8/0
2/8 | 8/0
3/0 | 8/0
3/6 | 8/0

S810LAX*

S810RAX*

Echo



S811AX*

2/6 | 8/0
2/8 | 8/0
3/0 | 8/0
3/6 | 8/0

S811LAX*

S811RAX*

Echo




S86AX*

2/6 | 8/0
2/8 | 8/0
3/0 | 8/0
3/6 | 8/0

S86LAX*

S86RAX*



S1652SL


S81652SL
12" | 6/8 | 8/0
14" | 6/8 | 8/0

S4AXSL*

S84AXSL*
12" | 6/8 | 8/0
14" | 6/8 | 8/0

S5AXSL*

S85AXSL*
12" | 6/8 | 8/0
14" | 6/8 | 8/0



S810AXSL*


12" | 8/0
14" | 8/0

S811AXSL*

12" | 8/0
14" | 8/0

S86AXSL*

12" | 8/0
14" | 8/0



S9AXSL*

12" | 6/8
14" | 6/8

S10AXSL*

12" | 6/8
14" | 6/8



Fiber-Classic® Mahogany

Fiber-Classic® Oak

Smooth-Star®





Glass Privacy Rating



Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)

Blackstone®

Door Styles



Fiber-Classic® Mahogany	X	X		X	X		X
Fiber-Classic® Oak	X	X	X	X			
Smooth-Star®	X	X	X	X	X	X	X



Fiber-Classic® Mahogany		X	X		X
Fiber-Classic® Oak	X	X	X	X	X
Smooth-Star®	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Fiber-Classic® Mahogany



FCM108 **FCM310***
 2/8 6/8 7/0*
 2/10 6/8 7/0*
 3/0 6/8 7/0*



FCM765
 2/8 6/8
 2/10 6/8
 3/0 6/8



FCM109 **FCM863**
 2/8 6/8 8/0
 2/10 6/8 8/0
 3/0 6/8 8/0



FCM6032
 2/8 6/8
 2/10 6/8
 3/0 6/8



FCM6052
 2/8 6/8
 2/10 6/8
 3/0 6/8



FCM110
 2/8 6/8
 2/10 6/8
 3/0 6/8



FCM164
 2/8 6/8
 2/10 6/8
 3/0 6/8



FCM765SL
FCM882SL
 12" 6/8 8/0
 14" 6/8 8/0



FCM109SL
FCM863SL
 12" 6/8 8/0
 14" 6/8 8/0



BSRT

3'0" door + (2) 12" sidelites
 Continuous sill systems only

Fiber-Classic® Mahogany | Pulse®



Clean lines. Crisp angles.
 Sleek designs. Vintage style.
 Pulse is a contemporary
 series of door styles and
 glass designs that can be
 combined to make a bold
 statement.

Línea



FCM1LBS*
 2/6 6/8
 2/8 6/8
 2/10 6/8
 3/0 6/8



FCM1BS*
 2/6 6/8
 2/8 6/8
 2/10 6/8
 3/0 6/8



FCM1RBS*
 2/6 6/8
 2/8 6/8
 2/10 6/8
 3/0 6/8



FCM808SL*
 10" 6/8
 12" 6/8 7/0
 14" 6/8 7/0

Fiber-Classic® Oak



FC108

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC765

2/8	6/8
2/10	6/8
3/0	6/8



FC770

2/8	6/8
3/0	6/8



81952P

2/8	8/0
3/0	8/0



FC109

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



81933P



FC714

2/8	6/8
2/10	6/8
3/0	6/8



FC164

2/8	6/8
2/10	6/8
3/0	6/8



FC794

2/8	6/8
3/0	6/8



FC108SL

10"	6/8
12"	6/8
14"	6/8



FC765SL

12"	6/8	8/0
14"	6/8	8/0



FC109SL

12"	6/8	8/0
14"	6/8	8/0



BSRT

3'0" door + (2) 12" sidelites
Continuous sill systems only

Fiber-Classic® Oak | Pulse®

Línea



Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.



FC1LBS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1BS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1RBS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC808SL*

12"	6/8	7/0
14"	6/8	7/0

Smooth-Star®



S6002 S310*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S975

2/8	6/8
2/10	6/8
3/0	6/8



S979 S894

2/8	6/8	8/0
3/0	6/8	8/0



S6000 S81933P

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6032 S86032

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S4314 S84314

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S6052

2/8	6/8
3/0	6/8



S6013

2/8	6/8
2/10	6/8
3/0	6/8



S771

2/8	6/8
3/0	6/8




S6085

2/8	6/8
2/10	6/8
3/0	6/8




S997

2/8	6/8
3/0	6/8




S6002SL

12"	6/8
14"	6/8



S975SL S894SL

12"	6/8	8/0
14"	6/8	8/0



S6000SL S85912SL

12"	6/8	8/0
14"	6/8	8/0



BSRT

3'0" door + (2) 12" sidelites
Continuous sill systems only




Smooth-Star® | Pulse®

PULSE


Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.

Línea




S1LBS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8




S1BS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8



S1RBS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8



S4570SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0

- Brass Caming (1A)
- Brushed Nickel Caming (1C)

- Black Nickel Caming (1D)
- Wrought Iron (1W)

- ~ Vented Sidelite

* This door style is made from a flush door and will not have stile lines.



S3540 Painted in Royal Marine






Shown in Black Nickel Caming (1D)

Glass Privacy Rating



Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)



Brass Caming (1A)

Calix

Door Styles



Fiber-Classic® Mahogany	X	X		X	X	X			
Fiber-Classic® Oak	X	X	X	X				X	X
Smooth-Star®	X	X	X	X	X	X	X	X	X



Fiber-Classic® Mahogany						X	X	X
Fiber-Classic® Oak			X	X		X	X	X
Smooth-Star®	X	X	X	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Fiber-Classic® Mahogany



FCM2223

2/8	6/8
2/10	6/8
3/0	6/8



FCM2389*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FCM82223

2/8	8/0
2/10	8/0
3/0	8/0



FCM82389*

2/8	8/0
3/0	8/0



FCM389

2/8	6/8
2/10	6/8
3/0	6/8



FCM386

2/8	6/8
2/10	6/8
3/0	6/8



FCM387

2/8	6/8
2/10	6/8
3/0	6/8



FCM394

2/8	6/8
2/10	6/8
3/0	6/8




FCM8386

2/8	8/0
2/10	8/0
3/0	8/0




FCM6975

2/8	6/8
2/10	6/8
3/0	6/8




FCM2389SL

12"	6/8	7/0
14"	6/8	7/0



FCM82389SL

12"	8/0
14"	8/0



FCM82223SL

12"	8/0
14"	8/0



FCM4521SL
FCM84521SL

12"	6/8	8/0
14"	6/8	8/0



FCM387SL
FCM8386SL

12"	6/8	8/0
14"	6/8	8/0

Fiber-Classic® Mahogany | **Pulse®**

PULSE

Clean lines. Crisp angles. Sleek designs.
Vintage style. Pulse is a contemporary series
of door styles and glass designs that can be
combined to make a bold statement.

Ari



FCM2CX

2/8	6/8
2/10	6/8
3/0	6/8



FCM83CX

2/8	8/0
3/0	8/0

Línea



FCML1CX

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1CX

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1RCX

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM81LCX

2/6	8/0
2/8	8/0
3/0	8/0



FCM81CX

2/6	8/0
2/8	8/0
3/0	8/0



FCM81RCX

2/6	8/0
2/8	8/0
3/0	8/0

Note: All Calix styles shown are available with Advanta lite frames in either a scrolled or flat frame profile.

● Brass Caming (1A)
● Brushed Nickel Caming (1C)

● Black Nickel Caming (1D)
■ Wrought Iron (1W)

~ Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Fiber-Classic® Oak



FC2223

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC2389*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC82223

2/8	8/0
3/0	8/0



FC82389*

2/8	8/0
3/0	8/0



FC389

2/8	6/8
2/10	6/8
3/0	6/8



FC4521

2/8	6/8
3/0	6/8



FC84521

2/8	8/0
3/0	8/0




FC386

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC8386

2/8	8/0
3/0	8/0




FC8392

2/8	8/0
3/0	8/0




FC8390

2/8	8/0
3/0	8/0




FC2223SL

12"	6/8
14"	6/8




FC82223SL

12"	8/0
14"	8/0



FC2389SL

12"	6/8	7/0
14"	6/8	7/0



FC823893SL

12"	8/0
14"	8/0



FC4521SL

12"	6/8	8/0
14"	6/8	8/0



FC387SL

12"	6/8	8/0
14"	6/8	8/0

Fiber-Classic® Oak | **Pulse®**

PULSE

Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.

Ari**FC2CX**

2/8	6/8
2/10	6/8
3/0	6/8

**FC83CX**

2/8	8/0
3/0	8/0

Línea**FC1LCX**

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

**FC1CX**

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

**FC1RCX**

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

**FC81LCX**

2/6	8/0
2/8	8/0
3/0	8/0

**FC81CX**




2/6	8/0
2/8	8/0
3/0	8/0

**FC81RCX**


2/6	8/0
2/8	8/0
3/0	8/0

Note: All Calix styles shown are available with Advanta lite frames in either a scrolled or flat frame profile.

Smooth-Star®



Smooth-Star®




Smooth-Star® | Pulse®




Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.

Ari



Note: All Calix styles shown are
available with Advanta lite frames in
either a scrolled or flat frame profile.

Línea





FCM916 Stained in Rustic Clay

Fiber-Classic® Mahogany

Fiber-Classic® Oak

Smooth-Star®





Glass Privacy Rating



Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)




Brass Caming (1A)

Concorde™

Door Styles



Fiber-Classic® Mahogany	X	X		X	X		X	
Fiber-Classic® Oak	X	X	X	X				X
Smooth-Star®	X	X	X	X	X	X	X	X



Fiber-Classic® Mahogany	X	X		X	
Fiber-Classic® Oak	X	X	X	X	X
Smooth-Star®	X	X	X	X	X

All layouts shown come standard with Tru-Guard, composite edge. See page 282 for more details.

- Brass Caming (1A)
- Brushed Nickel Caming (1C)

- Black Nickel Caming (1D)
- Wrought Iron (1W)

Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Fiber-Classic® Mahogany



FCM910 **FCM6095***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM890 **FCM820***

2/8	8/0	8/0*
2/10	8/0	8/0*
3/0	8/0	8/0*



FCM912

2/8	6/8
2/10	6/8
3/0	6/8



FCM911 **FCM891**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6026

2/8	6/8
2/10	6/8
3/0	6/8



FCM6046

2/8	6/8
2/10	6/8
3/0	6/8



FCM916

2/8	6/8
2/10	6/8
3/0	6/8




FCM915

2/8	6/8
2/10	6/8
3/0	6/8



FCM735 **FCM8735**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM809SL*
FCM81928SL*

10"	6/8	7/0	
12"	6/8	7/0	8/0
14"	6/8	7/0	8/0



FCM890SL

12"	8/0
14"	8/0



FCM912SL
FCM892SL

12"	6/8	8/0
14"	6/8	8/0



FCM911SL
FCM891SL

12"	6/8	8/0
14"	6/8	8/0



CNRT

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only

Fiber-Classic® Oak

Note: Product images show the exterior side of the door.



FC910 81928P

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0

8/0 - Brass caming not available



FC912

2/8	6/8
2/10	6/8
3/0	6/8



FC780

2/8	6/8
3/0	6/8



81960P

2/8	8/0
3/0	8/0



FC911 81942P

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0



FC915

2/8	6/8
2/10	6/8
3/0	6/8



FC797

2/8	6/8
3/0	6/8




FC735 FC8735

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0




FC917

2/8	6/8
3/0	6/8




**FC910SL
81928PSL**

10"	6/8	
12"	6/8	8/0
14"	6/8	8/0



**FC809SL*
81928SL***

12"	6/8	7/0	8/0
14"	6/8	7/0	8/0



**FC912SL
81960PSL**

12"	6/8	8/0
14"	6/8	8/0



**FC911SL
81942PSL**

12"	6/8	8/0
14"	6/8	8/0



CNRT

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites

Continuous sill systems only



S6090 S85895

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6095* S820*

3/6	6/8*	8/0*
-----	------	------



S912

2/8	6/8
2/10	6/8
3/0	6/8



S97 S85902

2/8	6/8	8/0
3/0	6/8	8/0




S426 S81942P

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6026 S86026

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S4316 S84316

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S6046

2/8	6/8
3/0	6/8



S430

2/8	6/8
2/10	6/8
3/0	6/8



S773

2/8	6/8
3/0	6/8



S6084

2/8	6/8
2/10	6/8
3/0	6/8



S1000

2/8	6/8
3/0	6/8




S735 S8735

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

Smooth-Star®

Note: Product images show the exterior side of the door.



S416SL
S85895SL

12"	6/8	8/0
14"	6/8	8/0

S4070SL*
S85930SL*

10"	6/8		
12"	6/8	7/0	8/0
14"	6/8	7/0	8/0

S757SL
S85902SL

12"	6/8	8/0
14"	6/8	8/0


S430SL
S85920SL

12"	6/8	8/0
14"	6/8	8/0



CNRT

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



FC735 Stained in Shale

● Brass Caming (1A)
● Brushed Nickel Caming (1C)

● Black Nickel Caming (1D)
□ Wrought Iron (1W)

~ Vented Sidelite

* This door style is made from a flush door and will not have stile lines.



S888 Painted in Morning Dove

Fiber-Classic® Mahogany

Fiber-Classic® Oak

Smooth-Star®





Shown in Black Nickel Caming (1D)

Glass Privacy Rating




Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.



Brushed Nickel Caming (1C)

Crystalline™ Door Styles



Fiber-Classic® Mahogany	X	X		X			X
Fiber-Classic® Oak	X	X	X	X			X
Smooth-Star®	X	X	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Fiber-Classic® Mahogany



FCM16 FCM668*

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM38

2/8	6/8
2/10	6/8
3/0	6/8



FCM898

2/8	8/0
2/10	8/0
3/0	8/0



**FCM38SL
FCM8105SL**

12"	6/8	8/0
14"	6/8	8/0

Fiber-Classic® Mahogany | Pulse®




Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.

Línea



FCM1LBL*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1BL*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1RBL*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM18101SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0

Fiber-Classic® Oak



FC16

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC38

2/8	6/8
2/10	6/8
3/0	6/8



FC772

2/8	6/8
3/0	6/8



81953P

2/8	8/0
3/0	8/0




81935P

2/8	8/0
2/10	8/0
3/0	8/0



FC46SL

10"	6/8
12"	6/8
14"	6/8



**FC38SL
81953PSL**

12"	6/8	8/0
14"	6/8	8/0



81935PSL

12"	8/0
14"	8/0

Fiber-Classic® Oak | **Pulse®**

PULSE

Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Línea



FC1LBL*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FC1BL*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FC1RBL*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



18101SL*

12"	6/8	7/0
14"	6/8	7/0



FC16 Stained in Dark Maple

- Brass Caming (1A)
- Brushed Nickel Caming (1C)

- Black Nickel Caming (1D)
- Wrought Iron (1W)

- ☞ Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Smooth-Star®



S916 S668*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S977

2/8	6/8
2/10	6/8
3/0	6/8



S981 S888

2/8	6/8	8/0
3/0	6/8	8/0



S81935P

2/8	8/0
2/10	8/0
3/0	8/0



S86027


2/8	8/0
2/10	8/0
3/0	8/0

SHAKER




S84319

2/8	8/0
2/10	8/0
3/0	8/0



S916SL

12"	6/8
14"	6/8



**S758SL
S888SL**

12"	6/8	8/0
14"	6/8	8/0



**S930SL
S85914SL**

12"	6/8	8/0
14"	6/8	8/0




S916 Painted in Luna Moth

Smooth-Star® | **Pulse®**

PULSE


Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.

Línea




S1LBL*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8




S1BL*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8



S1RBL*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8



S6130SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0


- Brass Caming (1A)
- Brushed Nickel Caming (1C)

- Black Nickel Caming (1D)
- Wrought Iron (1W)

- ~ Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Echelon Glass



S83EC Painted in Brighton

Fiber-Classic® Mahogany

Fiber-Classic® Oak

Smooth-Star®





Shown in Black Nickel Caming (1D)

Glass Privacy Rating



Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)



Brass Caming (1A)

Echelon

Door Styles



Fiber-Classic® Mahogany	X		X	X	X
Fiber-Classic® Oak	X	X	X	X	X
Smooth-Star®	X	X	X	X	X

All styles shown come standard with Tru-Guard, composite edge. See page 282 for more details.

Fiber-Classic® Mahogany




FCM2233 **FCM2385***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM2385SL

12"	6/8	7/0
14"	6/8	7/0



FCM84527SL

12"	8/0
14"	8/0

Note: All Echelon styles shown are available with Advanta lite frames in either a scrolled or flat frame profile.

Fiber-Classic® Mahogany | Pulse®



Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



FCM2EC

2/8	6/8
2/10	6/8
3/0	6/8



FCM83EC

2/8	8/0
3/0	8/0

Línea



FCM1LEC

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1EC

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1REC

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Fiber-Classic® Oak




FC2233

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




FC2385

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC84527

2/8	8/0
3/0	8/0



FC2233SL

12"	6/8
14"	6/8



FC2385SL

12"	6/8	7/0
14"	6/8	7/0



FC84527SL

12"	8/0
14"	8/0

Fiber-Classic® Oak | Pulse®



Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.

Ari



FCM2EC

2/8	6/8
2/10	6/8
3/0	6/8



FCM83EC

2/8	8/0
3/0	8/0

Línea



FCM1LEC

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1EC


2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1REC

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Smooth-Star®




S2233

2/8	6/8
2/10	6/8
3/0	6/8


S2385*

7/0*
7/0*
7/0*




S84527

2/8	8/0
3/0	8/0




S2233SL

12"	6/8	7/0
14"	6/8	7/0



S2385SL

12"	6/8	7/0
14"	6/8	7/0



S84527SL


12"	8/0
14"	8/0

Smooth-Star® | Pulse®




Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.

Ari



S2EC


2/8	6/8
2/10	6/8
3/0	6/8



S83EC


2/8	8/0
3/0	8/0
3/6	8/0

Línea




S1LEC

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



S1EC

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



S1REC

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC156 Stained in New Earth

Fiber-Classic® Mahogany

Fiber-Classic® Oak

Smooth-Star®





Shown in Black Nickel Caming (1D)

Glass Privacy Rating




Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (C)

Kensington™

Door Styles



Fiber-Classic® Mahogany	X	X		X	X	
Fiber-Classic® Oak	X	X	X	X		
Smooth-Star®	X	X	X	X	X	X



Fiber-Classic® Mahogany	X		X	X	
Fiber-Classic® Oak		X		X	X
Smooth-Star®	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.



FCM148 FCM626*

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM156

2/8	6/8
2/10	6/8
3/0	6/8



FCM149 FCM8149

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6036

2/8	6/8
2/10	6/8
3/0	6/8



FCM6056

2/8	6/8
2/10	6/8
3/0	6/8



FCM151

2/8	6/8
2/10	6/8
3/0	6/8



FCM789

2/8	6/8
2/10	6/8
3/0	6/8



FCM813SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0



**FCM1442SL
FCM8107SL**

12"	6/8	8/0
14"	6/8	8/0



**FCM149SL
FCM867SL**

12"	6/8	8/0
14"	6/8	8/0



KNRT

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



FC148

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC156

2/8	6/8
2/10	6/8
3/0	6/8



FC20042

2/8	6/8
3/0	6/8



81961P

2/8	8/0
3/0	8/0



FC149 FC8149

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0



FC151

2/8	6/8
2/10	6/8
3/0	6/8



FC798

2/8	6/8
3/0	6/8



FC148SL

10"	6/8
12"	6/8
14"	6/8



FC813SL*

12"	6/8	7/0
14"	6/8	7/0



**FC1442SL
81961PSL**

12"	6/8	8/0
14"	6/8	8/0



**FC149SL
FC8867SL**

12"	6/8	8/0
14"	6/8	8/0



KNRT

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only

Smooth-Star®



S160 S626*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S156

2/8	6/8
2/10	6/8
3/0	6/8



S20042 S902

2/8	6/8	8/0
3/0	6/8	8/0



S161 S8149

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6036 S86036

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S4320 S84320

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S6056

2/8	6/8
3/0	6/8



S162

2/8	6/8
2/10	6/8
3/0	6/8



S709

2/8	6/8
3/0	6/8



S163

2/8	6/8
2/10	6/8
3/0	6/8



S1001

2/8	6/8
3/0	6/8



S160SL

12"	6/8
14"	6/8



S6132SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0



**S1442SL
S902SL**

12"	6/8	8/0
14"	6/8	8/0



**S161SL
S867SL**

12"	6/8	8/0
14"	6/8	8/0



KNRT

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



S160 Painted in Alaskan Storm


- Brass Caming (1A)
- Brushed Nickel Caming (1C)

- Black Nickel Caming (1D)
- Wrought Iron (1W)

~ Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Latitude Glass




S2213 Painted in Royal Marine

Fiber-Classic® Mahogany

Fiber-Classic® Oak

Smooth-Star®






Shown in Black Nickel Caming (1D)


Glass Privacy Rating



Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)



Brass Caming (1A)

Latitude

Door Styles



Fiber-Classic® Mahogany	X	X			X			X
Fiber-Classic® Oak	X	X	X	X	X		X	X
Smooth-Star®	X	X	X	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Fiber-Classic® Mahogany



FCM2213 **FCM2382***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*




FCM476

2/8	6/8
2/10	6/8
3/0	6/8



FCM8498

2/8	8/0
2/10	8/0
3/0	8/0




FCM2382SL

12"	6/8	7/0
14"	6/8	7/0



FCM4525SL

12"	6/8
14"	6/8



FCM84525SL

12"	8/0
14"	8/0



FCM8498SL

12"	8/0
14"	8/0

Note: All Latitude styles shown are available with Advanta lite frames in either a scrolled or flat frame profile.

Fiber-Classic® Mahogany | **Pulse®**



Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Línea



FCM1LLT

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1LT

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1RLT

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Fiber-Classic® Oak




Fiber-Classic® Oak | Pulse®



Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.

Línea



Smooth-Star®



S2213

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



S2382*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




S476

2/8	6/8
2/10	6/8
3/0	6/8



S4525

2/8	6/8
3/0	6/8



S84525

2/8	8/0
3/0	8/0




S8498

2/8	8/0
2/10	8/0
3/0	8/0




S8467

2/8	8/0
2/10	8/0
3/0	8/0




S8489

2/8	8/0
3/0	8/0




S2213SL

12"	6/8
14"	6/8




S2382SL

12"	6/8	7/0
14"	6/8	7/0



S4525L

12"	6/8
14"	6/8



S84525SL

12"	8/0
14"	8/0



S8498SL


12"	8/0
14"	8/0

Smooth-Star® | Pulse®




Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.

Línea




S1LLT

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



S1LT

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



S1RLT

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Note: All Latitude
styles shown are
available with
Advanta lite frames
in either a scrolled
or flat frame profile.



FCM31 Stained in Autumn Harvest

- Brass Caming (1A)
- Brushed Nickel Caming (1C)

- Black Nickel Caming (1D)
- Wrought Iron (1W)

☼ Vented Sidelite

* This door style is made from a flush door and will not have stile lines.



S609 Painted in Rio

Fiber-Classic® Mahogany

Fiber-Classic® Oak

Smooth-Star®





Shown in Black Nickel Caming (1D)

Glass Privacy Rating




Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)

Maple Park®

Door Styles



Fiber-Classic® Mahogany	X	X		X	X	
Fiber-Classic® Oak	X	X	X	X		
Smooth-Star®	X	X	X	X	X	X



Fiber-Classic® Mahogany	X			X	X
Fiber-Classic® Oak		X			X
Smooth-Star®	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Maple Park®

Fiber-Classic® Mahogany



FCM900 **FCM1006***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM902

2/8	6/8
2/10	6/8
3/0	6/8




FCM901 **FCM886**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6107

2/8	6/8
2/10	6/8
3/0	6/8



FCM6108

2/8	6/8
2/10	6/8
3/0	6/8




FCM609

2/8	6/8
2/10	6/8
3/0	6/8




FCM736 **FCM8736**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM812SL

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0



FCM902SL
FCM887SL

12"	6/8	8/0
14"	6/8	8/0



FCM901SL
FCM886SL

12"	6/8	8/0
14"	6/8	8/0



FWRT

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only



FC900

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC902

2/8	6/8
2/10	6/8
3/0	6/8



FC777

2/8	6/8
3/0	6/8



81957P

2/8	8/0
3/0	8/0



FC901

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



81939P

2/8	8/0
3/0	8/0




FC736 FC8736

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0




FC900SL

10"	6/8
12"	6/8
14"	6/8



FC812SL*

12"	6/8	7/0
14"	6/8	7/0



**FC902SL
81957PSL**

12"	6/8	8/0
14"	6/8	8/0



**FC901SL
81939PSL**


12"	6/8	8/0
14"	6/8	8/0



FWRT

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only

Smooth-Star®



S6100 S1006*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S6102

2/8	6/8
2/10	6/8
3/0	6/8




S6103 S85898

2/8	6/8	8/0
3/0	6/8	8/0




S6101 S81939P

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0




S6107 S86107

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0




S4324 S84324

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S6108

2/8	6/8
3/0	6/8




S6104

2/8	6/8
2/10	6/8
3/0	6/8




S609 S8609

2/8	6/8
2/10	6/8
3/0	6/8 8/0




S2630 S82630

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S736 S8736

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0




S6100SL

12"	6/8
14"	6/8



S6131SL*

10"	6/8
12"	6/8 7/0
14"	6/8 7/0



S6102SL S85898SL

12"	6/8	8/0
14"	6/8	8/0



S6101SL S85918SL

12"	6/8	8/0
14"	6/8	8/0



FWRT

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites

Continuous sill systems only



S86107 Painted in Luna Moth


- Brass Caming (1A)
- Brushed Nickel Caming (1C)

- Black Nickel Caming (1D)
- Wrought Iron (1W)

└ Flat Lite Frame

⋈ Vented Sidelite

* This door style is made from a flush door and will not have stile lines.



FC745 Stained in Raven

Fiber-Classic® Mahogany

Fiber-Classic® Oak

Smooth-Star®





Shown in Black Nickel Caming (1D)

Glass Privacy Rating



Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (1C)



Brass Caming (1A)

Pembridge™

Door Styles



Fiber-Classic® Mahogany	X	X		X	X		X		X	X		
Fiber-Classic® Oak	X	X	X	X				X	X	X	X	
Smooth-Star®	X	X	X	X	X	X	X	X	X		X	X



Fiber-Classic® Mahogany	X	X	X	X								
Fiber-Classic® Oak		X	X	X								
Smooth-Star®	X	X	X	X	X	X	X	X	X	X	X	X

All styles shown come standard with Tru-Guard, composite edge. See page 282 for more details.

Fiber-Classic® Mahogany



FCM6550 FCM6500*

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*

FCM6582

2/8	6/8
2/10	6/8
3/0	6/8

FCM6560 FCM86560

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0

FCM6565

2/8	6/8
2/10	6/8
3/0	6/8

FCM6568

2/8	6/8
2/10	6/8
3/0	6/8

FCM6577

2/8	6/8
2/10	6/8
3/0	6/8



FCM6575

2/8	6/8
2/10	6/8
3/0	6/8

FCM6520

2/8	6/8
2/10	6/8
3/0	6/8

FCM745 FCM8745

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0

**FCM6580SL
FCM86580SL**

12"	6/8	8/0
14"	6/8	8/0

**FCM6565SL
FCM86560SL**


12"	6/8	8/0
14"	6/8	8/0

Fiber-Classic® Mahogany | **Pulse®**



Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.


Ari



FCM2PB* FCM83PB*

2/8	6/8	8/0
2/8	6/8	8/0
3/0	6/8	8/0

Línea



FCM1LPB*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

FCM1PB*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

FCM1RPB*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

FCM6500SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0

Fiber-Classic® Oak



FC6550

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC6582

2/8	6/8
2/10	6/8
3/0	6/8



FC6580

2/8	6/8
3/0	6/8



FC86580

2/8	8/0
3/0	8/0



FC6560

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC86560

2/8	8/0
2/10	8/0
3/0	8/0



FCO6575

2/8	6/8
2/10	6/8
3/0	6/8



FC6576

2/8	6/8
3/0	6/8



FC745

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



FC8745

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



FC6550SL

10"	6/8
12"	6/8
14"	6/8



FC6580SL
FC86580SL

12"	6/8	8/0
14"	6/8	8/0



FC6565SL
FC86560SL

12"	6/8	8/0
14"	6/8	8/0

Fiber-Classic® Oak | **Pulse®**



Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



FC2PB*

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0

FC83PB*

Línea



FC1LPB*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1PB*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1RPB*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC6500SL*

12"	6/8	7/0
14"	6/8	7/0

* This door style is made from a flush door and will not have stile lines.



Brass Caming (1A)



Black Nickel Caming (1D)



Brushed Nickel Caming (1C)



Wrought Iron (1W)



Flat Lite Frame




Vented Sidelite



S6576 Painted in Dahlia

Smooth-Star®



S6550

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	

S6500*



S6582

2/8	6/8
2/10	6/8
3/0	6/8



S6580

2/8	6/8	8/0
3/0	6/8	8/0

S86580



S6560

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

S86560

8/0 - Available with Brass caming

Smooth-Star®



S6565 S86565
 2/8 6/8 7/0 8/0
 2/10 6/8 7/0 8/0
 3/0 6/8 7/0 8/0

8/0 - Available with Brass caming



S4323 S84323
 2/8 6/8 8/0
 2/10 6/8 8/0
 3/0 6/8 8/0



S6568
 2/8 6/8
 3/0 6/8




S6572
 2/8 6/8
 2/10 6/8
 3/0 6/8



S6577
 2/8 6/8
 3/0 6/8




S6576
 2/8 6/8
 3/0 6/8




S2640 S82640
 2/8 6/8 8/0
 2/10 6/8 8/0
 3/0 6/8 8/0



S6520 S86520
 2/8 6/8
 2/10 6/8
 3/0 6/8 8/0




S745 S8745
 2/8 6/8 7/0 8/0
 2/10 6/8 7/0 8/0
 3/0 6/8 7/0 8/0



S6550SL
 12" 6/8
 14" 6/8

Brass Caming -
 Not Available with Flat Frame



S6580SL S86580SL
 12" 6/8 8/0
 14" 6/8 8/0



S6565SL S86560SL
 12" 6/8 8/0
 14" 6/8 8/0

8/0 - Available with Brass caming

● Brass Caming (1A)
 ● Brushed Nickel Caming (1C)

● Black Nickel Caming (1D)
 □ Wrought Iron (1W)

└ Flat Lite Frame


⋈ Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Smooth-Star® | Pulse®

PULSE


Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.



S2PB* **S83PB***

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0

Línea




S1PB* **S1LPB*** **S1RPB***

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8

Brass coming does not have Flat Lite Frame

Echo




S4PB* **S84PB***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0

S4LPB*
S84LPB*

S4RPB*
S84RPB*


Echo



S8PB* **S8LPB*** **S8RPB***

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8


Echo



S9PB* **S9LPB*** **S9RPB***

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8

Echo



S5PB* **S85PB***


2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0

S5LPB*
S85LPB*

S5RPB*
S85RPB*

Smooth-Star® | Pulse®

Echo




S810PB*

2/6	8/0	3/0	8/0
2/8	8/0	3/6	8/0

S810LPB*

S810RPB*

Echo




S811PB*

2/6	8/0	3/0	8/0
2/8	8/0	3/6	8/0

S811LPB*

S811RPB*

Echo




S86PB*

2/6	8/0	3/0	8/0
2/8	8/0	3/6	8/0

S86LPB*

S86RPB*



S6500SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0

S4PBSL*

S84PBSL*


12"	6/8	8/0
14"	6/8	8/0

S5PBSL*

S85PBSL*

12"	6/8	8/0
14"	6/8	8/0

Flat frame - Brushed and Black Nickel coming only



S810PBSL*


12"	8/0
14"	8/0

S811PBSL*

12"	8/0
14"	8/0

S86PBSL*

12"	8/0
14"	8/0



S9PBSL*

12"	6/8
14"	6/8

S10PBSL*

12"	6/8
14"	6/8



FC8529 Stained in New Earth

Fiber-Classic® Mahogany

Fiber-Classic® Oak

Smooth-Star®





Shown in Wrought Iron (1W)

Glass Privacy Rating



Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.


Note: Glass image shows the exterior side of the door.

Riserva®

Door Styles



Fiber-Classic® Mahogany	X	X		X	X	X
Fiber-Classic® Oak	X	X	X	X		
Smooth-Star®	X	X	X	X	X	X



Fiber-Classic® Mahogany		X		X	X
Fiber-Classic® Oak	X			X	X
Smooth-Star®	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Fiber-Classic® Mahogany



FCM574 **FCM571***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM543

2/8	6/8
2/10	6/8
3/0	6/8



FCM581 **FCM8581**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM575

2/8	6/8
2/10	6/8
3/0	6/8




FCM577

2/8	6/8
2/10	6/8
3/0	6/8



FCM508

2/8	6/8
2/10	6/8
3/0	6/8



FCM545SL
FCM8545SL

12"	6/8	8/0
14"	6/8	8/0



FCM583SL
FCM8583SL

12"	6/8	8/0
14"	6/8	8/0




RSRT

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only

Fiber-Classic® Mahogany | **Pulse®**



Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.



FCM2RS* **FCM83RS***

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Línea



FCM1LRS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FCM1RS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1RRS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM572SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0

Fiber-Classic® Oak



FC574

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC543

2/8	6/8
2/10	6/8
3/0	6/8



FC529

2/8	6/8
3/0	6/8



FC8529

2/8	8/0
3/0	8/0




FC581

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




FC8581

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



FC573SL

10"	6/8
12"	6/8
14"	6/8



FC545SL
FC8545SL

12"	6/8	8/0
14"	6/8	8/0



FC583SL
FC8583SL

12"	6/8	8/0
14"	6/8	8/0



RSRT


3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only

Fiber-Classic® Oak | **Pulse®**



Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



FC2RS*

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0



FC83RS*

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Línea



FC1LRS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FC1RS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1RRS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC572SL*

12"	6/8	7/0
14"	6/8	7/0

* This door style is made from a flush door and will not have stile lines.



Brass Caming (1A)



Black Nickel Caming (1D)



Brushed Nickel Caming (1C)



Wrought Iron (1W)




Flat Lite Frame



Vented Sidelite

Smooth-Star®



S574 S571*
 2/8 6/8 7/0
 2/10 6/8 7/0
 3/0 6/8 7/0
 3/6 6/8*



S543
 2/8 6/8
 2/10 6/8
 3/0 6/8



S529 S8529
 2/8 6/8 8/0
 3/0 6/8 8/0



S581 S8581
 2/8 6/8 7/0 8/0
 2/10 6/8 7/0 8/0
 3/0 6/8 7/0 8/0



S575 S8575
 2/8 6/8 7/0 8/0
 2/10 6/8 7/0 8/0
 3/0 6/8 7/0 8/0




S577
 2/8 6/8
 3/0 6/8



S585
 2/8 6/8
 2/10 6/8
 3/0 6/8




S508 S8508
 2/8 6/8
 2/10 6/8
 3/0 6/8 8/0



S2670 S82670
 2/8 6/8 8/0
 2/10 6/8 8/0
 3/0 6/8 8/0

SHAKER



S573SL
 12" 6/8
 14" 6/8



S545SL S8545SL
 12" 6/8 8/0
 14" 6/8 8/0



S583SL S8583SL
 12" 6/8 8/0
 14" 6/8 8/0



RSRT

3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous sill systems only



S83RS Stained in Shale


© TheHouseDesigners.com

Smooth-Star® | Pulse®

PULSE

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari




S2RS*

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0

S83RS*

Línea



S1LRS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8

S1RS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8

S1RRS*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8

S572SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0

- Brass Caming (1A)
- Brushed Nickel Caming (1C)

- Black Nickel Caming (1D)
- Wrought Iron (1W)

- Flat Lite Frame

* This door style is made from a flush door and will not have stile lines.

Salinas® Glass




81955P Stained in Raven

Fiber-Classic® Mahogany

Fiber-Classic® Oak

Smooth-Star®





Shown in Wrought Iron (1W)

Glass Privacy Rating




Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.

Note: Glass image shows the exterior side of the door.

Salinas®

Door Styles



Fiber-Classic® Mahogany	X	X		X	X
Fiber-Classic® Oak	X	X	X	X	
Smooth-Star®	X	X	X	X	X



Fiber-Classic® Mahogany	X		X
Fiber-Classic® Oak		X	X
Smooth-Star®	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Fiber-Classic® Mahogany



FCM113 FCM369*

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM115

2/8	6/8
2/10	6/8
3/0	6/8



FCM114 FCM865

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6031

2/8	6/8
2/10	6/8
3/0	6/8



FCM6051

2/8	6/8
2/10	6/8
3/0	6/8



**FCM115SL
FCM884SL**

12"	6/8	8/0
14"	6/8	8/0



**FCM114SL
FCM865SL**

12"	6/8	8/0
14"	6/8	8/0



SART

3'0" door + (2) 12" sidelites
Continuous sill systems only

Fiber-Classic® Mahogany | Pulse®



Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.

Línea



FCM1LSA*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FCM1SA*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1RSA*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM814SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0

Fiber-Classic® Oak



FC113

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC115

2/8	6/8
2/10	6/8
3/0	6/8




FC775

2/8	6/8
3/0	6/8




81955P

2/8	8/0
3/0	8/0



FC114 81937P

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



FC113SL

10"	6/8
12"	6/8
14"	6/8



**FC115SL
81955PSL**

12"	6/8	8/0
14"	6/8	8/0



**FC114SL
81937PSL**

12"	6/8	8/0
14"	6/8	8/0



SART

3'0" door + (2) 12" sidelites
Continuous sill systems only

Fiber-Classic® Oak | Pulse®



Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Línea



FC1LSA*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1SA*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1RSA*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC814SL*

12"	6/8	7/0
14"	6/8	7/0

Smooth-Star®



S6008 S369*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S6009

2/8	6/8
2/10	6/8
3/0	6/8



S6010 S895

2/8	6/8	8/0
3/0	6/8	8/0



S6006 S81937P

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6031 S86031

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0




S6051

2/8	6/8
3/0	6/8




S6014

2/8	6/8
2/10	6/8
3/0	6/8



S6008SL

12"	6/8
14"	6/8



**S6009SL
S895SL**

12"	6/8	8/0
14"	6/8	8/0



**S6006SL
S85916SL**

12"	6/8	8/0
14"	6/8	8/0



SART

3'0" door + (2) 12" sidelites
Continuous sill systems only




S1RSA Painted in Rio

Smooth-Star® | Pulse®

PULSE


Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.

Línea




S1LSA*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8




S1SA*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8



S1RSA*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8



S6134SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0



Brass Caming (1A)



Brushed Nickel Caming (1C)



Black Nickel Caming (1D)



Wrought Iron (1W)



Vented Sidelite

* This door style is made from a flush door and will not have stile lines.



FCM602 Stained in Bark

Fiber-Classic® Mahogany

Fiber-Classic® Oak

Smooth-Star®






Shown in Black Nickel Caming (1D)

Glass Privacy Rating




Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (C)

Saratoga™

Door Styles





Fiber-Classic® Mahogany	X	X		X	X		X	
Fiber-Classic® Oak	X	X	X	X				X
Smooth-Star®	X	X	X	X	X	X	X	




Fiber-Classic® Mahogany		X	X			X	X	X
Fiber-Classic® Oak				X	X	X	X	X
Smooth-Star®	X	X	X			X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Fiber-Classic® Mahogany

Fiber-Classic® Mahogany | Pulse®


Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.






FCM905 Stained in Dark Maple

- Brass Caming (1A)
- Brushed Nickel Caming (1C)

- Black Nickel Caming (1D)
- Wrought Iron (1W)

🌬 Vented Sidelite

* This door style is made from a flush door and will not have stile lines.



FCM6240 Stained in Autumn Harvest

Fiber-Classic® Oak



FC905

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC907

2/8	6/8
2/10	6/8
3/0	6/8



FC776

2/8	6/8
3/0	6/8



81956P

2/8	8/0
3/0	8/0



FC906 81938P

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0

Fiber-Classic® Oak



81981P

2/8 | 8/0
3/0 | 8/0



FC80954

2/8 | 6/8
3/0 | 6/8




FC86254

2/8 | 8/0
3/0 | 8/0



FC707 FC8707

2/8 | 6/8 | 7/0 | 8/0
2/10 | 6/8 | 7/0 | 8/0
3/0 | 6/8 | 7/0 | 8/0



FC905SL

10" | 6/8
12" | 6/8
14" | 6/8



FC907SL

81956PSL
12" | 6/8 | 8/0
14" | 6/8 | 8/0



FC906SL

81938PSL
12" | 6/8 | 8/0
14" | 6/8 | 8/0



19750T

3'0" door + (2) 12" sidelites
Continuous sill systems only



19740T

3'0" Door Only

Fiber-Classic® Oak | **Pulse®**



Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



FC2SG* FC83SG*

2/8 | 6/8 | 8/0
2/10 | 6/8 | 8/0
3/0 | 6/8 | 8/0

Línea



FC1LSG*

2/6 | 6/8
2/8 | 6/8
2/10 | 6/8
3/0 | 6/8

FC1SG*


2/6 | 6/8
2/8 | 6/8
2/10 | 6/8
3/0 | 6/8

FC1RSG*

2/6 | 6/8
2/8 | 6/8
2/10 | 6/8
3/0 | 6/8

FC815SL*

12" | 6/8 | 7/0
14" | 6/8 | 7/0



S154 S6093*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S6092

2/8	6/8
2/10	6/8
3/0	6/8



S982 S891

2/8	6/8	8/0
3/0	6/8	8/0



S213 S81938P

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6029 S86029

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S4327 S84327

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0




S6049

2/8	6/8
3/0	6/8



S291

2/8	6/8
2/10	6/8
3/0	6/8



S6240

2/8	6/8
3/0	6/8




S602 S8602

2/8	6/8
2/10	6/8
3/0	6/8
	8/0




S707 S8707

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S154SL

12"	6/8
14"	6/8




S6092SL S891SL

12"	6/8	8/0
14"	6/8	8/0



S291SL S85917SL

12"	6/8	8/0
14"	6/8	8/0



S6240SL

12"	6/8
14"	6/8



19750T

3'0" door + (2) 12" sidelites
Continuous sill systems only



19740T

3'0" Door Only

Smooth-Star® | Pulse®

PULSE

Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.

Ari




S2SG*

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0


S83SG*

Línea




S1LSG*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8




S1SG*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8




S1RSG*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8



S602SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0



S1SG Painted in Grace Bay


- Brass Caming (1A)
- Brushed Nickel Caming (1C)

- Black Nickel Caming (1D)
- Wrought Iron (1W)

- ~ Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Sedona Glass



S91 Painted in Alaskan Storm

Fiber-Classic® Mahogany

Fiber-Classic® Oak

Smooth-Star®





Glass Privacy Rating



Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.



Brushed Nickel Caming (1C)

Sedona

Door Styles

SHAKER



Fiber-Classic® Mahogany	X	X		X	X		X
Fiber-Classic® Oak	X	X	X	X			
Smooth-Star®	X	X	X	X	X	X	X



Fiber-Classic® Mahogany			X	X	X
Fiber-Classic® Oak	X	X		X	X
Smooth-Star®	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Sedona

Fiber-Classic® Mahogany



FCM100 **FCM241***

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM131

2/8	6/8
2/10	6/8
3/0	6/8



FCM101 **FCM864**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6025

2/8	6/8
2/10	6/8
3/0	6/8



FCM6045

2/8	6/8
2/10	6/8
3/0	6/8



FCM604

2/8	6/8
2/10	6/8
3/0	6/8



FCM131SL
FCM883SL

12"	6/8	8/0
14"	6/8	8/0



FCM101SL
FCM864SL

12"	6/8	8/0
14"	6/8	8/0



19520T

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only

Fiber-Classic® Mahogany | Pulse®



Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.

Ari



FCM2SN* **FCM83SN***

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Línea



FCM1LSN*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




FCM1SN*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM1RSN*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FCM816SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0

Sedona

Note: Product images show the exterior side of the door.

Fiber-Classic® Oak



FC100

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC131

2/8	6/8
2/10	6/8
3/0	6/8



FC773

2/8	6/8
3/0	6/8



81954P

2/8	8/0
3/0	8/0




FC101 81936P

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0




FC80952

2/8	6/8
3/0	6/8



FC100SL

10"	6/8
12"	6/8
14"	6/8



FC131SL

12"	6/8	8/0
14"	6/8	8/0



FC101SL

12"	6/8	8/0
14"	6/8	8/0



19520T

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only

Fiber-Classic® Oak | Pulse®



Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

Ari



FC2SN*

FC83SN*

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Línea



FC1LSN*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1SN*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC1RSN*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8



FC816SL*

12"	6/8	7/0
14"	6/8	7/0

● Brass Caming (1A)
● Brushed Nickel Caming (1C)


● Black Nickel Caming (1D)
■ Wrought Iron (1W)

⋈ Vented Sidelite

* This door style is made from a flush door and will not have stile lines.

Sedona

Smooth-Star®



S139 S241*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	



S95

2/8	6/8
2/10	6/8
3/0	6/8



S91 S887

2/8	6/8	8/0
3/0	6/8	8/0



S211 S81936P

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6025 S86025

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S4328 S84328

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S6045

2/8	6/8
3/0	6/8




S294

2/8	6/8
2/10	6/8
3/0	6/8




S604 S8604

2/8	6/8	
2/10	6/8	
3/0	6/8	8/0




S139SL

12"	6/8
14"	6/8



S91SL S887SL

12"	6/8	8/0
14"	6/8	8/0



S294SL S85915SL

12"	6/8	8/0
14"	6/8	8/0



19520T

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous sill systems only

Sedona


Smooth-Star® | Pulse®

PULSE

Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.

Note: Product images show the exterior side of the door.

Ari




S2SN*

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0


S83SN*

Línea




S1LSN*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8




S1SN*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8



S1RSN*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8



S604SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0



S1SN Painted in Brighton

- Brass Caming (1A)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)



- Wrought Iron (1W)



- Vented Sidelite

* This door style is made from a flush door and will not have stile lines.



S983 Painted in Moonless Night

Fiber-Classic® Mahogany

Fiber-Classic® Oak

Smooth-Star®





Shown in Black Nickel Caming (1D)

Glass Privacy Rating



Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.




Brushed Nickel Caming (C)




Brass Caming (A)

Wellesley™

Door Styles



Fiber-Classic® Mahogany	X	X		X	X		X
Fiber-Classic® Oak	X	X	X	X			
Smooth-Star®	X	X	X	X	X	X	X



Fiber-Classic® Mahogany		X	X		X
Fiber-Classic® Oak	X	X	X	X	X
Smooth-Star®	X	X	X	X	X

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Fiber-Classic® Mahogany



FCM104 FCM6094*

2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*



FCM874 FCM821*

2/8	8/0	8/0*
2/10	8/0	8/0*
3/0	8/0	8/0*



FCM147

2/8	6/8
2/10	6/8
3/0	6/8




FCM105 FCM866

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6030

2/8	6/8
2/10	6/8
3/0	6/8



FCM6050

2/8	6/8
2/10	6/8
3/0	6/8



FCM106

2/8	6/8
2/10	6/8
3/0	6/8




FCM163

2/8	6/8
2/10	6/8
3/0	6/8



FCM721 FCM8721

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



**FCM818SL*
FCM81921SL***

10"	6/8		
12"	6/8	7/0	8/0
14"	6/8	7/0	8/0



FCM874SL

12"	8/0
14"	8/0



**FCM147SL
FCM885SL**

12"	6/8	8/0
14"	6/8	8/0



**FCM105SL
FCM866SL**

12"	6/8	8/0
14"	6/8	8/0



19730T

3'0" door + (2) 12" sidelites
Continuous sill systems only




19720T

3'0" Door Only

Fiber-Classic® Oak

Note: Product images show the exterior side of the door.


FC104 81921P

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0

8/0 - Brass caming not available


FC147

2/8	6/8
2/10	6/8
3/0	6/8


FC779

2/8	6/8
3/0	6/8


81959P

2/8	8/0
3/0	8/0


FC105 81941P

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0


FC163

2/8	6/8
2/10	6/8
3/0	6/8


FC796

2/8	6/8
3/0	6/8


FC721 FC8721

2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0


**FC104SL
81921PSL**

10"	6/8	
12"	6/8	8/0
14"	6/8	8/0


**FC818SL*
81921SL***

12"	6/8	7/0	8/0
14"	6/8	7/0	8/0


**FC147SL
81959PSL**

12"	6/8	8/0
14"	6/8	8/0


**FC105SL
81941PSL**


12"	6/8	8/0
14"	6/8	8/0


19730T

3'0" door + (2) 12" sidelites
Continuous sill systems only


19720T

3'0" Door Only



S155 S85896

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6094* S821*

3/6	6/8*	8/0*
-----	------	------



S6091

2/8	6/8
2/10	6/8
3/0	6/8



S983 S892

2/8	6/8	8/0
3/0	6/8	8/0



S214 S81941P

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0




S6030 S86030

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S4330 S84330

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S6050

2/8	6/8
3/0	6/8



S292

2/8	6/8
2/10	6/8
3/0	6/8



S774

2/8	6/8
3/0	6/8



S6082

2/8	6/8
2/10	6/8
3/0	6/8




S999

2/8	6/8
3/0	6/8




S721 S8721

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S155SL
S85896SL

12"	6/8	8/0
14"	6/8	8/0



S5870SL*
S85934SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0



S6091SL
S892SL

12"	6/8	8/0
14"	6/8	8/0



S292SL
S85922SL

12"	6/8	8/0
14"	6/8	8/0



19730T

3'0" door + (2) 12" sidelites
Continuous sill systems only



19720T

3'0" Door Only



FCM6030 Stained in Dark Maple

Internal Blinds



S81225 Painted in Dried Cranberry

Fiber-Classic® Mahogany

Fiber-Classic® Oak

Smooth-Star®







*Internal Blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

Internal Blinds

Door Styles



Fiber-Classic® Mahogany	X		X	X	X	
Fiber-Classic® Oak	X	X	X	X		
Smooth-Star®	X	X	X	X	X	X



Fiber-Classic® Mahogany	X	X			
Fiber-Classic® Oak		X	X	X	X
Smooth-Star®	X	X			

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

Internal Blinds

Fiber-Classic® Mahogany



FCM141 **FCM8115**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM1286* **FCM81225***

2/4	6/8*		
2/6	6/8*	7/0*	
2/8		7/0*	8/0*
2/10		7/0*	8/0*
3/0		7/0*	



FCM5425

2/8	6/8
2/10	6/8
3/0	6/8



FCM678 **FCM8678**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM6035

2/8	6/8
2/10	6/8
3/0	6/8




FCM6055

2/8	6/8
2/10	6/8
3/0	6/8




FCM116*

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FCM1286SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0



FCM8110SL

12"	8/0
14"	8/0



FCM678SL

12"	6/8
14"	6/8

Internal Blinds

Fiber-Classic® Oak

Note: Product images show the exterior side of the door.



FC141 81225P

2/6N	6/8		
2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0



1286*

2/4	6/8*	
2/6	6/8*	7/0*



1964P

2/8	6/8
3/0	6/8



81964P

2/8	8/0
3/0	8/0



FC5425

2/8	6/8
2/10	6/8
3/0	6/8



FC678 FC8678

2/6N	6/8		
2/8	6/8	7/0	8/0
2/10	6/8	7/0	
3/0	6/8	7/0	8/0



FC116*

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC8971

2/8	8/0
3/0	8/0




FC925

2/8	6/8
3/0	6/8




FC8972

2/8	8/0
3/0	8/0




FC141SL

10"	6/8
12"	6/8
14"	6/8



1286SL*

12"	6/8	7/0
14"	6/8	7/0



81964PSL

12"	8/0
14"	8/0



FC678SL

12"	6/8
14"	6/8



Low-E Glass (LE)



Vented Sidelite






Contour White (CW) GBG

* This door style is made from a flush door and will not have stile lines.

Internal Blinds


Note: Product images show the exterior side of the door.

Smooth-Star®



Internal Blinds

Reeb® Specialty Products



RSS130RT

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



RSS132RT

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

Note: Product images show exterior side of the door.

*Between-the-glass blinds are a perfect choice for people who value energy savings and quiet. Grilles between the glass add a warm aesthetic. The blind slats disappear behind the valance when they are fully raised for a clean, finished look. Blinds tilt, and raise and lower the entire length of the door glass.



S6061 Painted in Alaskan Storm

Low-E Glass (LE)
 Contour White (CW) GBG

Flush-Glazed (FG)
 Vented Sidelite
 * This door style is made from a flush door and will not have stile lines.


Screen Vented Lites



S243 Painted in Mocha Chip

Smooth-Star®





*Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.

Smooth-Star®



S243

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




S6034

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



S6054

2/8	6/8
3/0	6/8



S137*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

All styles shown come standard with Tru-Guard® composite edge. See page 282 for more details.

* This door style is made from a flush door and will not have stile lines.

Clear Glass




Fiber-Classic® Mahogany

Fiber-Classic® Oak

Smooth-Star®





Shown in Clear Glass (CL)

Glass Privacy Rating



Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.



☀ Low-E Glass (LE)

All Fiber-Classic® and Smooth-Star® doors come standard with Clear Glass. Glass can be upgraded to Low-E where available. For Privacy Glass options, see the next page.

Divided Lites

Clear and Privacy glass can be divided with either removable wood grilles or simulated lite bars for a unique look. For more information on Divided Lites, please see [page 28-31](#).



Fixed Grille

Lite Frame [page 220](#)



Grilles Between Glass

Lite Frame [page 222](#)
Flush-Glazed [page 239](#)



Simulated Divided Lite

Lite Frame [page 230](#)
Flush-Glazed [page 240](#)

Select doors in this section are available with RSP Aluminum SDL bars. See page 30 for details.

Privacy & Textured Glass



S8140 Painted in Alaskan Storm



Chord Glass (XC)

Glass Privacy Rating



Chinchilla Glass (XJ)

Glass Privacy Rating



Rainglass (XR)

Glass Privacy Rating




Granite Glass (XN)

Glass Privacy Rating



Satin Etch (XE)

Glass Privacy Rating




Reeded Glass (XK)

Glass Privacy Rating



Fiber-Classic® Mahogany



XC
XJ
XN
XR
XE

FCM10__ FCM1283__*

2/4	6/8*	
2/6	6/8*	7/0*
2/8	6/8	7/0*
2/10	6/8	7/0*
3/0	6/8	7/0*

Clear Only - 2/4, 2/6



FCM870 FCM81200*

2/6	8/0*
2/8	8/0
2/10	8/0
3/0	8/0



FCM32__

2/8	6/8
2/10	6/8
3/0	6/8



XC
XJ
XN
XR
XE

FCM62__ FCM862__

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



XC
XJ
XN
XR
XE

FCM6021__

2/8	6/8
2/10	6/8
3/0	6/8



XC
XJ
XN
XR
XE

FCM6041__

2/8	6/8
2/10	6/8
3/0	6/8



FCM670*
FCM104__*

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

Clear Only - 2/6



FCM80

2/8	6/8
2/10	6/8
3/0	6/8



FCM160

2/8	6/8
2/10	6/8
3/0	6/8



XC
XJ
XN
XR
XE

FCM601__

2/8	6/8
2/10	6/8
3/0	6/8



FCM708 FCM8708

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



XC
XJ
XN
XR
XE


FCM61__ FCM861__

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0

Lite Frame Clear Glass

Note: Product images show the exterior side of the door.

Fiber-Classic® Mahogany



FCM12101SL__*
FCM81200SL__*


10"	6/8		
12"	6/8	7/0	8/0
14"	6/8	7/0	8/0

Flat Frame Only - XG, XK
6/8 Only - XJ, XG, XN, XE, XK



FCM870__SL

12"	8/0
14"	8/0



FCM32__SL
FCM881__SL

12"	6/8	8/0
14"	6/8	8/0



FCM62__SL
FCM862__SL

12"	6/8	8/0
14"	6/8	8/0



Option: Grille Sticks Applied

19020T

3'0" door + (2) 12" sidelites

Continuous sill systems only

3'0" door + (2) 14" sidelites

Continuous/Boxed sill systems



19220T

3'0" door + (2) 12" sidelites

3'0" door + (2) 14" sidelites

Continuous/Boxed sill systems



19200T

3'0"Door Only



19210T

12" & 14"
sidelites only



CL Clear Glass (CL)

Low-E Glass

Vented Sidelite

XC Chord Glass (XC)

XJ Chinchilla Glass (XJ)

XN Granite Glass (XN)

XR Rainglass (XR)

XK Reeded Glass (XK)


XE Satin Etch Glass (XE)

Wood Edge Option

Fiber-Classic® Mahogany | **Pulse®**




Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.




FCM2__*	FCM83__*
2/8	6/8
2/10	6/8
3/0	8/0

Flat Frame Only - XK




FCM1__*	FCM81__*
2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Flat Frame Only - XK




FCM1L__*
FCM81L__*




FCM1R__*
FCM81R__*

Echo




FCM4__*	FCM84__*
2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Flat Frame Only - XK
Flat Frame Optional - CL



FCM4L__*
FCM84L__*




FCM4R__*
FCM84R__*

Echo



FCM8__*
2/6
2/8
2/10
3/0

Flat Frame Only - XK
Flat Frame Optional - CL



FCM8L__*




FCM8R__*

Echo




FCM9__*
2/6
2/8
2/10
3/0

Flat Frame Only - XK
Flat Frame Optional - CL




FCM9L__*




FCM9R__*

Echo




FCM5__*	FCM85__*
2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Flat Frame Only - XK
Flat Frame Optional - CL



FCM5L__*
FCM85L__*




FCM5R__*
FCM85R__*

*This door style is made from a flush door and will not have stile lines.

**Add the code to the blank in the style number for the desired door and glass combination.

Fiber-Classic® Mahogany | Pulse®

Echo




FCM810_* FCM810L_* FCM810R_*

2/6 8/0
2/8 8/0
3/0 8/0

Flat Frame Only - XK
Flat Frame Optional - CL

Echo




FCM811_* FCM811L_* FCM811R_*

2/6 8/0
2/8 8/0
3/0 8/0

Flat Frame Only - XK
Flat Frame Optional - CL


Echo



FCM86_* FCM86L_* FCM86R_*

2/6 8/0
2/8 8/0
3/0 8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FCM12101_SL* FCM81200_SL*

10" 6/8
12" 6/8 8/0
14" 6/8 8/0

6/8 Only - XJ, XN, XE



FCM4_SL* FCM84_SL*

12" 6/8 8/0
14" 6/8 8/0



FCM5_SL* FCM85_SL*

12" 6/8 8/0
14" 6/8 8/0



FCM810_SL*

12" 8/0
14" 8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FCM811_SL*

12" 8/0
14" 8/0


Flat Frame Only - XK
Flat Frame Optional - CL



FCM86_SL*

12" 8/0
14" 8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FCM9_SL*

12" 6/8
14" 6/8

Flat Frame Only - XK
Flat Frame Optional - CL



FCM10_SL*

12" 6/8
14" 6/8

Flat Frame Only - XK
Flat Frame Optional - CL

CL Clear Glass (CL)
☀ Low-E Glass
🌊 Vented Sidelite


XC Chord Glass (XC)
XJ Chinchilla Glass (XJ)

XN Granite Glass (XN)
XR Rainglass (XR)

XK Reeded Glass (XK)
XE Satin Etch Glass (XE)
🌊 Wood Edge Option

Lite Frame Clear Glass

Fiber-Classic. Oak



XC
XJ
XN
XR
XE

FC10_ 1283_*

2/4	6/8*	2/8	6/8	7/0
2/6	6/8*	2/10	6/8	7/0
2/6N	6/8	3/0	6/8	7/0

Clear Only- 2/4, 2/6



81200P_ 81200*

2/6	8/0
2/8	8/0
3/0	8/0



XC
XJ
XN
XR
XE

FC32_

2/8	6/8
2/10	6/8
3/0	6/8



XC
XJ
XN
XR
XE

FC766_


2/8	6/8
3/0	6/8



XC
XJ
XN
XR
XE

81943P_

2/8	8/0
3/0	8/0



XC
XJ
XN
XR
XE

FC62_ 81929P_

2/6N	6/8	2/8	6/8	7/0	8/0
2/8	6/8	2/10	6/8	7/0	8/0
3/0	6/8	3/0	6/8	7/0	8/0



XC
XJ
XN
XR
XE

**FC670*
FC104_***

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

Clear Only- 2/6



XC
XJ
XN
XR
XE

81971P_

2/8	8/0
3/0	8/0



FC160

2/8	6/8
2/10	6/8
3/0	6/8



FC789

2/8	6/8
3/0	6/8



XC
XJ
XN
XR
XE

FC80920_

2/8	6/8
3/0	6/8



XC
XJ
XN
XR
XE

FC86220_


2/8	8/0
3/0	8/0



XC
XJ
XN
XR
XE

FC708 FC8708

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



XC
XJ
XN
XR
XE


FC61_ FC861_

2/6	6/8	7/0
2/6N	6/8	7/0
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

Lite Frame Clear Glass

Note: Product images show the exterior side of the door.


Fiber-Classic® Oak



FC47__SL
81200P__SL


10"	6/8	
12"	6/8	8/0
14"	6/8	8/0

6/8 Only - XJ, XN, XE



FC32__SL
81943P__SL

12"	6/8	8/0
14"	6/8	8/0



FC48__SL
81929P__SL

12"	6/8	8/0
14"	6/8	8/0



Option: Grille Sticks Applied

19020T

3'0" door + (2) 12" sidelites

Continuous sill systems only

3'0" door + (2) 14" sidelites

Continuous/Boxed Sill Systems



19220T

3'0" door + (2) 12" sidelites

3'0" door + (2) 14" sidelites

Continuous/Boxed Sill Systems




19200T

3'0" Door Only



19210T

12" & 14"
sidelites only



FC10 Stainend in New Earth

CL Clear Glass (CL)

Low-E Glass

Vented Sidelite

XC Chord Glass (XC)

XJ Chinchilla Glass (XJ)

XN Granite Glass (XN)

XR Rainglass (XR)

XK Reeded Glass (XK)

XE Satin Etch Glass (XE)

Wood Edge Option


Fiber-Classic® Oak | **Pulse®**



Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.

Note: Pulse doors are viewed
from the exterior.

Ari




FC2__* **FC83__***

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Flat Frame Only - XK


Línea




FC1__* **FC81__***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Flat Frame Only - XK




FC1L__*
FC81L__*



FC1R__*
FC81R__*


Echo




FC4__* **FC84__***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FC4L__*
FC84L__*



FC4R__*
FC84R__*

Echo




FC8__*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Flat Frame Only - XK
Flat Frame Optional - CL




FC8L__*



FC8R__*

Echo



FC9__*

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8

Flat Frame Only - XK
Flat Frame Optional - CL




FC9L__*



FC9R__*


Echo




FC5__* **FC85__***

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

Flat Frame Only - XK
Flat Frame Optional - CL




FC5L__*
FC85L__*



FC5R__*
FC85R__*

Fiber-Classic® Oak | Pulse®

Echo



FC810_*


2/6 8/0
2/8 8/0
3/0 8/0

Flat Frame Only - XK
Flat Frame Optional - CL

FC810L_*

FC810R_*

Echo



FC811_*


2/6 8/0
2/8 8/0
3/0 8/0

Flat Frame Only - XK
Flat Frame Optional - CL

FC811L_*

FC811R_*

Echo




FC86_*

2/6 8/0
2/8 8/0
3/0 8/0

Flat Frame Only - XK
Flat Frame Optional - CL

FC86L_*

FC86R_*



12101_SL*

81200_SL*
12" 6/8 7/0 8/0
14" 6/8 7/0 8/0
6/8 Only - XJ, XN, XE

FC4_SL*

FC84_SL*
12" 6/8 8/0
14" 6/8 8/0

FC5_SL*

FC85_SL*
12" 6/8 8/0
14" 6/8 8/0



FC810_SL*

12" 8/0
14" 8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FC811_SL*

12" 8/0
14" 8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FC86_SL*

12" 8/0
14" 8/0

Flat Frame Only - XK
Flat Frame Optional - CL



FC9_SL*

12" 6/8
14" 6/8

Flat Frame Only - XK
Flat Frame Optional - CL



FC10_SL*

12" 6/8
14" 6/8

Flat Frame Only - XK
Flat Frame Optional - CL

CL Clear Glass (CL)
☀ Low-E Glass
🌀 Vented Sidelite


XC Chord Glass (XC)
XJ Chinchilla Glass (XJ)

XN Granite Glass (XN)
XR Rainglass (XR)

XK Reeded Glass (XK)
XE Satin Etch Glass (XE)
🌲 Wood Edge Option

Lite Frame Clear Glass

Smooth-Star®




XC
XJ
XN
XR
XE

S118__ **S140**__*

2/0	6/8*	2/8N	6/8
2/4	6/8*	2/10	6/8
2/6	6/8*	3/0	6/8
2/6N	6/8	3/6	6/8*
2/8	6/8	7/0	

Clear Only - 2/0, 2/4, 2/6



XC
XJ
XN
XR
XE

S818__ **S8140**__*

2/6	8/0*
2/6N	8/0
2/8	8/0
2/10	8/0
3/0	8/0
3/6	8/0*


Clear Only - 2/6



XC
XJ
XN
XR
XE
XK

S80__


2/8	6/8
2/10	6/8
3/0	6/8



XC
XJ
XN
XR
XE

S90__ **S880**__

2/8	6/8	8/0
3/0	6/8	8/0



XC
XJ
XN
XR
XE
XK

S206__ **S81929P**__


2/6N	6/8	2/8	6/8
2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



XC
XJ
XN
XR
XE
XK

S6021__ **S86021**__


2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



XC
XJ
XN
XR
XE
XK

S4315 **S4305**

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



XC
XJ
XN
XR
XE
XK

S84315 **S84305**


2/8	8/0
2/10	8/0
3/0	8/0



XC
XJ
XN
XR
XE
XK

S6041__

2/8	6/8
3/0	6/8



XC
XJ
XN
XR
XE
XK

S104__*

2/6	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

Clear Only - 2/6



XC
XJ
XN
XR
XE
XK

S30__ **S830**__

2/8	6/8	8/0
3/0	6/8	8/0



XC
XJ
XN
XR
XE

S289__

2/8	6/8
2/10	6/8
3/0	6/8



XC

S770

2/8	6/8
3/0	6/8

Smooth-Star®



S6080

2/8	6/8
2/10	6/8
3/0	6/8



S992

2/8	6/8
3/0	6/8



S9320

2/8	6/8
3/0	6/8




S83120

2/8	8/0
3/0	8/0




S105*

2/6	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



S2610 **S82610**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S601 **S8601 (CL)**
S8600

2/8	6/8	
2/10	6/8	
3/0	6/8	8/0




S708 **S8708**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0




S296 **S896**

2/6	6/8		8/0
2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S100 SL **S8601 SL**

12"	6/8	8/0
14"	6/8	8/0



S751 SL **S880 SL**

12"	6/8	8/0
14"	6/8	8/0



S210 SL **S85910 SL**

12"	6/8	8/0
14"	6/8	8/0



DRS2131SL **DRS82131SL**

12"	6/8	7/0	8/0
14"	6/8	7/0	8/0



Option: Grille Sticks Applied

19020T

3'0" door + (2) 12" sidelites
Continuous sill systems only

3'0" door + (2) 14" sidelites
Continuous/Boxed Sill Systems




19220T

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous/Boxed Sill Systems



19210T

12" & 14" sidelites only



19200T

3'0"Door Only

CL Clear Glass (CL)

☼ Low-E Glass

🌀 Vented Sidelite

XC Chord Glass (XC)

XJ Chinchilla Glass (XJ)

XN Granite Glass (XN)

XR Rainglass (XR)

└ Flat Lite Frame

XX Reeded Glass (XX)

XE Satin Etch Glass (XE)


■ Wood Edge Option

Smooth-Star® | Pulse®



Clean lines. Crisp angles.
Sleek designs. Vintage style.
Pulse is a contemporary
series of door styles and
glass designs that can be
combined to make a bold
statement.


Note: Pulse doors are viewed
from the exterior.



S2 * **S83** *

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0


Flat Frame Optional - CL, XE, XK, XR




S1 * **S81** *

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0


Flat Frame Optional (6/8) - CL, XE, XK, XR



S1L *
S81L *




S1R *
S81R *




S4 * **S84** *

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0
3/6	6/8	8/0

Flat Frame Optional - CL, XE, XK




S4L *
S84L *



S4R *
S84R *

Echo




S8 *

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8

Flat Frame Optional - CL, XE, XK



S8L *



S8R *


Echo




S9 *

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8

Flat Frame Optional - CL, XE, XK




S9L *



S9R *


Echo




S5 *

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
3/6	6/8

Flat Frame Optional - CL, XE, XK



S5L *



S5R *




S5L *

*This door style is made from a flush door and will not have stile lines.

**Add the code to the blank in the style number for the desired door and glass combination.

Smooth-Star® | Pulse®

Echo




S810_*
 2/6 8/0
 2/8 8/0
 3/0 8/0
 3/6 8/0
 Flat Frame Optional - CL, XE, XK

S810L_*

S810R_*

Echo



S811_*
 2/6 8/0
 2/8 8/0
 3/0 8/0
 3/6 8/0
 Flat Frame Optional - CL, XE, XK

S811L_*

S811R_*

Echo



S86_*
 2/6 8/0
 2/8 8/0
 3/0 8/0
 3/6 8/0
 Flat Frame Optional - CL, XE, XK

S86L_*

S86R_*




S601_SL*
S81086_SL*
 10" 6/8 7/0 8/0
 12" 6/8 7/0 8/0
 14" 6/8 7/0 8/0
 Flat Frame Optional (6/8) -
 XE, XR, LE



S4_SL*
S84_SL*
 12" 6/8 8/0
 14" 6/8 8/0
 Flat Frame - CL
 Flat Frame Optional (6/8) -
 CL, XE, XK



S5_SL*
S85_SL*
 12" 6/8 8/0
 14" 6/8 8/0
 Flat Frame - CL
 Flat Frame Optional (6/8) -
 CL, XE, XK



S810_SL*
 12" 8/0
 14" 8/0
 Flat Frame Optional (6/8) -
 CL, XE, XK




S811_SL*
 12" 8/0
 14" 8/0
 Flat Frame Optional (6/8) -
 CL, XE, XK



S86_SL*
 12" 8/0
 14" 8/0
 Flat Frame Optional (6/8) -
 CL, XE, XK



S9_SL*
 12" 6/8
 14" 6/8
 Flat Frame Optional (6/8) -
 CL, XE, XK



S10_SL*
 12" 6/8
 14" 6/8
 Flat Frame Optional (6/8) -
 CL, XE, XK

CL Clear Glass (CL)
 ★ Low-E Glass
 ~ Vented Sidelite

XC Chord Glass (XC)
XJ Chinchilla Glass (XJ)

XN Granite Glass (XN)
XR Rainglass (XR)

XK Reeded Glass (XK)
XE Satin Etch Glass (XE)
 ■ Wood Edge Option


Fiber-Classic- Mahogany



FCM752 **FCM8752**

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0

Fiber-Classic- Oak



FC752 **FC8752**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

FC23

2/8	6/8
3/0	6/8

Smooth-Star®



S128 **S141***

2/6	6/8*
2/6N	6/8
2/8	6/8
2/8N	6/8
2/10	6/8
3/0	6/8
3/6	6/8*



S108 **S6063***

2/6	6/8*
2/6N	6/8
2/8	6/8
2/8N	6/8
2/10	6/8
3/0	6/8
3/6	6/8*



S828 **S81828***

2/8	8/0
2/10	8/0
3/0	8/0
3/6	8/0*



S808 **S81208***


2/6	8/0*
2/6	8/0
2/8	8/0
2/10	8/0
3/0	8/0
3/6	8/0*

Clear Only - 2/6"




S881

2/8	8/0
3/0	8/0



S882

2/8	8/0
3/0	8/0



S6022

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




S6042

2/8	6/8
3/0	6/8



S262

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



S32 **S832**


2/8	6/8	8/0
3/0	6/8	8/0

Lite Frame

Clear Glass | Fixed Grilles

Note: Product images show the exterior side of the door.

Smooth-Star®



S115

2/6	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



S807

2/8	6/8
2/10	6/8
3/0	6/8



S93203

2/8	6/8
3/0	6/8



S831203

2/8	8/0
3/0	8/0




S752

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S8752

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0



S236 S8317


2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S237

2/8	6/8
2/10	6/8
3/0	6/8

Scalloped Lite Frame




S308SL

S1170SL*


10"	6/8*
12"	6/8
14"	6/8

7/0*
7/0*



S808SL

12"	8/0
14"	8/0



S881SL

12"	8/0
14"	8/0



S263SL


12"	6/8
14"	6/8

Lite Frame

Clear Glass | Fixed Grilles

Reeb® Specialty Products

SHAKER



RS2606


2/6	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



RS606

2/6	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

SHAKER



RS2616

2/6	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



RS608

2/6	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



Fixed Grille (FXG)



Low-E Glass



Wood Edge Option




Removable Grille (RG)




Vented Sidelite

Fiber-Classic. Mahogany



FCM138 **FCM1285***
 2/6 | 6/8* | 7/0*
 2/8 | 6/8 | 7/0*
 2/10 | 6/8 | 7/0*
 3/0 | 6/8 | 7/0*
 Flat GBG Only - 2/6*



FCM18 **FCM1284***
 2/6 | 6/8* | 7/0*
 2/8 | 6/8 | 7/0*
 2/10 | 6/8 | 7/0*
 3/0 | 6/8 | 7/0*
 Low-E Only - 2/6*



FCM81208P **FCM81829***
 2/6 | 8/0*
 2/8 | 8/0
 2/10 | 8/0
 3/0 | 8/0
 Clear Only - 2/6*



FCM198 **FCM1289***
 2/8 | 6/8 | 7/0*
 2/10 | 6/8 | 7/0*
 3/0 | 6/8 | 7/0*



FCM1209 **FCM1201***
 2/8 | 6/8 | 7/0*
 2/10 | 6/8 | 7/0*
 3/0 | 6/8 | 7/0*



FCM2106
 2/8 | 6/8
 2/10 | 6/8
 3/0 | 6/8



FCM2107
 2/8 | 6/8
 2/10 | 6/8
 3/0 | 6/8



FCM2108
 2/8 | 6/8
 2/10 | 6/8
 3/0 | 6/8



FCM82
 2/8 | 6/8
 2/10 | 6/8
 3/0 | 6/8



FCM8322
 2/8 | 8/0
 2/10 | 8/0
 3/0 | 8/0



FCM8323
 2/8 | 8/0
 2/10 | 8/0
 3/0 | 8/0



FCM8324
 2/8 | 8/0
 2/10 | 8/0
 3/0 | 8/0



FCM65
 2/8 | 6/8
 2/10 | 6/8
 3/0 | 6/8



FCM6022
 2/8 | 6/8
 2/10 | 6/8
 3/0 | 6/8

Fiber-Classic® Mahogany



FCM6042

2/8	6/8
2/10	6/8
3/0	6/8




FCM8321

2/8	8/0
2/10	8/0
3/0	8/0




FCM752 FCM8752

2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



FCM12102SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0



FCM81208PSL

12"	8/0
14"	8/0



FCM1089SL

12"	6/8
14"	6/8




FCM2101SL

12"	6/8
14"	6/8



FCM92SL

12"	6/8
14"	6/8



FCM8101SL

12"	8/0
14"	8/0



FCM8675SL

12"	8/0
14"	8/0



**FCM65SL
FCM7125SL**


12"	6/8	8/0
14"	6/8	8/0



FCM3487SL

12"	8/0
14"	8/0


Fiber-Classic. Oak



FC138 1285*


2/6	6/8*	7/0*
2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

Low-E Only - 2/6, 2/6N (FW/FB)*



FC18 1284*


2/6	6/8*	7/0*
2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



81208P 81208*


2/6	8/0*
2/8	8/0
3/0	8/0

Clear Only - 2/6*



FC198

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC1209

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC2106

2/8	6/8
2/10	6/8
3/0	6/8



FC2107

2/8	6/8
2/10	6/8
3/0	6/8



FC2108

2/8	6/8
2/10	6/8
3/0	6/8



FC82

2/8	6/8
2/10	6/8
3/0	6/8



FC1089 FC8311

2/8	6/8	8/0
3/0	6/8	8/0



FC2101

2/8	6/8
3/0	6/8




FC2102

2/8	6/8
3/0	6/8




FC92

2/8	6/8
3/0	6/8




81945P

2/8	8/0
3/0	8/0



81946P

2/8	8/0
3/0	8/0



81944P

2/8	8/0
3/0	8/0

Fiber-Classic. Oak



FC8322
2/8 | 8/0
3/0 | 8/0



FC8323
2/8 | 8/0
3/0 | 8/0



FC8324
2/8 | 8/0
3/0 | 8/0



FC65
2/6N | 6/8 |
2/8 | 6/8 | 7/0
2/10 | 6/8 | 7/0
3/0 | 6/8 | 7/0
Low-E Only - 2/6 (FW)



FC8321
2/8 | 8/0
3/0 | 8/0




FC8318
2/8 | 8/0
3/0 | 8/0



FC8319
2/8 | 8/0
3/0 | 8/0



FC8320
2/8 | 8/0
3/0 | 8/0



FC832
2/8 | 8/0
3/0 | 8/0




FC809203
2/8 | 6/8
3/0 | 6/8




FC862203
2/8 | 8/0
3/0 | 8/0



FC752 FC8752
2/8 | 6/8 | 7/0 | 8/0
2/10 | 6/8 | 7/0 |
3/0 | 6/8 | 7/0 | 8/0



**FC18SL
12102SL***
10" | 6/8 |
12" | 6/8 | 7/0*
14" | 6/8 | 7/0*




81208PSL*
12" | 8/0*
14" | 8/0*




FC1089SL
12" | 6/8
14" | 6/8




FC2101SL
12" | 6/8
14" | 6/8




FC92SL
12" | 6/8
14" | 6/8



81946PSL
12" | 8/0
14" | 8/0



FC8675SL
12" | 8/0
14" | 8/0




**FC63SL
FC7125SL**
12" | 6/8 | 8/0
14" | 6/8 | 8/0



FC3487SL
12" | 8/0
14" | 8/0

Smooth-Star®



S1201*

2/6	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8	

FK/CK Only - 2/6



S1209


2/6N	6/8	
2/8	6/8	7/0
2/8N	6/8	
2/10	6/8	7/0
3/0	6/8	7/0

FK/CK Only - 2/6N, 2/8N




S1202*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8	




S1211

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0




S1203*

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8	




S1212

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



S128

2/6	6/8*	
2/6N	6/8	
2/8	6/8	7/0
2/8N	6/8	
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	




S141*

S108

2/6	6/8*	
2/6N	6/8	
2/8	6/8	7/0
2/8N	6/8	
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	

No FA - 2/6, 2/6N, 2/8




S6063*

S808

2/6	8/0*	
2/6N	8/0	
2/8	8/0	
2/10	8/0	
3/0	8/0	
3/6	8/0*	

S81208*



S198

2/6	6/8*	
2/6N	6/8	
2/8	6/8	7/0
2/8N	6/8	
2/10	6/8	7/0
3/0	6/8	7/0
3/6	6/8*	

S6062*



S2106

2/8	6/8	
2/10	6/8	
3/0	6/8	



S2107

2/8	6/8	
2/10	6/8	
3/0	6/8	




S2108

2/8	6/8	
2/10	6/8	
3/0	6/8	



S82

2/8	6/8	
2/10	6/8	
3/0	6/8	



S1089

2/8	6/8	8/0
3/0	6/8	8/0

S8311




S2101


2/8	6/8	8/0
3/0	6/8	8/0

S8313


Smooth-Star®




S2102 S8316
2/8 6/8 8/0
3/0 6/8 8/0



S881
2/8 8/0
3/0 8/0



S92
2/8 6/8
3/0 6/8



S882
2/8 8/0
3/0 8/0



S1400 S898
2/8 6/8 8/0
3/0 6/8 8/0



S262
2/6N 6/8
2/8 6/8 7/0
2/10 6/8 7/0
3/0 6/8 7/0
No FA - 2/6



S8326
2/8 8/0
2/10 8/0
3/0 8/0



S84318
2/8 8/0
2/10 8/0
3/0 8/0




S8327
2/8 8/0
2/10 8/0
3/0 8/0



S84313
2/8 8/0
2/10 8/0
3/0 8/0



S8328
2/8 8/0
2/10 8/0
3/0 8/0




S8325
2/8 8/0
2/10 8/0
3/0 8/0



S6022
2/8 6/8 7/0
2/10 6/8 7/0
3/0 6/8 7/0



S4307
2/8 6/8 7/0
2/10 6/8 7/0
3/0 6/8 7/0



S6042
2/8 6/8
3/0 6/8



S8322
2/8 8/0
2/10 8/0
3/0 8/0



S8323
2/8 8/0
2/10 8/0
3/0 8/0

Smooth-Star®



S8324

2/8	8/0
2/10	8/0
3/0	8/0



S8321

2/8	8/0
2/10	8/0
3/0	8/0



S8318

2/8	8/0
3/0	8/0



S8319

2/8	8/0
3/0	8/0



S8320

2/8	8/0
3/0	8/0



S32

2/8	6/8
3/0	6/8

S832

8/0
8/0



S1408

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



S1405

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



S1406

2/8	6/8
3/0	6/8



S1407

2/8	6/8
3/0	6/8



S807

2/8	6/8
2/10	6/8
3/0	6/8



S1411

2/8	6/8
2/10	6/8
3/0	6/8



S93203

2/8	6/8
3/0	6/8



S831203

2/8	8/0
3/0	8/0




S1404

2/8	6/8
3/0	6/8



S8141

2/8	8/0
3/0	8/0



S752

2/8	6/8
2/10	6/8
3/0	6/8

S8752

7/0	8/0
7/0	8/0
7/0	8/0

Lite Frame

Clear Glass | Grilles Between Glass

Note: Product images show the exterior side of the door.


Smooth-Star®



S1400
2/8 | 6/8
3/0 | 6/8



S1402
2/8 | 6/8
2/10 | 6/8
3/0 | 6/8



S1400SL
12" | 6/8
14" | 6/8



S8144
2/8 | 8/0
3/0 | 8/0



S81405
2/8 | 8/0
2/10 | 8/0
3/0 | 8/0




S8145
2/8 | 8/0
2/10 | 8/0
3/0 | 8/0

Lite Frame

Clear Glass | Grilles Between Glass

Reeb® Specialty Products

SHAKER




RS2606
2/8 | 6/8
3/0 | 6/8



RS606
2/8 | 6/8
3/0 | 6/8

SHAKER



RS2616
2/8 | 6/8
3/0 | 6/8



RS608
2/8 | 6/8
3/0 | 6/8

Flat White (FW) GBG
Flat Almond (FA) GBG





Flat Bronze (FB) GBG
Flat Black (FK) GBG

Contour White (CW) GBG
Contour Black (CK) GBG

Low-E Glass

Clear Glass Lite Frame | Simulated Divided Lite Bars


Smooth-Star®

						
S1201SL*	S1209SL	S8311SL	S308SL	S808SL	S1089SL	S2101SL
10" 6/8 12" 6/8 6/8 14" 6/8 6/8	12" 6/8 14" 6/8	12" 8/0 14" 8/0	10" 6/8 12" 6/8 7/0 14" 6/8 7/0	12" 8/0 14" 8/0	12" 6/8 14" 6/8	12" 6/8 14" 6/8
						
S82SL	S881SL	S8675SL	S263SL	S3487SL	S1405SL	S7125SL
12" 6/8 14" 6/8	12" 8/0 14" 8/0	12" 8/0 14" 8/0	12" 6/8 14" 6/8	12" 8/0 14" 8/0	12" 6/8 14" 6/8	12" 8/0 14" 8/0

Fiber-Classic® Mahogany

				
FCM138 FCM1285*	FCM18 FCM1284*	FCM82	FCM65	FCM6022
2/6 6/8* 7/0* 2/8 6/8 7/0* 2/10 6/8 7/0* 3/0 6/8 7/0* 2/6 - Low-E Glass only	2/6 6/8* 7/0* 2/8 6/8 7/0* 2/10 6/8 7/0* 3/0 6/8 7/0* 2/6 - Low-E Glass only	2/8 6/8 2/10 6/8 3/0 6/8	2/8 6/8 2/10 6/8 3/0 6/8	2/8 6/8 2/10 6/8 3/0 6/8

Fiber-Classic® Mahogany

 + ☼ XC XJ XN XR XE FCM6042__ 2/8 6/8 2/10 6/8 3/0 6/8	 + ☼ XC XJ XN XR XE FCM8321__ 2/8 8/0 3/0 8/0	 + ☼ XC XJ XN XR XE FCM605__ 2/8 6/8 2/10 6/8 3/0 6/8	 + ☼ XC XJ XN XR XE FCM606__ 2/8 6/8 2/10 6/8 3/0 6/8	 + ☼ XC XJ XN XR XE FCM607__ 2/8 6/8 2/10 6/8 3/0 6/8	 + ☼ XC XJ XN XR XE FCM608__ 2/8 6/8 2/10 6/8 3/0 6/8
 + ☼ XC XJ XN XR XE FCM12102__SL* 10" 6/8 12" 6/8 7/0 14" 6/8 7/0	 + ☼ XC XJ XN XR XE FCM6124__SL* 10" 6/8 12" 6/8 7/0 14" 6/8 7/0	 + ☼ XC XJ XN XR XE FCM6125__SL* 10" 6/8 12" 6/8 7/0 14" 6/8 7/0	 + ☼ XC XJ XN XR XE FCM6126__SL* 10" 6/8 12" 6/8 7/0 14" 6/8 7/0		 + ☼ XC XJ XN XR XE FCM92__SL 12" 6/8 14" 6/8
 + ☼ XC XJ XN XR XE FCM8101__SL 12" 8/0 14" 8/0	 + ☼ XC XJ XN XR XE FCM81900__SL 12" 8/0 14" 8/0	 + ☼ XC XJ XN XR XE FCM81947__SL 12" 8/0 14" 8/0	 + ☼ XC XJ XN XR XE FCM81949__SL 12" 8/0 14" 8/0	 + ☼ XC XJ XN XR XE FCM65__SL 12" 6/8 14" 6/8	 + ☼ XC XJ XN XR XE FCM3487__SL 12" 8/0 14" 8/0

*This door style is made from a flush door and will not have stile lines.

**Add the code to the blank in the style number for the desired door and glass combination.

CL Clear Glass (CL)
☼ Low-E Glass

XC Chord Glass (XC)
XJ Chinchilla Glass (XJ)
XN Granite Glass (XN)

XR Rainglass (XR)
XE Satin Etch Glass (XE)
XK Reeded Glass (XK)

+ Simulated Divided Lites
+ Simulated Divided Lites F1
+ Simulated Divided Lites F2

☼ SDLGBG
☼ Vented Sidelite


Fiber-Classic. Oak



FC138__ 1285__*

2/6	6/8*	7/0*
2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

2/6, 2/6 - Low-E Glass only



FC18__ 1284__*

2/6	6/8*	7/0*
2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

2/6, 2/6 - Low-E Glass only




FC82__

2/8	6/8
2/10	6/8
3/0	6/8




FC92__

2/8	6/8
3/0	6/8



81945P__

2/8	8/0
3/0	8/0



81946P__

2/8	8/0
3/0	8/0




FC65__

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



FC8321__

2/8	8/0
3/0	8/0



FC832__

2/8	8/0
3/0	8/0




FC809203__

2/8	6/8
3/0	6/8



FC862203__

2/8	8/0
3/0	8/0




FC18_SL
12102_SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0




FCO6188_SL
FCO6184_SL*

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0



81900PSL

12"	8/0
14"	8/0



FCO6189_SL
FCO6185_SL*


10"	6/8	
12"	6/8	7/0
14"	6/8	7/0

Lite Frame

Clear Glass | Simulated Divided Lite Bars

Note: Product images show the exterior side of the door.

Fiber-Classic® Oak

						
XC XJ XN XR XE	+	XC XJ XN XR XE	+	+	XC XJ XN XR XE	XC XJ XN XR XE
FC63_SL	81947PSL	FCO6190_SL FCO6186_SL*	81949PSL	FC92_SL	81946P_SL	FC3487_SL
12" 6/8 14" 6/8	12" 8/0 14" 8/0	10" 6/8 12" 6/8 14" 6/8	12" 8/0 14" 8/0	12" 6/8 14" 6/8	12" 8/0 14" 8/0	12" 8/0 14" 8/0
		7/0 7/0				



81946P Stained in Rustic Clay

CL Clear Glass (CL)
☀ Low-E Glass


XC Chord Glass (XC)
XJ Chinchilla Glass (XJ)
XN Granite Glass (XN)

XR Rainglass (XR)
XE Satin Etch Glass (XE)
XK Reeded Glass (XK)

+ Simulated Divided Lites
+ Simulated Divided Lites F1
+ Simulated Divided Lites F2

SDLGBG
Vented Sidelite


Smooth-Star®



S128 **S141***

2/6	6/8*
2/6N	6/8
2/8	6/8 7/0
2/10	6/8 7/0
3/0	6/8 7/0
3/6	6/8*

No Privacy Glass- 2/6, 2/6N



S108 **S6063***


2/6	6/8*
2/6N	6/8
2/8	6/8 7/0
2/10	6/8 7/0
3/0	6/8 7/0
3/6	6/8*

No Privacy Glass- 2/6, 2/6N



S82

2/8	6/8
2/10	6/8
3/0	6/8




S881

2/8	8/0
3/0	8/0




S92

2/8	6/8
3/0	6/8




S882

2/8	8/0
3/0	8/0



S262

2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0



S6022 **S86022**

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0




S8325

2/8	8/0
2/10	8/0
3/0	8/0




S6042

2/8	6/8
3/0	6/8




S8321

2/8	8/0
2/10	8/0
3/0	8/0



S32 **S832**

2/8	6/8	8/0
3/0	6/8	8/0



S807

2/8	6/8
2/10	6/8
3/0	6/8




S93203

2/8	6/8
3/0	6/8



S831203


2/8	8/0
3/0	8/0



S605 **S8605**

2/8	6/8
2/10	6/8
3/0	6/8 8/0

Smooth-Star.




S606 **S8606**
 2/8 6/8
 2/10 6/8
 3/0 6/8 8/0




S607 **S8607**
 2/8 6/8
 2/10 6/8
 3/0 6/8 8/0




S608 **S8608**
 2/8 6/8
 2/10 6/8
 3/0 6/8 8/0




S308 **SL**
S1170 **SL***
 10" 6/8*
 12" 6/8 7/0*
 14" 6/8 7/0*




S605 **SL**
S8605 **SL**
 12" 6/8 8/0
 14" 6/8 8/0




S6124 **SL***
S85924 **SL***
 10" 6/8
 12" 6/8 7/0 8/0
 14" 6/8 7/0 8/0




S606 **SL**
S8606 **SL**
 12" 6/8 8/0
 14" 6/8 8/0




S6125 **SL***
S85925 **SL***
 10" 6/8
 12" 6/8 7/0 8/0
 14" 6/8 7/0 8/0




S607 **SL**
S8607 **SL**
 12" 6/8 8/0
 14" 6/8 8/0




S6126 **SL***
S85926 **SL***
 10" 6/8
 12" 6/8 7/0 8/0
 14" 6/8 7/0 8/0




S808SL
 12" 8/0
 14" 8/0




S82 **SL**
 12" 6/8
 14" 6/8




S881 **SL**
 12" 8/0
 14" 8/0



S8207SL
 12" 8/0
 14" 8/0



S8202SL
 12" 8/0
 14" 8/0



S8204SL
 12" 8/0
 14" 8/0



S263 **SL**
 12" 6/8
 14" 6/8



S3487 **SL**
 12" 8/0
 14" 8/0

CL Clear Glass (CL)
 Low-E Glass

XC Chord Glass (XC)
 XJ Chinchilla Glass (XJ)
 XN Granite Glass (XN)

XR Rainglass (XR)
 XE Satin Etch Glass (XE)
 XK Reeded Glass (XK)

+ Simulated Divided Lites
 + Simulated Divided Lites F1
 + Simulated Divided Lites F2

SDLGBG
 Vented Sidelite

EnLiten™ Flush-Glazed Designs

Simplified beauty. Resilient designs.

Designs for any entry.

Your door should always welcome you home - while playing seamlessly into your style. Our EnLiten flush-glazed designs create striking profiles that effortlessly combine indoor and outdoor living spaces, inviting in more natural light than ever. The possibilities are endless, giving you doors that perfectly fit your lifestyle.



Flush-Glazed Glass



Lip-Lite Frame

Create a clean look with maximum views.

During manufacturing, glass is built directly into the door with a high-performance adhesive weather seal to reduce the potential for air and water infiltration. This design eliminates the need for a lite frame and screw plugs, achieving a seamless, consistent finish. EnLiten flush-glazed designs offer up to a 16% increase in visible glass area as compared to conventional lite frames, creating an airy, open feeling in the home with larger daylight openings.



Flush-Glazed Glass



Lip-Lite Frame



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy-Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*



Withstands Winds Up to 167mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)

*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.

***Brand Use Study, 2018 Builder magazine




EnLiten flush-glazed designs are backed by the industry's most comprehensive lifetime limited warranty, plus warranty riders for peace of mind - all from the entry door brand building professionals choose most.***



FCM4810XC Stained in Acorn

Flush-Glazed Clear Glass

Fiber-Classic® Mahogany



FCM4810__


2/8	6/8	7/0
2/10	6/8	7/0
3/0	6/8	7/0

XC, XE, XJ, XN, XR -
2868 and 3068 only



FCM4810__SL
FCM84810__SL


12"	6/8	7/0	8/0
14"	6/8	7/0	8/0



FCM2000__SL
FCM8000__SL

12"	6/8	7/0	8/0
14"	6/8	7/0	8/0

Fiber-Classic® Oak



2000__ **8000**

2/0	6/8
2/6	6/8
2/8	6/8
3/0	6/8



2000__SL

12"	6/8
14"	6/8

CL Clear Glass (CL)
★ Low-E Glass (LE)


XC Chord Glass
XJ Chinchilla Glass
XN Granite Glas (XN)

XR Rainglass
XE Satin Etch Glass
XX Reeded Glass

Vented Sidelite

Flush-Glazed Clear Glass

Smooth-Star.



S2000 **S8000**

2/0	6/8	8/0
2/6	6/8	
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0

No XG - 2/10
No XK - 2/6
Clear Only - 2/0




S2200

2/6	6/8
2/8	6/8
3/0	6/8



S82200

2/6	8/0
2/8	8/0
3/0	8/0




S3200 **S83200**

2/0	6/8	8/0
2/6	6/8	
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0



S2100

2/6	6/8
2/8	6/8
3/0	6/8



S4810 **S84810**


2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S2000 **SL** **S8000** **SL**


10"	6/8		
12"	6/8	7/0	8/0
14"	6/8	7/0	8/0

XG - 12", 14" 6/8 Only
Venting - 6/8 Only



S3200 **SL** **S83200** **SL**

10"	6/8		
12"	6/8	7/0	8/0
14"	6/8	7/0	8/0



S4810 **SL** **S84810** **SL**

12"	6/8	7/0	8/0
14"	6/8	7/0	8/0



S90 **SL**


12"	6/8
14"	6/8



S2200 **SL**


12"	6/8
14"	6/8

Smooth-Star.




S2010

2/6	6/8
2/8	6/8
3/0	6/8




S2050

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8




S8000-18

2/6	8/0
2/8	8/0
2/10	8/0
3/0	8/0



S2104

2/6	6/8
2/8	6/8
3/0	6/8




S82105

2/6	8/0
2/8	8/0
3/0	8/0




S2250

2/6	6/8
2/8	6/8
3/0	6/8




S82250

2/6	8/0
2/8	8/0
3/0	8/0



S2150

2/8	6/8
3/0	6/8



S2010SL

10"	6/8
12"	6/8
14"	6/8



S1205

3/0	6/8
-----	-----



S1205SL

12"	6/8
14"	6/8



S2103

2/8	6/8
3/0	6/8



S2103SL

12"	6/8
14"	6/8



Fixed Grille (FXG)



Low-E Glass (LE)



Wood Edge Option



Removable Grille (RG)



Vented Sidelite

Flush-Glazed Clear Glass | Simulated Divided Lite Bars

Fiber-Classic® Mahogany



FCM4812
FCM84812

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

Clear Glass Only - 21068



FCM4813
FCM84813

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

Clear Glass Only - 21068



FCM4814
FCM84814

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

Clear Glass Only - 21068



FCM4816
FCM84816

2/8	6/8	7/0	8/0
2/10	6/8	7/0	8/0
3/0	6/8	7/0	8/0

Clear Glass Only - 21068



FCM2050_SL
FCM84886_SL

12"	6/8	7/0	8/0
14"	6/8	7/0	8/0



FCM4812_SL
FCM84812_SL

12"	6/8	7/0	8/0
14"	6/8	7/0	8/0



FCM4814 Stained in Raven

Fiber-Classic® Oak



+

☼

XN

XR

XE

FC1207__

2/6	6/8
2/8	6/8
3/0	6/8



+

☼

XN

XR

XE

2010__

2/6	6/8
2/8	6/8
3/0	6/8



+

☼

XN

XR

XE

2050__

2/6	6/8
2/8	6/8
3/0	6/8



+

☼


XN

XR

XE

FC1205__

2/6	6/8
2/8	6/8
3/0	6/8



+

☼

XN


XR

XE

FC5700__ **FC85700**

2/6	6/8	
2/8	6/8	8/0
3/0	6/8	8/0

Clear Glass Only - 2880



+

☼

XN


XR

XE

FC5710__ **FC85710**

2/6	6/8	
2/8	6/8	8/0
3/0	6/8	8/0

Clear Glass Only - 2880



+

☼

XN


XR

XE

FC5720__ **FC85720**

2/6	6/8	
2/8	6/8	8/0
3/0	6/8	8/0

Clear Glass Only - 2880



+

☼


XN

XR

XE

FC691__ **FC8691**

2/6	6/8	
2/8	6/8	8/0
3/0	6/8	8/0



+

☼

XN


XR

XE

FC685L__ **FC8685L**

2/6	6/8	
2/8	6/8	8/0
3/0	6/8	8/0

Clear Glass Only - 2880



+

☼

XN


XR

XE

FC685R__ **FC8685R**

2/6	6/8	
2/8	6/8	8/0
3/0	6/8	8/0

Clear Glass Only - 2880



+

☼

XC

XJ

XN

XR

XE

2050__SL

12"	6/8
14"	6/8



+

☼

XC

XJ

XN

XR

XE

FC5700__SL

12"	6/8
14"	6/8



+

☼

XC

XJ

XN

XR

XE

FC5710__SL

12"	6/8
14"	6/8



+

☼

XC

XJ

XN

XR

XE

FC5720__SL

12"	6/8
14"	6/8

*This door style is made from a flush door and will not have stile lines.

**Add the code to the blank in the style number for the desired door and glass combination.

CL Clear Glass (CL)

☼ Low-E Glass

XC Chord Glass

XJ Chinchilla Glass

XN Granite Glass

XR Rainglass

XE Satin Etch Glass

XK Reeded Glass

+ Simulated Divided Lites

+ Simulated Divided Lites F1


+ Simulated Divided Lites F2

☼ SDLGBG

☼ Vented Sidelite


See page 31

Smooth-Star®




S5705 **S85705**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0
No XK - 2/10		Low-E Only - 2680
		XE Only - 21080




S5715 **S85715**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0
No XK - 2/10		Low-E Only - 2680
		XE Only - 21080




S1205

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
No XK - 2/10	




S5725 **S85725**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0
No XK - 2/10		Low-E Only - 2680
		XE Only - 21080




S1207

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
No XK - 2/10	




S2010

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
No XK - 2/10	




S2050

2/6	6/8
2/8	6/8
2/10	6/8
3/0	6/8
No XK - 2/10	




S5700 **S85700**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0
No XK - 2/10		Low-E Only - 2680
		XE Only - 21080



S5710 **S85710**


2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0
No XK - 2/10		Low-E Only - 2680
		XE Only - 21080




S5720 **S85720**

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0
No XK - 2/10		Low-E Only - 2680
		XE Only - 21080


Smooth-Star




S685R	S685R_
2/6	6/8 8/0
2/8	6/8 8/0
2/10	6/8 8/0
3/0	6/8 8/0
No XK - 2/10 Low-E Only - 2680 XE Only - 21080	




S685L	S685L_
2/6	6/8 8/0
2/8	6/8 8/0
2/10	6/8 8/0
3/0	6/8 8/0
No XK - 2/10 Low-E Only - 2680 XE Only - 21080	




S691	S691_
2/6	6/8 8/0
2/8	6/8 8/0
2/10	6/8 8/0
3/0	6/8 8/0
No XK - 2/10 Low-E Only - 2680 XE Only - 21080	




S3300	S83300
2/6	6/8 8/0
2/8	6/8 8/0
2/10	6/8 8/0
3/0	6/8 8/0




S3400L	S83400L
2/6	6/8 8/0
2/8	6/8 8/0
2/10	6/8 8/0
3/0	6/8 8/0




S3400R	S83400R
2/6	6/8 8/0
2/8	6/8 8/0
2/10	6/8 8/0
3/0	6/8 8/0




S3500L	S83500L
2/6	6/8 8/0
2/8	6/8 8/0
2/10	6/8 8/0
3/0	6/8 8/0



S3500R	S83500R
2/6	6/8 8/0
2/8	6/8 8/0
2/10	6/8 8/0
3/0	6/8 8/0



S3600L	S83600L
2/6	6/8 8/0
2/8	6/8 8/0
2/10	6/8 8/0
3/0	6/8 8/0



S3600R	S83600R
2/6	6/8 8/0
2/8	6/8 8/0
2/10	6/8 8/0
3/0	6/8 8/0

CL Clear Glass (CL)
★ Low-E Glass

XC Chord Glass
XJ Chinchilla Glass
XN Granite Glass

XR Rainglass
XE Satin Etch Glass
XK Reeded Glass

+ Simulated Divided Lites
+ Simulated Divided Lites F1
+ Simulated Divided Lites F2

SDLGBG
Vented Sidelite
See page 31

Smooth-Star.



S5730

2/6	6/8
2/8	6/8
3/0	6/8



S85730

2/6	8/0
2/8	8/0
3/0	8/0




S2103

2/6	6/8
2/8	6/8
3/0	6/8



S82103

2/6	8/0
2/8	8/0
3/0	8/0



S2104

2/6	6/8
2/8	6/8
3/0	6/8



S82105

2/6	8/0
2/8	8/0
3/0	8/0




S82106

2/6	8/0
2/8	8/0
3/0	8/0




S2250

2/6	6/8
2/8	6/8
3/0	6/8



S82107

2/6	8/0
2/8	8/0
3/0	8/0



S4200


S84200

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S1350


2/8	6/8
3/0	6/8



S6200

S86200


2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S9200

S96200

2/6	6/8	8/0
2/8	6/8	8/0
2/10	6/8	8/0
3/0	6/8	8/0



S2150

2/8	6/8
3/0	6/8

Flush-Glazed

Clear Glass | Simulated Divided Lite Bars


Note: Product images show the exterior side of the door.

Smooth-Star®




S4812 **S84812**

2/8	6/8	7/0	8/0
2/10	6/8		8/0
3/0	6/8	7/0	8/0




S4813 **S84813**

2/8	6/8	7/0	8/0
2/10	6/8		8/0
3/0	6/8	7/0	8/0



S4814 **S84814**

2/8	6/8	7/0	8/0
2/10	6/8		8/0
3/0	6/8	7/0	8/0



S4816 **S84816**

2/8	6/8	7/0	8/0
2/10	6/8		8/0
3/0	6/8	7/0	8/0

Clear Glass Only - 2880



S84812 Painted in Dried Cranberry

CL Clear Glass (CL)
Low-E Glass


XC Chord Glass
XJ Chinchilla Glass
XN Granite Glass

XR Rainglass
XE Satin Etch Glass
XK Reeded Glass

+ Simulated Divided Lites
+ Simulated Divided Lites F1
+ Simulated Divided Lites F2

+ SDLGBG
Vented Sidelite
See page 31

Smooth-Star.




S2010_SL

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0



S84886_SL

12"	8/0
14"	8/0




S2000_SL-2C

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0




S2000_SL-4C

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0




S4812_SL
S84812_SL

12"	6/8	7/0	8/0
14"	6/8	7/0	8/0




S5700_SL
S85700_SL

10"	6/8		
12"	6/8	7/0	8/0
14"	6/8	7/0	8/0



S5710_SL
S85710_SL

10"	6/8		
12"	6/8	7/0	8/0
14"	6/8	7/0	8/0




S5720_SL
S85720_SL

10"	6/8		
12"	6/8	7/0	8/0
14"	6/8	7/0	8/0




S2103SL

12"	6/8
14"	6/8




S2104SL

12"	6/8
14"	6/8




S2250SL

12"	6/8
14"	6/8



S4200_SL
S84200_SL

12"	6/8	7/0	8/0
14"	6/8	7/0	8/0



S6200_SL
S86200_SL


12"	6/8	7/0	8/0
14"	6/8	7/0	8/0

Reeb® Specialty Products



RS2010


2/6	6/8
2/8	6/8
3/0	6/8



RS2009


2/6	6/8
2/8	6/8
3/0	6/8

SHAKER



RS4817

2/8	6/8
2/10	6/8
3/0	6/8



RS2000SDL

10"	6/8
12"	6/8
14"	6/8



RS4817 Painted in Total Eclipse

CL Clear Glass (CL)
 Low-E Glass

XC Chord Glass
 XJ Chinchilla Glass
 XN Granite Glass

XR Rainglass
 XE Satin Etch Glass
 XK Reeded Glass

+ Simulated Divided Lites
 + Simulated Divided Lites F1
 + Simulated Divided Lites F2

+ SDLGBG
 Vented Sidelite
 See page 31

Steel Doors

Introduction

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. **Pages 256-269.**



Profiles[™] Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



Traditions[™] Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



959HDXR

Decorative & Specialty Glass

Contact Reeb® for pricing and layout options.



Axis®

Privacy Rating: **7**



Blackstone®

Privacy Rating: **7**




Kensington™

Privacy Rating: **8**



Maple Park®

Privacy Rating: **6**



Pembroke™

Privacy Rating: **7**



Riserva®

Privacy Rating: **10**



Salinas®

Privacy Rating: **10**




Saratoga™

Privacy Rating: **7**




Sedona™

Privacy Rating: **7**



Wellesley™

Privacy Rating: **6**




Internal Blinds



Screen Vented

Clear Glass

All Profiles Steel™ and Traditions Steel doors are standard with Clear Glass. See **Page ##**.



Clear Glass

Privacy Rating: **1**

Privacy & Textured Glass

Contact Reeb for pricing and layout options.



Privacy Glass

Privacy Rating: **7-10**

Solid Panel



978HD


Profiles™ Steel

Traditions Steel



Solid Panel

Profiles™ Steel



969HD

2/8	6/8
3/0	6/8



978HD

2/8	6/8
3/0	6/8



1005HD

2/8	6/8
3/0	6/8



205HD

2/8	6/8
3/0	6/8




203HD

2/8	6/8
2/10	6/8
3/0	6/8



210HD


2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0



100

2/0	6/8	
2/4	6/8	
2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	

Traditions Steel



TS210 810

2/6N	6/8	
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0



TS100 800

2/0	6/8	8/0
2/4	6/8	
2/6	6/8	8/0
2/8	6/8	8/0
3/0	6/8	8/0

Clear Glass



TS118

Profiles™ Steel



Traditions Steel





Glass Privacy Rating



Glass privacy ratings may be more or less than indicated based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship.

Divided Lites

Clear and Privacy glass can be divided with either removable wood grilles or simulated lite bars for a unique look. For more information on Divided Lites, please see [page 30-33](#).



**Fixed
Grille**

Lite Frame [page 262](#)



**Grilles
Between Glass**

Lite Frame [page 264](#)



**Simulated
Divided Lite**

Lite Frame [page 268](#)

Select doors in this section are available with RSP Aluminum SDL bars. See page 32 for details.

Profiles™ Steel



118

2/0	6/8	
2/4	6/8	
2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	



959HD

2/8	6/8
3/0	6/8



206HD

2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0



980HD

2/8	6/8
2/10	6/8
3/0	6/8



1101HD

2/8	6/8
3/0	6/8



104

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0



289HD

2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0



105

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0



601HD

2/8	6/8
2/10	6/8
3/0	6/8



708HD

2/8	6/8
3/0	6/8



256HD

2/8	6/8
3/0	6/8



296HD

2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0



100SL

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0



959SLHD

12"	6/8
14"	6/8



210SLHD

12"	6/8
14"	6/8



296SLHD

12"	6/8
14"	6/8



Option: Grille Sticks Applied

19020T

3'0" door = (2) 12" sidelites
Continuous Sill Systems Only
3'0" door = (2) 14" sidelites
Continuous/Boxed sill systems



19220T

3'0" door = (2) 12" sidelites
3'0" door = (2) 14" sidelites
Continuous sill systems only



19200T

3'0" door only



19210T

12" and 14" sidelite only

Traditions Steel



TS118 818

2/0	6/8	
2/4	6/8	
2/6	6/8	8/0
2/8	6/8	8/0
3/0	6/8	8/0



TS206 8206

2/6N	6/8	
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0



TS104

2/6	6/8
2/8	6/8
3/0	6/8




TS289

2/6N	6/8
2/8	6/8
2/10	6/8
3/0	6/8



TS105

2/6	6/8
2/8	6/8
3/0	6/8




TS708 8708

2/8	6/8	8/0
3/0	6/8	8/0



TS256

2/8	6/8
3/0	6/8



TS296 896

2/6N	6/8	
2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0



**100SL
818SL**

10"	6/8	
12"	6/8	8/0
14"	6/8	8/0



Option: Grille Sticks Applied

19020T

3'0" door = (2) 12" sidelites
Continuous sill systems only
3'0" door = (2) 14" sidelites
Continuous/Boxed sill systems



19220T

3'0" door = (2) 12" sidelites
3'0" door = (2) 14" sidelites
Continuous sill systems only



19200T

3'0" door only



19210T

12" and 14"
sidelite only

Profiles™ Steel



128

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	



108

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	



262HD

2/6N	6/8
2/8	6/8
2/10	6/8
3/0	6/8



982HD

2/8	6/8
2/10	6/8
3/0	6/8



1123HD

2/8	6/8
3/0	6/8




263HD

2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0




115HD

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0




752HD

2/8	6/8
3/0	6/8




255HD

2/8	6/8
3/0	6/8



236HD

2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0



237HD

2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0

Scalloped Lite Frame



632SL

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0



263SLHD

12"	6/8
14"	6/8

Traditions Steel



TS128

2/6	6/8
2/8	6/8
3/0	6/8



TS108

2/6	6/8
2/8	6/8
3/0	6/8



828

2/8	8/0
3/0	8/0



808

2/6	8/0
2/8	8/0
3/0	8/0

2/6 - Low-E Glass not available



TS262

2/6N	6/8
2/8	6/8
2/10	6/8
3/0	6/8




TS263

2/6N	6/8
2/8	6/8
2/10	6/8
3/0	6/8



TS115

2/6	6/8
2/8	6/8
3/0	6/8




TS752 8752

2/8	6/8	8/0
3/0	6/8	8/0



TS255

2/8	6/8
3/0	6/8



TS236 8317

2/8	6/8	8/0
2/10	6/8	
3/0	6/8	8/0



TS237

2/8	6/8
3/0	6/8

Scalloped Lite Frame



632SL


10"	6/8
12"	6/8
14"	6/8



828SL


12"	8/0
14"	8/0

Profiles™ Steel




1201

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	



1202

2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	




1203

2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	



128

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	



108

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	

2/6 - Flat Almond Not Available



198

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	



2109HD

2/8	6/8
3/0	6/8



2110HD

2/8	6/8
3/0	6/8



2111HD

2/8	6/8
3/0	6/8



961HD

2/8	6/8
3/0	6/8



1403

2/8	6/8
3/0	6/8



262HD

2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0

2/6 - Flat Almond Not Available



982HD

2/8	6/8
2/10	6/8
3/0	6/8



1123HD

2/8	6/8
3/0	6/8



1408HD

2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0

Profiles™ Steel



1405HD

2/8 | 6/8
2/10 | 6/8
3/0 | 6/8



1406HD

2/8 | 6/8
3/0 | 6/8




263HD

2/6N | 6/8
2/8 | 6/8 | 7/0
2/10 | 6/8
3/0 | 6/8 | 7/0



1411HD

2/6N | 6/8
2/8 | 6/8 | 7/0
2/10 | 6/8
3/0 | 6/8 | 7/0



752HD

2/8 | 6/8
3/0 | 6/8



1201SL

10" | 6/8
12" | 6/8 | 7/0
14" | 6/8 | 7/0



632SL

10" | 6/8
12" | 6/8 | 7/0
14" | 6/8 | 7/0



1089SLHD

12" | 6/8
14" | 6/8




4572SLHD

12" | 6/8
14" | 6/8



6720SLHD

12" | 6/8
14" | 6/8



1400SLHD

12" | 6/8
14" | 6/8



263SLHD


12" | 6/8
14" | 6/8



1405SLHD

12" | 6/8
14" | 6/8

Traditions Steel



TS1201

2/6 | 6/8
2/8 | 6/8
3/0 | 6/8




TS1202

2/8 | 6/8
3/0 | 6/8




TS1203

2/8 | 6/8
3/0 | 6/8



TS128


2/6 | 6/8
2/8 | 6/8
3/0 | 6/8



TS108

2/6 | 6/8
2/8 | 6/8
3/0 | 6/8

2/6 - Flat Almond Not Available



808

2/6 | 8/0
2/8 | 8/0
3/0 | 8/0

2/6 - Low-E Glass only



8322

2/8 | 8/0
3/0 | 8/0




8323

2/8 | 8/0
3/0 | 8/0



8324

2/8 | 8/0
3/0 | 8/0



TS262

2/6N | 6/8
2/8 | 6/8
2/10 | 6/8
3/0 | 6/8

2/6N - Almond Not Available



8321

2/8 | 8/0
3/0 | 8/0



TS263

2/6N | 6/8
2/8 | 6/8
2/10 | 6/8
3/0 | 6/8



TS198

2/6 | 6/8
2/8 | 6/8
3/0 | 6/8

Traditions Steel



TS752 **8752**

2/8	6/8	8/0
3/0	6/8	8/0




TS1408

2/8	6/8
2/10	6/8
3/0	6/8



8145

2/8	8/0
3/0	8/0




TS1411

2/6N	6/8
2/8	6/8
2/10	6/8
3/0	6/8



632SL

10"	6/8
12"	6/8
14"	6/8



828SL

12"	8/0
14"	8/0



1201SL

10"	6/8
12"	6/8
14"	6/8



Flat White (FW) GBG



Flat Bronze (FB) GBG




Contour White (CW) GBG



Flat Black (FK) GBG



Contour Black (CK) GBG



Low-E Glass

Profiles™ Steel



128

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	



108

2/6	6/8	7/0
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0
3/6	6/8	



961HD

2/8	6/8
3/0	6/8



262HD

2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0




982HD

2/8	6/8
2/10	6/8
3/0	6/8



1123HD

2/8	6/8
3/0	6/8



263HD

2/6N	6/8	
2/8	6/8	7/0
2/10	6/8	
3/0	6/8	7/0




605HD

2/8	6/8
2/10	6/8
3/0	6/8



606HD

2/8	6/8
2/10	6/8
3/0	6/8



607HD

2/8	6/8
2/10	6/8
3/0	6/8




608HD

2/8	6/8
2/10	6/8
3/0	6/8



6184SL

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0



6185SL

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0



6186SL

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0



632SL

10"	6/8	
12"	6/8	7/0
14"	6/8	7/0



6720SLHD

12"	6/8
14"	6/8



263SLHD

12"	6/8
14"	6/8

Traditions Steel



TS128

2/6	6/8
2/8	6/8
3/0	6/8



TS108

2/6	6/8
2/8	6/8
3/0	6/8



TS262

2/8	6/8
2/10	6/8
3/0	6/8



8321

2/8	8/0
3/0	8/0



TS263

2/6N	6/8
2/8	6/8
2/10	6/8
3/0	6/8



632SL

10"	6/8
12"	6/8
14"	6/8



828SL

12"	8/0
14"	8/0



6184SL

10"	6/8	8/0
12"	6/8	8/0
14"	6/8	8/0



6185SL

10"	6/8	8/0
12"	6/8	8/0
14"	6/8	8/0



6186SL

10"	6/8	8/0
12"	6/8	8/0
14"	6/8	8/0

Anatomy of an Exterior Door

Purchasing a door unit can be an overwhelming process given the many options available. However, reviewing the information in The Anatomy of an Exterior Door Unit will help in the understanding of which components make up a door unit and how each one is necessary in the life span of a door.



Hinges




Weatherstrip




Sweep




Sill



Pulse® Unit Configurations




Handing Options




Engineered to Work Together



Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.




- 1 Sill and bottom sweep form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. Sill pan (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




- 2 Corner seal pads (inswing only) complete the seal between the sill cap, bottom sweep and weatherstrip to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




- 3 Hinges position the door to properly compress the weatherstrip to help form a tight, even seal against air and moisture infiltration when the door closes.



- 4 Weatherstrip is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the door and frame.



- 5** Multi-point locking system (recommended) engages the door and frame at three points from top to bottom, helping to preserve the weatherstrip's seal even under wind pressure.



- 6** Lip-lite frame (shown right) features a compression seal against weather on the outside of the door and an adhesive seal against weather on the outside of the glass. Flush-glazed glass (shown left) is built directly into the door without a Lip-lite frame, featuring a high-performance adhesive weather seal inside and out.




Door Frame

Provides a solid structure for the door slab and components.



Composite Adjustable Sill

Provides a solid stepping surface and forms a tight seal at the bottom of the door system to help channel moisture away from the home.



Bottom Sweep (Inswing Only)

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



Hinges

Ensure smooth operation and position the door so it creates a tight seal with the weatherstrip when closed.



Multi-Point Locking System (MPLS)

Engages the door and frame at three points from top to bottom for enhanced security and sealing.



Corner Seal Pads (Inswing Only)

Fit securely behind the weatherstrip to help block wind-driven moisture infiltration at the bottom corner of the door system.



Weatherstrip

Features a resilient design to help deliver a precise seal between the door and frame.



Astragal (Double Doors)

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability.



Rain Guard (Outswing Only)

Creates a barrier at the top of the door to protect against moisture infiltration.



Sill Pan

Adds an extra layer of protection to help keep moisture away from the subfloor; protects flooring by catching and draining water in the event of infiltration.

Door Frames

On-Guard™ Composite Frames


Composite door frames combine the strength and convenience of wood with enhanced properties that make it moisture, rot, and insect resistant giving the maximum level of protection for the entire door unit.

On-Guard™ Composite Frames:


- Feature a limited lifetime warranty
- Will not warp, splinter or rot
- Will not absorb water
- Require less maintenance than solid wood



On-Guard Grained



On-Guard Primed



On-Guard White Shield


FrameSaver™

FrameSaver jambs feature a composite bottom that will not absorb water, warp, crack or rot and paints just like wood.



Ultra Jamb

Ultra Jamb components are made of 100% cellular vinyl PVC and are engineered to resist extreme weather conditions.



Wood Frames

Wood frames provide a warmth and durability that cannot be matched.



Primed



Solid Clear Pine



Solid Oak



Solid Fir



Solid African Mahogany




Solid Sapele Mahogany

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.

Stainable Astragal

Available for all heights and configurations.

Weatherstrip:
Bronze



Grain Options:



Oak Grain



Fir Grain

Aluminum

Available for all heights and configurations.

Weatherstrip:
Bronze



Finish Colors:



Bronze



White



Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

Door Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Reeb representative for a complete list of options.

Inswing Options



Composite Adjustable Sill

- Recommended for any in-swing application in any exposure.
- Available in the largest selection of color and size options.

Continuous length with spread mullion capability to fill 49"–75" rough openings.*



Hardwood Adjustable Sill

- Only recommended for use in fully protected doorways.
- Limited selection in color and size options.



Value Composite Adjustable Sill

- Recommended for any exposure.
- Very limited in color, size and configuration options.
- Budget friendly.

Outswing Options



Composite Outswing Sill

- Recommended for any out-swing application in any exposure.
- Available in the largest selection of color and size options.



Aluminum Sill with Thermal Break


- Budget friendly.
- Limited in color, size and configuration options.



Coastal Sill (For Coastal Regions)



- All aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Inswing Sill Extenders



Outswing Sill Extender

Finishes:



Public Access Sill

with Thermal Break (For ADA Applications)

- All aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.
- Reeb stocks additional sill options available for use in varying exposure applications.



Sill Finishes




Mill
Lightwood or Darkwood Cap



Bronze
Darkwood Cap

Cap Colors



Lightwood (Premium)
Composite Adjustable/Composite Outswing



Darkwood (Premium)
Composite Adjustable/Composite Outswing



Hardwood
Hardwood Adjustable



Darkwood (Economy)
Value Composite Adjustable / Fixed




Lightwood (Economy)
Value Composite Adjustable

Sill Protection



Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.



Sill Pan (Recommended)

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Hardware

Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

Grip-Style MPLS

New grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors. Strike plate package available.)


Standard Door MPLS



- ① Self-lubricating locks.
- ② 1" premium stainless steel deadbolt.
- ③ Integrated mishandling device.

Side view of door

Interior view of door



Exterior view of door

Side view of door




- ① Self-lubricating locks.
- ② 1" premium stainless steel deadbolt.
- ③ Integrated mishandling device.

Lever-Style MPLS

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)

Standard Door MPLS



Tongue Heights:

6'6"
6'8"
7'0"
8'0"

Configurations:

Inswing
Outswing

Shootbolt


(For door systems with an astragal.)

Heights: Configurations:

6'6" Inswing
6'8" Outswing
7'0"
8'0"



Vented Sidelite MPLS



Tongue

(Included in vented sidelite units.)


Heights:

6'6"
6'8"
8'0"

Hardware

Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru door styles from traditional to contemporary.



Finish Options for Handlesets & Hinges

*Not available for Forte and Prospect handlesets.



Hinges & Strike Plate

HINGES							
■ = Available	Adjustable	Classic-Craft Ball-Bearing	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Spring-Loaded	Adjustable Security Strike Plate (For Latch & Deadbolt)
Hinge Finish Options							
 Bright Brass	■	■	■				
 Brushed Nickel	■	■	■	■	■	■	■
 Black Nickel	■	■	■		■	■	■
 Polished Chrome		■	■		■	■	■
 Oil-Rubbed Bronze	■	■	■	■	■	■	■
 Stainless Steel		■	■	■	■	■	■
 Zinc Dichromate		■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Additional Accessories




Kickplate



Mailslot



Door Viewer



Visitors to **learn.reeb.com** have free unrestricted access to engaging, high-quality lessons taught by recognized industry experts.

For 20 years, Reeb has educated dealers, architects and industry professionals on everything door related, from how to choose the proper door unit and correctly install a door, to what options are available and new product information.

In an industry filled with many complex choices and regulations, Reeb is committed to offering training to dealers and their staff to empower them to better serve their customers each and every day.

Having one spot to search and find information is important – that's why certain search engine sites have become so popular.

We are working to add more articles that give you the answers you need about a product or product line. You can simply use the search bar or dive into the topics to find the answer to your questions.


Some people are visual learners so we created videos to better share the stories. Some discuss our product offerings and compare similar products, while others share information about a specific topic.



The Reeb® Learning Center has expanded with the addition of Learning Paths.

It can be tough to know where to start learning. A learning path is a collection of courses that a learner can progress through. Each course contains step-by-step lessons to teach you about doors from start to finish.

- Guided learning to boost your door knowledge
- Knowledge Checks help gauge understanding
- A Final Quiz tests the overall knowledge gathered
- Earn certifications for every course
- Earn rewards when completing a learning path
- System tracks all progress
- Need to stop and come back later? No Problem!
- Education anytime and anywhere
- Great resource for employees new to the millwork industry



Expert
Teachers



Unlimited
Free Access



Interactive
Learning



Boost
Your Skills



Earn Certificates
& Rewards

Subscribe Today!

By subscribing to the Learning Center, you will receive a monthly email informing you of the newest videos and articles that are available as well as a reminder of some of the recently released items. Whether you need a recap or want to learn more about something new, subscribing is the best way to stay informed. Head to learn.reeb.com and enter your email at the bottom of the page to subscribe!

Custom Doors

While fiberglass doors offer great performance, sometimes the style or size of the door cannot be created from fiberglass. A great alternative is a wood door. Wood doors have very little limitation when it comes to design options. Reeb's Custom Design Team can help to create your ideal entryway. Not only will they help with your order, they ask questions along the way to help ensure your door will last.



Customer Sketch

Designing a custom door starts with the customer. A drawing or sketch is the best way to start the process. After submitting a sketch, our Custom Team will begin to help guide you through the quoting and buying process by asking about the following options:

Door Species: Beyond fir and mahogany, there is an entire array of wood species options available; among them are hemlock, cherry, maple, walnut, poplar, birch, red oak or white oak. Whether your tastes are classic or exotic, there is a wood species for you.

Glass Type: There are also many glass options available from clear glass allowing in the most abundant natural light to textured glass that is more opaque for a higher privacy level.

Door Width: Typical exterior doors range from 2'6" to 3'6" in width but Reeb has access to create doors up to 6'0" wide.


Door Height: Typical exterior doors range from 6'6" to 8'0" in height but Reeb has access to create doors up to 12'0" tall.

Door Thickness: 1-3/4" and 2-1/4" options are available in most species.

Creating a Custom Wood Door... from idea to a reality

Once all the design decisions are picked, an initial CAD drawing is created based on the customer's sketch. Not only does this help the customer visualize the final product, but also helps to ensure the end product is what the customer desires.

The drawings are supplied to the customer for their review. Based on their needs, and the appearance of the door, the customer will then choose the layout and approve the purchase. The door is then ordered, and delivered to the customer.



CAD Drawing



Custom Wood Door Installed on a Home

Finally, the door arrives and is shipped to the customer. The customer can then have the door installed and complete their custom design process.

Unit Dimensions and Rough Openings - INSWING Units

Height

For a 6'8" unit, the height of the unit is dependent on the sill used.

Adjustable Composite Sill (Standard): Unit Size Height - 82", Rough Opening Height - 82-1/2"

Public Access Sill: Unit Size Height - 81", Rough Opening Height - 81-1/2"

7/4 Inswing Wood Sill: Unit Size Height - 82", Rough Opening Height - 82-1/2"

Note: All doors are 6'8" in height. To find the unit size or rough opening for other heights, please add or subtract the following:

6'6" doors: deduct 2" from the height

7'0" doors: add 4" to the height.

8'0" doors: add 16" to the height.

Width

The width of the unit is dependent on the configuration. Choose the configuration type of your unit and then the door size to find your unit size and rough opening widths.

Single Unit		
Description	Unit Size Width	Rough Opening Width
10" sidelite	11-1/2"	12-1/4"
12" sidelite	13-1/2"	14-1/4"
14" sidelite	15-1/2"	16-1/4"
2'0"	25-5/8"	26-3/8"
2'4"	29-5/8"	30-3/8"
2'6"	31-5/8"	32-3/8"
2'8"	33-5/8"	34-3/8"
2'10"	35-5/8"	36-3/8"
3'0"	37-5/8"	38-3/8"
3'6"	43-5/8"	44-3/8"

Continuous Single with One Sidelite Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
3'0" w/ 10" s/l	48-5/8"	49-3/8"
3'0" w/ 12" s/l	50-5/8"	51-3/8"
3'0" w/ 14" s/l	52-5/8"	53-3/8"

Continuous Single with Two Sidelites Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
3'0" w/ 10" s/l	59-5/8"	60-3/8"
3'0" w/ 12" s/l	63-5/8"	64-3/8"
3'0" w/ 14" s/l	67-5/8"	68-3/8"

Double Door 7/8" Astragal		
Description	Unit Size Width	Rough Opening Width
4'8"	58-9/16"	59-5/16"
5'0"	62-9/16"	63-5/16"
5'4"	66-9/16"	67-5/16"
5'8"	70-9/16"	71-5/16"
6'0"	74-9/16"	75-5/16"

Patio Door Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
4'8"	58-13/16"	59-9/16"
5'0"	62-13/16"	63-9/16"
5'4"	66-13/16"	67-9/16"
5'8"	70-13/16"	71-9/16"
6'0"	74-13/16"	75-9/16"

Triple Patio Door Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
7'0"	88"	88-3/4"
7'6"	94"	94-3/4"
8'0"	100"	100-3/4"
8'6"	106"	106-3/4"
9'0"	112"	112-3/4"

Continuous Single with One Venting Sidelite Wide Mull Post		
Description	Unit Size Width	Rough Opening Width
2'6" w/1 12" s/l	45-3/8"	46-1/8"
2'6" w/1 14" s/l	47-3/8"	48-1/8"
2'8" w/1 12" s/l	47-3/8"	48-1/8"
2'8" w/1 14" s/l	49-3/8"	50-1/8"
2'10" w/1 12" s/l	49-3/8"	50-1/8"
2'10" w/1 14" s/l	51-3/8"	52-1/8"
3'0" w/1 12" s/l	51-3/8"	52-1/8"
3'0" w/1 14" s/l	53-3/8"	54-1/8"

Continuous Single with Two Venting Sidelites Wide Mull Post		
Description	Unit Size Width	Rough Opening Width
3'0" w/2 12" s/l	65-1/16"	65-13/16"
3'0" w/2 14" s/l	69-1/16"	69-13/16"
Other sizes are available special order, contact Reeb for details		

Note: 8'0 venting sidelites are only available in 14" width.

Continuous Double with Two Venting Sidelites 7/8" Astragal, Wide Mull Post		
Description	Unit Size Width	Rough Opening Width
5'0" w/2 12" s/l	90"	90-3/4"
5'0" w/2 14" s/l	94"	94-3/4"
5'4" w/2 12" s/l	94"	94-3/4"
5'4" w/2 14" s/l	98"	98-3/4"
5'8" w/2 12" s/l	98"	98-3/4"
5'8" w/2 14" s/l	102"	102-3/4"
6'0" w/2 12" s/l	102"	102-3/4"
6'0" w/2 14" s/l	106"	106-3/4"

Dimension Adders

Rough Opening (the opening in a standard wall): add 3/4" to the Unit Width and 1/2" to the Unit Height

Brickmould Dimension (from edge of brickmould to edge of brickmould): add 2-1/2" to the Unit Width and 1-1/4" to the Unit Height

Masonry Opening (the opening in a masonry wall): add 3" to the Unit Width and 1-1/2" to the Unit Height

Boxed Unit Rough Opening (individual units mull together): Add each unit dimensions then add 3/4" to the Width and 1/2" to the Height

Transoms (glass component on top of the unit): Add door unit dimension and transom unit dimension, then add Rough Opening Adder

Unit Dimensions and Rough Openings - OUTSWING Units

Height

For a 6'8" unit, the height of the unit is dependent on the sill used.

Composite Outswing Sill (Standard): Unit Size Height - 81-3/16", Rough Opening Height - 81-11/16"

Public Access Sill: Unit Size Height - 81", Rough Opening Height - 81-1/2"

Outswing Bumper Sill: Unit Size Height - 80-5/8", Rough Opening Height - 81-1/8"

7/4 Outswing Wood Sill: Unit Size Height - 82", Rough Opening Height - 82-1/2"

Note: All doors are 6'8" in height. To find the unit size or rough opening for other heights, please add or subtract the following:

6'6" doors: deduct 2" from the height

7'0" doors: add 4" to the height.

8'0" doors: add 16" to the height.

Width

The width of the unit is dependent on the configuration. Choose the configuration type of your unit and then the door size to find your unit size and rough opening widths.

Single Unit		
Description	Unit Size Width	Rough Opening Width
10" sidelite	11-1/2"	12-1/4"
12" sidelite	13-1/2"	14-1/4"
14" sidelite	15-1/2"	16-1/4"
2'0"	25-5/8"	26-3/8"
2'4"	29-5/8"	30-3/8"
2'6"	31-5/8"	32-3/8"
2'8"	33-5/8"	34-3/8"
2'10"	35-5/8"	36-3/8"
3'0"	37-5/8"	38-3/8"
3'6"	43-5/8"	44-3/8"

Double Door 7/8" Astragal		
Description	Unit Size Width	Rough Opening Width
4'8"	58-9/16"	59-5/16"
5'0"	62-9/16"	63-5/16"
5'4"	66-9/16"	67-5/16"
5'8"	70-9/16"	71-5/16"
6'0"	74-9/16"	75-5/16"

Continuous Single Unit with One Sidelite Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
3'0" w/ 10" s/l	48-5/8"	49-3/8"
3'0" w/ 12" s/l	50-5/8"	51-3/8"
3'0" w/ 14" s/l	52-5/8"	53-3/8"

Continuous Single Unit with Two Sidelites Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
3'0" w/ 10" s/l	59-5/8"	60-3/8"
3'0" w/ 12" s/l	63-5/8"	64-3/8"
3'0" w/ 14" s/l	67-5/8"	68-3/8"

Patio Door Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
4'8"	58-13/16"	59-9/16"
5'0"	62-13/16"	63-9/16"
5'4"	66-13/16"	67-9/16"
5'8"	70-13/16"	71-9/16"
6'0"	74-13/16"	75-9/16"

Triple Patio Door Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
7'0"	88"	88-3/4"
7'6"	94"	94-3/4"
8'0"	100"	100-3/4"
8'6"	106"	106-3/4"
9'0"	112"	112-3/4"

Dimension Adders

Rough Opening (the opening in a standard wall): add 3/4" to the Unit Width and 1/2" to the Unit Height

Brickmould Dimension (from edge of brickmould to edge of brickmould): add 3" to the Unit Width and 1-1/2" to the Unit Height

Masonry Opening (the opening in a masonry wall): add 3-1/2" to the Unit Width and 1-3/4" to the Unit Height

Boxed Unit Rough Opening (individual units mull together): Add each unit dimensions then add 3/4" to the Width and 1/2" to the Height

Transoms (glass component on top of the unit): Add door unit dimension and transom unit dimension, then add Rough Opening Adder

Tru-Guard™

Beauty. Protection. Peace of Mind.

Therma-Tru's Tru-Guard™ composite edge for Fiber-Classic® and Smooth-Star® doors helps to eliminate water absorption and enhances resistance to warp, rot, mold, and wood-ingesting insects.



Composite top rail shown unfinished
for illustration purposes only

Finished Fiber-Classic composite edge

Resists Moisture & Humidity

Fiberglass doors with completely composite exteriors resist humidity and moisture on all six sides to help eliminate the risk of swelling and cracking.

Resists Mold & Rot

A fully composite door does not absorb or retain moisture helping to eliminate the risk of mold and rot anywhere on the door slab.

Resists Insects

With no exposed wood on the door, Therma-Tru® fiberglass doors with completely composite exteriors help protect from wood-ingesting insects.



Six sides of protection for additional peace of mind.

This composite edge is paired with a composite top and bottom rail and a fiberglass door skin to give six sides of composite protection.

1. Top Rail is composite with LVL reinforcement for better rigidity
2. Tru-Guard™ Composite Engineered Stiles
3. Fiberglass Door Skin



1. Top and Bottom Rails are composite for edge to edge protection. Top Rail includes LVL reinforcement for rigidity.



2. Tru-Guard™ Composite Engineered Stiles



3. Fiberglass Door Skin

TRU-GUARD
COMPOSITE TECHNOLOGY

Wood-Edge Doors

Tru-Guard™ doors provide six sides of protection for peace of mind, but that comes at slightly more of a cost. Sometimes budgets can be a factor when choosing doors for certain openings. Reeb® stocks a line of Therma-Tru® Fiber-Classic® and Smooth-Star® doors with a wood-edge to help with this situation. These doors are better than most other fiberglass doors on the market and are a great choice for a utility door. They have the same warranty you have come to expect from a Therma-Tru door but fit any budget.

The wood-edge line has limited styles and options available; some of the doors are available with Low-E Glass, fixed grilles, or grilles between the glass. No matter which fiberglass door you purchase, you can always count on the Therma-Tru brand, and the same can be said for Reeb's wood-edge doors.

Look for the ■ icon throughout this catalog for door styles that are available with Wood-Edge.



1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

An enhanced lock block combined with a 1-1/4" engineered lumber lock stile increases rigidity and stability.

3 Durability


With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood*, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.

*Comparison of fiberglass to wood doors (both without glass).

Note: Wood-Edge Doors can not be finished by Reeb Finish.



Index

STYLE	PAGE	STYLE	PAGE	STYLE	PAGE	STYLE	PAGE	STYLE	PAGE
CLASSIC CRAFT FIR		CCA8210.....	79	CCW900R.....	40	CCM8304R.....	84	CCR804022.....	66
CCA1100.....	38	CCA8211.....	58	CCW903.....	40	CCM8305CAL.....	84	CCR804023.....	62
CCA1125.....	38	CCA8220.....	83	CCW904L.....	40	CCM8305CAR.....	84	CCR804027.....	50
CCA1127.....	38	CCA8230.....	83	CCW904R.....	40	CCM8306CAL.....	84	CCR804030.....	76
CCA1133.....	38	CCA82300.....	81	CCW905.....	40	CCM8306CAR.....	84	CCR804032.....	66
CCA1145.....	38	CCA82300SL.....	82	CCW906L.....	40	CCM890.....	42	CCR804037.....	50
CCA1147.....	38	CCA82310SL.....	82	CCW906R.....	40	CCM891.....	76	CCR8100.....	42
CCA1149.....	38	CCA8231.....	58	DS2131SL.....	40	CCM898.....	66	CCR81414.....	46
CCA1150.....	38	CCA82310.....	81	DS82131SL.....	40	CCM89922.....	58	CCR81415.....	46
CCA1158.....	38	CCA82320.....	81	19020T.....	40	CCR040.....	42	CCR81417.....	46
CCA1166.....	38	CCA82320SL.....	82	19200T.....	40	CCR04020.....	76	CCR81511.....	54
CCA1423SL.....	46	CCA82330.....	81	19210T.....	40	CCR04022.....	66	CCR81512.....	54
CCA210.....	79	CCA82330SL.....	82	19220T.....	40	CCR04023.....	62	CCR81514.....	54
CCA210SL.....	83	CCA82340.....	81	CLASSIC CRAFT MAHOGANY		CCR04027.....	50	CCR81516.....	54
CCA211.....	58	CCA82340SL.....	82	CCM1419.....	46	CCR04037.....	50	CCR81518.....	54
CCA211SL.....	58	CCA82350.....	81	CCM1465.....	54	CCR040R.....	42	CCR81838.....	70
CCA220.....	83	CCA82360.....	81	CCM1475.....	54	CCR100.....	42	CCR81839.....	70
CCA220SL.....	83	CCA82370.....	81	CCM1485.....	50	CCR10022.....	66	CCR81841.....	70
CCA230.....	83	CCA82380.....	81	CCM1495.....	50	CCR100R.....	42	CCR81845.....	70
CCA2300.....	81	CCA8240.....	83	CCM1842.....	70	CCR1414.....	46	CCR81846.....	70
CCA2300SL.....	82	CCA82400.....	79	CCM1843SL.....	70	CCR1415.....	46	CCR81847.....	70
CCA231.....	58	CCA82400SL.....	82	CCM1844.....	70	CCR1417.....	46	CCR8200.....	42
CCA2310.....	81	CCA8260.....	83	CCM203.....	62	CCR1423SL.....	46	CCR820020.....	76
CCA2310SL.....	82	CCA84900.....	82	CCM204.....	66	CCR1511.....	54	CCR820022.....	66
CCA2320.....	81	CCA84905.....	38	CCM2800.....	79	CCR1511A.....	54	CCR820023.....	62
CCA2320SL.....	82	CCA84910L.....	82	CCM2802.....	66	CCR1512.....	54	CCR820030.....	76
CCA2330.....	81	CCA84910R.....	82	CCM2804.....	84	CCR1512A.....	54	CCR820032.....	66
CCA2330SL.....	82	CCA84915L.....	38	CCM2806.....	84	CCR1514.....	54	CCR820037.....	50
CCA2340.....	81	CCA84915R.....	39	CCM2812.....	84	CCR1515.....	54	CCR82035SL.....	84
CCA2340SL.....	82	CCA84920L.....	82	CCM300.....	76	CCR1516.....	54	CCR8205.....	42
CCA2350.....	81	CCA84920R.....	82	CCM301CAL.....	79	CCR1518.....	54	CCR820520.....	76
CCA2360.....	81	CCA84925L.....	39	CCM301CAR.....	79	CCR1528.....	54	CCR820522.....	66
CCA2370.....	81	CCA84925R.....	39	CCM302.....	66	CCR1838.....	70	CCR820523.....	62
CCA2380.....	81	CCA84930.....	82	CCM302L.....	79	CCR1839.....	70	CCR820527.....	50
CCA240.....	83	CCA84935.....	39	CCM302R.....	79	CCR1841.....	70	CCR820530.....	76
CCA2400.....	79	CCA84940.....	82	CCM303.....	62	CCR1851.....	70	CCR820532.....	66
CCA2400SL.....	82	CCA84945.....	39	CCM303L.....	84	CCR1851SL.....	70	CCR820537.....	50
CCA260.....	83	CCA87100.....	79	CCM303R.....	84	CCR200.....	42	CCR8222.....	42
CCA3400SL.....	83	CCA87112.....	58	CCM304L.....	84	CCR20020.....	76	CCR822214.....	46
CCA3401SL.....	58	CCA87132.....	58	CCM304R.....	84	CCR20022.....	66	CCR822215.....	54
CCA3450SL.....	83	CCA87200.....	83	CCM305CAL.....	84	CCR20023.....	62	CCR822220.....	76
CCA3500SL.....	83	CCA87300.....	83	CCM305CAR.....	84	CCR20027.....	50	CCR822222.....	66
CCA3501SL.....	58	CCA87400.....	83	CCM306CAL.....	84	CCR20037.....	50	CCR822223.....	62
CCA3560SL.....	83	CCA87600.....	83	CCM306CAR.....	84	CCR20037A.....	50	CCR822227.....	50
CCA4900.....	82	CCA9100.....	46	CCM3300SL.....	76	CCR200A.....	42	CCR822238.....	70
CCA4905.....	38	CCA9100SL.....	46	CCM3302SL.....	66	CCR2025SL.....	84	CCR8225.....	42
CCA4910L.....	82	CCA9300.....	46	CCM3303SL.....	62	CCR205.....	42	CCR9925.....	58
CCA4910R.....	82	19200T.....	83	CCM3502SL.....	66	CCR20520.....	76	CCR9925SL.....	58
CCA4915L.....	38	1920T.....	83	CCM3503SL.....	62	CCR20522.....	66	19020T.....	76
CCA4915R.....	39	19210T.....	83	CCM60.....	42	CCR20523.....	62	19200T.....	76
CCA4920L.....	82	19220T.....	83	CCM600.....	76	CCR20527.....	50	19210T.....	76
CCA4920R.....	82	AB30T.....	46	CCM603.....	62	CCR20537.....	50	19220T.....	76
CCA4925L.....	39	ABRT.....	46	CCM612.....	66	CCR20537A.....	50	AB30T.....	46
CCA4925R.....	39	HW30T.....	58	CCM702.....	66	CCR205A.....	42	ABRT.....	46
CCA4930.....	82	HWRT.....	58	CCM703.....	62	CCR205H.....	42	HW30T.....	58
CCA4935.....	39	CLASSIC CRAFT WALNUT		CCM803.....	62	CCR30020.....	76	HWRT.....	58
CCA4940.....	82	CCW1000.....	40	CCM805027.....	50	CCR30027.....	50	LC30T.....	66
CCA4945.....	39	CCW81000.....	40	CCM81519.....	54	CCR3400SL.....	76	LCET.....	66
CCA81100.....	38	CCW8900.....	40	CCM81843.....	70	CCR3400XHSL.....	54	LCRT.....	66
CCA81125.....	38	CCW8900R.....	40	CCM822.....	66	CCR3400XNSL.....	50	LF30T.....	62
CCA81127.....	38	CCW8903.....	40	CCM8301CAL.....	79	CCR3407SL.....	62	LFET.....	62
CCA81133.....	38	CCW8904L.....	40	CCM8301CAR.....	79	CCR3412SL.....	66	LFRT.....	62
CCA81145.....	38	CCW8904R.....	40	CCM8302L.....	79	CCR80000SL.....	76	CLASSIC CRAFT CANVAS	
CCA81147.....	38	CCW8905.....	40	CCM8302R.....	79	CCR8000XHSL.....	54	CCV050.....	43
CCA81149.....	38	CCW8906L.....	40	CCM8303L.....	84	CCR8000XNSL.....	50	CCV05020.....	77
CCA81150.....	38	CCW8906R.....	40	CCM8303R.....	84	CCR8005.....	42	CCV05022.....	67
CCA81158.....	38	CCW900L.....	40	CCM8304L.....	84	CCR8040.....	42	CCV05023.....	63
CCA81166.....	38					CCR804020.....	76		

Index

STYLE	PAGE	STYLE	PAGE	STYLE	PAGE	STYLE	PAGE	STYLE	PAGE
CCV05027.....	51	CCV822023.....	63	FCM1286SL.....	198	FCM4810.....	237	FCM6550.....	158
CCV060.....	43	CCV822027.....	51	FCM1289-GBG.....	222	FCM4810SL.....	234	FCM6560.....	158
CCV06020.....	77	CCV831.....	43	FCM131.....	186	FCM4812.....	240	FCM6565.....	158
CCV06022.....	67	CCV8950SL.....	85	FCM131SL.....	186	FCM4812SL.....	240	FCM6565SL.....	158
CCV06023.....	63	CCV89922.....	59	FCM138-GBG.....	222	FCM4813.....	240	FCM6568.....	158
CCV060H.....	43	CCV9010SL.....	85	FCM138-SDL.....	230	FCM4814.....	240	FCM6575.....	158
CCV10020.....	77	CCV9011SL.....	59	FCM141.....	198	FCM4816.....	240	FCM6577.....	158
CCV10022.....	67	CCV9020SL.....	85	FCM1442SL.....	140	FCM508.....	166	FCM6580SL.....	158
CCV100SL.....	77, 85	CCV910.....	85	FCM147.....	192	FCM5425.....	198	FCM6582.....	158
CCV100XHSL.....	55	CCV910SL.....	85	FCM147SL.....	192	FCM543.....	166	FCM65SL-GBG.....	223
CCV100XNSL.....	51	CCV911.....	59	FCM148.....	140	FCM545SL.....	166	FCM65SL-SDL.....	231
CCV103SL.....	63	CCV911SL.....	59	FCM149.....	140	FCM571.....	166	FCM668.....	130
CCV1414.....	47	CCV920.....	85	FCM149SL.....	140	FCM572SL.....	166	FCM670.....	208
CCV1415.....	47	CCV920SL.....	85	FCM151.....	140	FCM574.....	166	FCM678.....	198
CCV1418.....	47	CCV930.....	85	FCM156.....	140	FCM575.....	166	FCM678SL.....	198
CCV1423SL.....	47	CCV931.....	59	FCM16.....	130	FCM577.....	166	FCM6975.....	116
CCV1512.....	55	CCV940.....	85	FCM160.....	208	FCM581.....	166	FCM707.....	178
CCV1515.....	55	CCV950SL.....	85	FCM163.....	192	FCM583SL.....	166	FCM708.....	208
CCV1516.....	55	CCV950XHSL.....	55	FCM164.....	110	FCM60.....	90	FCM7125SL.....	223
CCV1519.....	55	CCV960.....	85	FCM1646SL.....	97	FCM600.....	90	FCM721.....	192
CCV1528.....	55	CCV9925.....	59	FCM1647.....	97	FCM601.....	208	FCM735.....	124
CCV1838.....	70	19020T.....	77	FCM1650.....	97	FCM602.....	178	FCM736.....	152
CCV1839.....	70	19200T.....	77	FCM1651.....	97	FCM6021.....	208	FCM745.....	158
CCV1843.....	70	19210T.....	77	FCM1651SL.....	97,99	FCM6022-GBG.....	222	FCM752-FXG.....	220
CCV1851.....	70	19220T.....	77	FCM1652.....	97	FCM6022-SDL.....	230	FCM752-GBG.....	223
CCV1851SL.....	70	AB30T.....	47	FCM1654.....	97	FCM6025.....	186	FCM755.....	90
CCV200.....	43	ABRT.....	47	FCM1656.....	97	FCM6026.....	124	FCM765.....	110
CCV205.....	43	HW30T.....	59	FCM1656SL.....	97	FCM6029.....	178	FCM765SL.....	110
CCV20520.....	77	HWRT.....	59	FCM1658.....	97	FCM6030.....	192	FCM789.....	140
CCV20522.....	67	LC30T.....	67	FCM18-GBG.....	222	FCM6031.....	172	FCM80.....	208
CCV20523.....	63	LCET.....	67	FCM18-SDL.....	230	FCM6032.....	110	FCM8000SL.....	237
CCV20527.....	51	LCRT.....	67	FCM18101SL.....	130	FCM6035.....	198	FCM808SL.....	110
CCV20537.....	51	LF30T.....	63	FCM198.....	222	FCM6036.....	140	FCM809SL.....	124
CCV205H.....	43	LFET.....	63	FCM2000SL.....	237	FCM604.....	186	FCM81000.....	90
CCV220.....	43	LFRT.....	63	FCM205.....	90	FCM6041.....	208	FCM8101SL-GBG.....	223
CCV22020.....	77			FCM2050SL.....	240	FCM6042-GBG.....	223	FCM8101SL-SDL.....	231
CCV22022.....	67	FIBER-CLASSIC MAHOGANY		FCM2101SL.....	223	FCM6042-SDL.....	231	FCM8107SL.....	140
CCV22023.....	63	FCM10.....	208	FCM2106.....	222	FCM6045.....	186	FCM8110SL.....	198
CCV22027.....	51	FCM100.....	186	FCM2107.....	222	FCM6046.....	124	FCM8115.....	198
CCV3412SL.....	67	FCM1000.....	90	FCM2108.....	222	FCM6049.....	178	FCM81200.....	208
CCV4100.....	47	FCM1006.....	152	FCM220.....	90	FCM605.....	231	FCM81200SL.....	209, 211
CCV4100SL.....	47	FCM101.....	186	FCM2213.....	146	FCM6050.....	192	FCM81208P-GBG.....	222
CCV4300.....	47	FCM101SL.....	186	FCM2223.....	116	FCM6051.....	172	FCM81208PSL-GBG.....	223
CCV805020.....	77	FCM104.....	192	FCM2233.....	136	FCM6052.....	110	FCM812SL.....	152
CCV805022.....	67	FCM104CL.....	208	FCM2382.....	146	FCM6055.....	198	FCM813SL.....	140
CCV805027.....	51	FCM105.....	192	FCM2382SL.....	146	FCM6056.....	140	FCM8149.....	140
CCV806020.....	77	FCM105SL.....	192	FCM2385.....	136	FCM606.....	231	FCM814SL.....	172
CCV8100SL.....	77, 85	FCM106.....	192	FCM2385SL.....	136	FCM607.....	231	FCM815SL.....	178
CCV8103SL.....	63	FCM108.....	110	FCM2389.....	116	FCM608.....	231	FCM81646SL.....	97
CCV81414.....	47	FCM1089SL.....	223	FCM2389SL.....	116	FCM609.....	152	FCM81651SL.....	97, 99
CCV81415.....	47	FCM109.....	110	FCM241.....	186	FCM6093.....	178	FCM81652SL.....	97
CCV81417.....	47	FCM109SL.....	110	FCM31.....	90	FCM6094.....	192	FCM81654.....	97
CCV81512.....	55	FCM110.....	110	FCM310.....	110	FCM6095.....	124	FCM81654SL.....	97
CCV81515.....	55	FCM113.....	172	FCM32.....	208	FCM61.....	208	FCM816SL.....	186
CCV81516.....	55	FCM114.....	172	FCM32SL.....	209	FCM6107.....	152	FCM81829.....	222
CCV81519.....	55	FCM114SL.....	172	FCM3487SL-GBG.....	223	FCM6108.....	152	FCM818SL.....	192
CCV81839.....	70	FCM115.....	172	FCM3487SL-SDL.....	231	FCM6124SL.....	231	FCM81900SL.....	231
CCV81843.....	70	FCM115SL.....	172	FCM369.....	172	FCM6125SL.....	231	FCM81921SL.....	192
CCV81846.....	70	FCM116.....	198	FCM38.....	130	FCM6126SL.....	231	FCM81928SL.....	124
CCV820520.....	77	FCM12101SL.....	209, 211	FCM38SL.....	130	FCM62.....	208	FCM81947SL.....	231
CCV820522.....	67	FCM12102SL-GBG.....	223	FCM386.....	116	FCM6240.....	178	FCM81949SL.....	231
CCV820523.....	63	FCM12102SL-SDL.....	231	FCM387.....	116	FCM626.....	140	FCM82-GBG.....	222
CCV820527.....	51	FCM1283.....	208	FCM387SL.....	116	FCM62SL.....	209	FCM82-SDL.....	230
CCV820530.....	77	FCM1284-GBG.....	222	FCM389.....	116	FCM65-GBG.....	222	FCM820.....	124
CCV820532.....	67	FCM1284-SDL.....	230	FCM394.....	116	FCM65-SDL.....	230	FCM821.....	192
CCV820537.....	51	FCM1285-GBG.....	222	FCM4521SL.....	116	FCM6500.....	158	FCM82223.....	116
CCV822020.....	77	FCM1285-SDL.....	230	FCM4525SL.....	146	FCM6500SL.....	158	FCM82223SL.....	116
CCV822022.....	67	FCM1286.....	198	FCM476.....	146	FCM6520.....	158	FCM82389.....	116

Index

STYLE	PAGE	STYLE	PAGE	STYLE	PAGE	STYLE	PAGE	STYLE	PAGE
FCM82389SL	116	FCM892SL	124	FCM1RSA	172	1284-SDL	232	81957P	153
FCM8321-GBG	223	FCM898	130	FCM1RSG	178	1285-GBG	224	81957PSL	153
FCM8321-SDL	230	FCM900	152	FCM1RSN	186	1285-SDL	232	81959P	193
FCM8322-GBG	222	FCM901	152	FCM1SA	172	1286	199	81959PSL	193
FCM8323-GBG	222	FCM901SL	152	FCM1SG	178	1286SL	199	81960P	125
FCM8324-GBG	222	FCM902	152	FCM1SN	186	18101SL	131	81960PSL	125
FCM8386	116	FCM902SL	152	FCM2AX	98	1964P	199	81961P	141
FCM8386SL	116	FCM905	178	FCM2CX	117	2000	237	81961PSL	141
FCM84521SL	116	FCM906	178	FCM2EC	136	2000SL	237	81964P	199
FCM84525SL	146	FCM906SL	178	FCM2PB	158	2010-SDL	241	81964PSL	199
FCM84527SL	136	FCM907	178	FCM2RS	166	2050-SDL	241	81971P	212
FCM84810SL	237	FCM907SL	178	FCM2SG	178	2050SL-SDL	241	81981P	181
FCM84812	240	FCM910	124	FCM2SN	186	8000	237	FC10	212
FCM84812SL	240	FCM911	124	FCM4AX	98	81000	90	FC100	187
FCM84813	240	FCM911SL	124	FCM4AXSL	99	81200	212	FC100SL	187
FCM84814	240	FCM912	124	FCM4LAX	98	81200P	2012	FC101	187
FCM84816	240	FCM912SL	124	FCM4RAX	98	81200PSL	213	FC101SL	187
FCM848861SL	240	FCM915	124	FCM5AX	98	81200SL	215	FC104	193
FCM8489SL	146	FCM916	124	FCM5AXSL	99	81208-GBG	224	FC104SL	193
FCM8498	146	FCM92SL-GBG	223	FCM5LAX	98	81208P-GBG	224	FC105	193
FCM8545SL	166	FCM92SL-SDL	231	FCM5RAX	98	81208PSL-GBG	225	FC105SL	193
FCM8581	166	19020T	209	FCM810AX	99	81225P	199	FC108	111
FCM8583SL	166	19200T	209	FCM810AXSL	99	81900PSL-SDL	232	FC1089-GBG	224
FCM860	90	19210T	209	FCM810LAX	99	81921P	193	FC1089SL-GBG	225
FCM861	208	19220T	209	FCM810RAX	99	81921PSL	193	FC108SL	111
FCM862	208	19520T	186	FCM811AX	99	81921SL	193	FC109	111
FCM862SL	209	19720T	192	FCM811AXSL	99	81928P	125	FC109SL	111
FCM863	110	19730T	192	FCM811LAX	99	81928PSL	125	FC113	173
FCM863SL	110	19740T	178	FCM811RAX	99	81928SL	125	FC113SL	173
FCM864	186	19750T	178	FCM81AX	98	81929P	212	FC114	173
FCM864SL	186	AXRT	97	FCM81CX	117	81929PSL	213	FC114SL	173
FCM865	172	BSRT	110	FCM81LAX	98	81933P	111	FC115	173
FCM86560	158	CNRT	124	FCM81LCX	117	81933PSL	111	FC115SL	173
FCM86560SL	158	FWRT	152	FCM81RAX	98	81935P	130	FC116	199
FCM86580SL	158	KNRT	140	FCM81RCX	117	81935PSL	130	FC1205	241
FCM865SL	172	RSRT	166	FCM83AX	98	81936P	187	FC131	187
FCM866	192	SART	172	FCM83EC	136	81936PSL	187	FC131SL	187
FCM866SL	192			FCM83PB	158	81937P	173	FC138-GBG	224
FCM8675SL	223	FIBER-CLASSIC		FCM83RS	166	81937PSL	173	FC138-SDL	232
FCM8678	198	MAHOGANY PULSE		FCM83SG	178	81938P	180	FC141	199
FCM867SL	140	FCM10AXSL	99	FCM83SN	186	81938PSL	181	FC141SL	199
FCM870	208	FCM1AX	98	FCM84AX	98	81939P	153	FC1442SL	141
FCM8707	178	FCM1BL	130	FCM84AXSL	99	81939PSL	153	FC147	193
FCM8708	208	FCM1BS	110	FCM84LAX	98	81941P	193	FC147SL	193
FCM870SL	209	FCM1CX	117	FCM84RAX	98	81941PSL	193	FC148	141
FCM8721	192	FCM1EC	136	FCM85AX	98	81942P	125	FC148SL	141
FCM8735	124	FCM1LT	146	FCM85AXSL	99	81942PSL	125	FC149	141
FCM8736	152	FCM1LAX	98	FCM85LAX	98	81943P	212	FC149SL	141
FCM874	192	FCM1LBL	130	FCM85RAX	98	81943PSL	213	FC151	141
FCM8745	158	FCM1LBS	110	FCM86AX	99	81944P-GBG	224	FC156	141
FCM874SL	192	FCM1LCX	117	FCM86AXSL	99	81945P-GBG	224	FC16	130
FCM8752-FXG	220	FCM1LEC	136	FCM86LAX	99	81945P-SDL	232	FC160	212
FCM8752-GBG	223	FCM1LLT	146	FCM86RAX	99	81946P-GBG	224	FC163	193
FCM881SL	209	FCM1LPB	158	FCM8AX	98	81946P-SDL	232	FC164	111
FCM882SL	110	FCM1LRS	166	FCM8LAX	98	81946PSL-GBG	225	FC1646	101
FCM883SL	186	FCM1LSA	172	FCM8RAX	98	81946PSL-SDL	233	FC1646SL	101
FCM884SL	172	FCM1LSG	178	FCM9AX	98	81947PSL-SDL	233	FC1647	101
FCM885SL	192	FCM1LSN	186	FCM9AXSL	99	81949PSL-SDL	233	FC1651	101
FCM886	152	FCM1PB	158	FCM9LAX	98	81952P	111	FC1651SL	101,103
FCM886SL	152	FCM1RAX	98	FCM9RAX	98	81952PSL	111	FC1652	101
FCM887SL	152	FCM1RBL	130			81953P	130	FC1652SL	101
FCM888	178	FCM1RBS	110	FIBER-CLASSIC OAK		81953PSL	130	FC1654	101
FCM888SL	178	FCM1RCX	117	1000	90	81954P	187	FC1656SL	101
FCM889SL	178	FCM1REC	136	12101SL	215	81954PSL	187	FC18-GBG	224
FCM890	124	FCM1RLT	146	12102SL-GBG	2125	81955P	173	FC18-SDL	232
FCM890SL	124	FCM1RPB	158	12102SL-SDL	232	81955PSL	173	FC18SL-GBG	224
FCM891	124	FCM1RRS	166	1283	212	81956P	180	FC18SL-SDL	232
FCM891SL	124	FCM1RS	166	1284-GBG	224	81956PSL	181	FC198-GBG	224

Index

	PAGE	STYLE	PAGE	STYLE	PAGE	STYLE	PAGE	STYLE	PAGE
FC20042	141	FC6582	159	FC8321-SDL	232	FC915	125	FC2EC	137
FC2101-GBG	224	FC670	212	FC8322-GBG	225	FC917	125	FC2PB	159
FC2101SL-GBG	225	FC678	199	FC8323-GBG	225	FC92-GBG	224	FC2RS	167
FC2102-GBG	224	FC678SL	199	FC8324-GBG	225	FC92-SDL	232	FC2SG	173
FC2106-GBG	224	FC685L	241	FC8386	118	FC925	199	FC2SN	181
FC2107-GBG	224	FC685R	241	FC8386SL	118	FC92SL-GBG	225	FC4AX	102
FC2108-GBG	224	FC691	241	FC8390	118	FC92SL-SDL	233	FC4AXSL	103
FC2213	147	FC707	181	FC8392	118	FCO6184SL-SDL	232	FC4LAX	102
FC2213SL	147	FC708	212	FC84521SL	118	FCO6185SL-SDL	232	FC4RAX	102
FC2223	118	FC7125SL-GBG	225	FC84525	147	FCO6186SL-SDL	233	FC5AX	103
FC2223SL	118	FC714	111	FC84525SL	147	FCO6188SL-SDL	232	FC5AXSL	103
FC2233	136	FC721	193	FC84527	136	FCO6189SL-SDL	232	FC5LAX	102
FC2233SL	136	FC735	125	FC84527SL	136	FCO6190SL-SDL	233	FC5RAX	102
FC23-FXG	220	FC736	153	FC8489	147	19020T	213	FC810AX	103
FC2382	147	FC745	159	FC8498	147	19200T	213	FC810AXSL	103
FC2382SL	147	FC752-FXG	220	FC8498SL	147	19210T	213	FC810LAX	103
FC2385	136	FC752-GBG	225	FC8529	167	19220T	213	FC810RAX	103
FC2385SL	136	FC755	90	FC8545SL	167	19520T	181	FC811AX	103
FC2389	118	FC765	111	FC85700-SDL	241	19720T	193	FC811AXSL	103
FC2389SL	118	FC765SL	111	FC85710-SDL	241	19730T	193	FC811LAX	103
FC31	90	FC766	212	FC85720-SDL	241	19740T	178	FC811RAX	103
FC32	212	FC770	111	FC8581	167	19750T	181	FC81AX	102
FC32SL	213	FC772	130	FC8583SL	167	AXRT	101	FC81CX	119
FC3487SL-GBG	225	FC773	187	FC860	90	BSRT	111	FC81LAX	102
FC3487SL-SDL	233	FC775	173	FC861	212	CNRT	125	FC81LCX	119
FC38	130	FC776	180	FC862	90	FWRT	153	FC81RAX	102
FC38SL		FC777	153	FC86220	212	KNRT	141	FC81RCX	119
FC386	118	FC779	193	FC862203-GBG	225	RSRT	167	FC83AX	102
FC387SL	118	FC780	125	FC862203-SDL	232	SART	173	FC83CX	119
FC389	118	FC789	212	FC86254	181			FC83EC	137
FC4521	118	FC794	111	FC86560	159			FC83PB	159
FC4521SL	118	FC796	193	FC86560SL	159	FIBER-CLASSIC OAK PULSE		FC83RS	167
FC4525	147	FC797	125	FC86580	159	FC10AXSL	103	FC83SG	181
FC4525SL	147	FC798	141	FC86580SL	159	FC1AX	102	FC83SN	187
FC46SL	130	FC808SL	111	FC8675SL-GBG	225	FC1BL	131	FC84AX	102
FC476	147	FC809	90	FC8678	199	FC1BS	111	FC84AXSL	103
FC47SL	213	FC80920	212	FC8685L	241	FC1CX	119	FC84LAX	102
FC48SL	213	FC809203-GBG	225	FC8685R	241	FC1EC	137	FC84RAX	102
FC529	167	FC809203-SDL	232	FC8691	241	FC1ILT	147	FC85AX	102
FC5425	199	FC80952	187	FC8707	181	FC1LAX	102	FC85AXSL	103
FC543	167	FC80954	181	FC8708	212	FC1LBL	131	FC85LAX	102
FC545SL	167	FC809SL	125	FC8721	193	FC1LBS	111	FC85RAX	102
FC5700-SDL	241	FC812SL	153	FC8735	125	FC1LCX	119	FC86AX	103
FC5700SL-SDL	241	FC813SL	141	FC8736	153	FC1LEC	137	FC86AXSL	103
FC5710-SDL	241	FC8149	141	FC8745	159	FC1LLT	147	FC86LAX	103
FC5710SL-SDL	241	FC814SL	173	FC8752-FXG	220	FC1LPB	159	FC86RAX	103
FC5720-SDL	241	FC815SL	181	FC8752-GBG	225	FC1LRS	167	FC8AX	102
FC5720SL-SDL	241	FC81646	101	FC8867SL	141	FC1LSA	173	FC8LAX	102
FC572SL	167	FC81646SL	101	FC8971	199	FC1LSG	181	FC8RAX	102
FC573SL	167	FC81651SL	101, 103	FC8972	199	FC1LSN	187	FC9AX	102
FC574	167	FC81652SL	101	FC900	153	FC1PB	159	FC9AXSL	103
FC581	167	FC81653	101	FC900SL	153	FC1RAX	102	FC9LAX	102
FC583SL	167	FC81654	101	FC901	153	FC1RBL	131	FC9RAX	102
FC60	90	FC81654SL	101	FC901SL	153	FC1RBS	111		
FC62	212	FC816SL	187	FC902	153	FC1RCX	119	SMOOTH-STAR	
FC63SL-GBG	225	FC818SL	193	FC902SL	153	FC1REC	137	DRS2131SL	217
FC63SL-SDL	233	FC82-GBG	224	FC905	180	FC1RLT	147	DRS82131SL	217
FC65-GBG	225	FC82-SDL	232	FC905SL	181	FC1RPB	159	RS2000SDL	247
FC65-SDL	232	FC82223	118	FC906	180	FC1RRS	167	RS2009	247
FC6500SL	159	FC82223SL	118	FC906SL	181	FC1RS	167	RS2010	247
FC6550	159	FC82389	118	FC907	180	FC1RSA	173	RS2606-FXG	221
FC6550SL	159	FC82389SL	118	FC907SL	181	FC1RSG	181	RS2606-GBG	229
FC6560	159	FC8318-GBG	225	FC910	125	FC1RSN	187	RS2616-FXG	221
FC6565SL	159	FC8319-GBG	225	FC910SL	125	FC1SA	173	RS2616-GBG	229
FC6575	159	FC832-GBG	225	FC911	125	FC1SG	181	RS4817	247
FC6576	159	FC832-SDL	232	FC911SL	125	FC1SN	187	RS606-FXG	221
FC6580	159	FC8320-GBG	241	FC912	125	FC2AX	102	RS606-GBG	229
FC6580SL	159	FC8321-GBG	225	FC912SL	125	FC2CX	119	RS608-FXG	229

Index

STYLE	PAGE	STYLE	PAGE	STYLE	PAGE	STYLE	PAGE	STYLE	PAGE
RS608-GBG	229	S1652	105	S263SL-GBG	230	S4525SL	148	S6036	142
RSS130RT	201	S1652SL	105, 107	S263SL-SDL	235	S4570SL	113	S604	188
RSS132RT	201	S1653	105	S2640	161	S476	148	S6041	216
S100	91	S1654	105	S2670	168	S4800	91	S6042-FXG	220
S1000	126	S1656	105	S289	216	S4810	238	S6042-GBG	227
S1001	142	S1656SL	105	S291	182	S4810SL	238	S6042-SDL	234
S1006	154	S1658	105	S291SL	182	S4812-SDL	245	S6045	188
S100SL	217	S198-GBG	226	S292	194	S4812SL-SDL	245	S6046	126
S104	216	S200	91	S292SL	195	S4813-SDL	245	S6049	182
S105	217	S2000	238	S294	188	S4814-SDL	245	S604SL	188
S108-FXG	220	S2000SL	238	S294SL	188	S4816-SDL	245	S605-SDL	234
S108-GBG	226	S2000SL-2C-SDL	246	S296	217	S508	168	S6050	194
S108-SDL	234	S2000SL-4C-SDL	246	S30	216	S529	168	S6051	174
S1089-GBG	226	S20042	142	S308SL-FXG	221	S5425	200	S6052	112
S1089SL-GBG	230	S2010-GBG	239	S308SL-GBG	230	S543	168	S6054	203
S1100	90	S2010-SDL	242	S308SL-SDL	235	S545SL	168	S6055	200
S115-FXG	221	S2010SL-GBG	239	S31	91	S5700-SDL	242	S6056	142
S1170SL-FXG	221	S2010SL-SDL	246	S310	112	S5700SL-SDL	246	S606-SDL	235
S1170SL-SDL	235	S205	91	S32-FXG	220	S5701	93	S6061	200
S118	216	S2050-GBG	239	S32-GBG	228	S5705	242	S6062-GBG	226
S120	90	S2050-SDL	242	S32-SDL	234	S571	168	S6063-FXG	220
S1205-GBG	239	S206	216	S3300-SDL	243	S5710-SDL	242	S6063-GBG	226
S1205-SDL	242	S210	91	S3301	93	S5710SL-SDL	246	S6063-SDL	234
S1207-SDL	242	S2100	238	S3400L-SDL	243	S5715	242	S606SL-SDL	235
S128-FXG	220	S2101-GBG	226	S3400R-SDL	243	S5720-SDL	242	S607-SDL	235
S128-GBG	226	S2101SL-GBG	230	S3401L	93	S5720SL-SDL	246	S607SL-SDL	235
S128-SDL	234	S2102-GBG	2127	S3401R	93	S572SL	169	S608-SDL	235
S130	200	S2104-GBG	239	S3487SL-GBG	230	S5721	93	S6080	217
S130SL	200	S2104-SDL	244	S3487SL-SDL	235	S5725	242	S6082	194
S131	200	S2106-GBG	226	S3500L-SDL	243	S5730-SDL	244	S6084	126
S132	200	S2107-GBG	226	S3500R-SDL	243	S573SL	168	S6085	112
S132SL	200	S2108-GBG	226	S3501L	93	S574	168	S609	154
S1350	244	S210H	91	S3501R	93	S575	168	S6090	126
S137	203	S210SL	217	S3540	120	S577	168	S6091	194
S139	188	S211	188	S3600L-SDL	243	S581	168	S6091SL	195
S139SL	188	S213	182	S3600R-SDL	243	S583SL	168	S6092	182
S140	216	S214	194	S3601L	93	S585	168	S6092SL	182
S1400-GBG	229	S2150-GBGFW	239	S3601R	93	S5870SL	195	S6093	182
S1400SL-GBG	229	S2150-SDL	244	S369	174	S600	91	S6094	194
S1402-GBG	229	S220	90	S386	120	S6000	112	S6095	126
S1404-GBG	228	S2200	238	S387	120	S6000SL	112	S6100	154
S1405-GBG	228	S2200SL	238	S387SL	121	S6002	112	S6100SL	154
S1405SL-GBG	230	S2213	148	S389	120	S6002SL	112	S6101	154
S1406-GBG	228	S2213SL	148	S392	120	S6006	174	S6101SL	154
S1407-GBG	228	S2223	120	S393	120	S6006SL	174	S6102	154
S1408-GBG	228	S2223SL	121	S394	120	S6008	174	S6102SL	154
S141-FXG	220	S2233	137	S398	121	S6008SL	174	S6103	154
S141-GBG	226	S2233SL	137	S4070SL	127	S6009	174	S6104	154
S141-SDL	234	S2250-GBGFW	239	S416SL	127	S6009SL	174	S6105	154
S1411-GBG	228	S2250-SDL	244	S426	126	S601	217	S6107	154
S1442SL	142	S236-FXG	221	S430	126	S6010	174	S6108	154
S154	182	S237-FXG	221	S430SL	127	S6013	112	S6124SL-SDL	235
S154SL	182	S2382	148	S4305	216	S6014	174	S6125SL-SDL	235
S155	194	S2382SL	148	S4308	200	S601SL	219	S6126SL-SDL	235
S155SL	195	S2385	137	S431	120	S602	182	S6128SL	200
S156	142	S2385SL	137	S4311	105	S6021	216	S6130SL	133
S160	142	S2389	120	S4314	112	S6022-FXG	220	S6131SL	154
S160SL	142	S2389SL	121	S4315	216	S6022-GBG	227	S6132SL	142
S161	142	S241	188	S4316	126	S6022-SDL	234	S6134SL	175
S161SL	142	S243	203	S4320	142	S6025	188	S6240	182
S162	142	S2600	200	S4323	161	S6026	126	S6240SL	182
S163	142	S2610	217	S4324	154	S6029	182	S626	142
S1646	105	S262-FXG	220	S4327	182	S602SL	182	S6500	160
S1646SL	105	S262-GBG	227	S4328	188	S6030	194	S6500SL	160
S1647	105	S262-SDL	234	S4330	194	S6031	174	S6520	161
S1650	105	S2620	105	S4521	120	S6032	112	S6550	160
S1651	105	S2630	154	S4521SL	121	S6034	203	S6550SL	161
S1651SL	105	S263SL-FXG	221	S4525	148	S6035	200	S6560	160

Index

STYLE	PAGE	STYLE	PAGE	STYLE	PAGE	STYLE	PAGE	STYLE	PAGE
S6565.....	161	S81654SL.....	105	S83501L.....	93	S85902SL.....	127	S887SL.....	188
S6565SL.....	161	S818.....	216	S83501R.....	93	S85910SL.....	217	S888.....	132
S6568.....	161	S81828-FXG.....	220	S83540.....	120	S85912SL.....	112	S888SL.....	132
S6572.....	161	S81933P.....	112	S83600L-SDL.....	243	S85914SL.....	132	S891.....	182
S6576.....	161	S81935P.....	132	S83600R-SDL.....	243	S85915SL.....	188	S891SL.....	182
S6577.....	161	S81936P.....	188	S83604L.....	93	S85916SL.....	174	S892.....	194
S6580.....	160	S81937P.....	174	S93601R.....	93	S85917SL.....	182	S892SL.....	195
S6580SL.....	161	S81938P.....	182	S8386.....	120	S85918SL.....	154	S894.....	112
S6582.....	160	S81939P.....	154	S8386SL.....	121	S85920SL.....	127	S894SL.....	112
S668.....	132	S81941P.....	194	S8387.....	120	S85922SL.....	195	S895.....	174
S682.....	200	S81942P.....	126	S8390.....	120	S85924SL-SDL.....	235	S895SL.....	174
S685L.....	243	S82-GBG.....	226	S8392.....	120	S85925SL-SDL.....	235	S896.....	217
S685R.....	243	S82-SDL.....	234	S84305.....	216	S85926SL-SDL.....	235	S897.....	91
S691.....	243	S820.....	126	S84310.....	120	S85928SL.....	200	S8971.....	200
S6975.....	120	S8200.....	90	S84311.....	105	S85930SL.....	127	S8972.....	200
S707.....	182	S8201.....	91	S84314.....	112	S85934SL.....	195	S898-GBG.....	227
S708.....	217	S8202SL-SDL.....	235	S84315.....	216	S8600.....	217	S90.....	216
S709.....	142	S8204SL-SDL.....	235	S84316.....	126	S8600XC.....	217	S90SL.....	238
S7125SL-GBG.....	230	S8207SL-SDL.....	235	S84319.....	132	S8600XE.....	217	S902.....	142
S721.....	194	S821.....	194	S84320.....	142	S8600XJ.....	217	S902SL.....	142
S735.....	126	S82105-GBG.....	239	S84323.....	161	S8600XN.....	217	S91.....	188
S736.....	154	S82103-SDL.....	244	S84324.....	154	S8600XR.....	217	S912.....	126
S745.....	161	S82106-SDL.....	244	S84327.....	182	S8601.....	217	S916.....	132
S751SL.....	217	S82107-SDL.....	244	S84328.....	188	S8601SL.....	217	S916SL.....	132
S752-FXG.....	221	S82200.....	238	S84330.....	194	S8602.....	182	S91SL.....	188
S752-GBG.....	228	S82223.....	118	S844521.....	120	S86027.....	132	S92-GBG.....	227
S755.....	91	S82223SL.....	119	S84521SL.....	121	S8604.....	188	S92-SDL.....	234
S757SL.....	127	S82250-GBG.....	231	S84525.....	148	S8605-SDL.....	234	S925.....	200
S758SL.....	132	S82389.....	120	S84525SL.....	148	S8605SL-SDL.....	235	S93.....	90
S770.....	216	S82389SL.....	121	S84527.....	137	S8606-SDL.....	235	S930SL.....	132
S771.....	112	S82600.....	200	S84527SL.....	137	S8606SL-SDL.....	235	S9320.....	217
S773.....	126	S82610.....	217	S8467.....	148	S8607-SDLLE.....	235	S93203-FXG.....	221
S774.....	194	S82620.....	105	S84800.....	91	S8607SL-SDL.....	235	S93203-GBG.....	228
S80.....	216	S82630.....	154	S84810.....	238	S8608-SDL.....	235	S93203-SDL.....	234
S8000.....	238	S82640.....	161	S84810SL.....	238	S8609.....	154	S95.....	188
S8000-18-GBG.....	239	S82670.....	168	S84812-SDL.....	246	S86520.....	161	S960.....	91
S8000SL.....	238	S828-FXG.....	220	S84812SL-SDL.....	246	S86560.....	160	S97.....	126
S807-FXG.....	221	S829.....	200	S84813-SDL.....	246	S86560SL.....	161	S971.....	200
S807-GBG.....	228	S829SL.....	200	S84814-SDL.....	246	S86580.....	160	S975.....	112
S807-SDL.....	234	S825L-GBG.....	230	S84816-SDL.....	246	S86580SL.....	161	S975SL.....	112
S808-FXG.....	220	S825L-SDL.....	235	S84886SL-SDL.....	246	S8675SL-SDL.....	230	S977.....	132
S808-GBG.....	226	S830.....	216	S8489.....	148	S867SL.....	142	S979.....	112
S808SL-FXG.....	221	S831.....	91	S8498.....	148	S8682.....	200	S981.....	132
S808SL-GBG.....	230	S83120.....	217	S8498SL.....	148	S8682SL.....	200	S982.....	182
S808SL-SDL.....	235	S831203-FXG.....	221	S8508.....	168	S8685L.....	243	S983.....	194
S810.....	91	S831203-GBG.....	228	S8529.....	168	S8685R.....	243	S992.....	217
S81000.....	91	S831203-SDL.....	234	S8545SL.....	168	S8691.....	243	S997.....	112
S81086SL.....	219	S8317-FXG.....	221	S85700-SDL.....	242	S86975.....	120	S999.....	194
S810H.....	91	S8318-GBG.....	228	S85700SL-SDL.....	246	S8707.....	182	19020T.....	217
S81100.....	90	S8319-GBG.....	228	S85701.....	93	S8708.....	217	19200T.....	217
S8120.....	90	S832-GBG.....	228	S85705.....	242	S8721.....	194	19210T.....	217
S81208-FXG.....	220	S832-SDL.....	234	S85710-SDL.....	242	S8735.....	126	19220T.....	217
S81208-GBG.....	226	S8320-GBG.....	228	S85710SL-SDL.....	246	S8736.....	154	19520T.....	188
S81225.....	200	S8321-GBG.....	228	S85715.....	242	S8745.....	161	19720T.....	195
S8132.....	200	S8321-SDL.....	234	S85720-SDL.....	242	S8752-FXG.....	221	19730T.....	195
S8140.....	216	S8322-GBG.....	227	S85720SL-SDL.....	246	S8752-GBG.....	228	19740T.....	182
S81405-GBG.....	229	S8323-GBG.....	227	S85721.....	93	S880.....	216	19750T.....	182
S8141-GBG.....	228	S8324-GBG.....	228	S85725.....	242	S880SL.....	217	AXRT.....	105
S8144-GBG.....	229	S8325-GBG.....	227	S85730-SDL.....	244	S881-FXG.....	220	BSRT.....	112
S8145-GBG.....	229	S8325-SDL.....	234	S8581.....	168	S881-GBG.....	227	CNRT.....	127
S8149.....	142	S83300-SDL.....	243	S8583SL.....	168	S881-SDL.....	234	FWRT.....	154
S81646.....	105	S83301.....	93	S85895.....	126	S881SL-FXG.....	221	KNRT.....	142
S81646SL.....	105	S83400L-SDL.....	243	S85895SL.....	127	S881SL-GBG.....	230	RSRT.....	168
S81650.....	105	S83400R-SDL.....	243	S85896.....	194	S881SL-SDL.....	235	SART.....	174
S81651SL.....	105	S83401L.....	93	S85896SL.....	194	S882-FXG.....	220		
S81652SL.....	105, 107	S83401R.....	93	S85898.....	154	S882-GBG.....	227		
S81653.....	105	S83500L.....	243	S85898SL.....	154	S882-SDL.....	234		
S81654.....	105	S83500R-SDL.....	243	S85902.....	126	S887.....	188		
								SMOOTH-STAR PULSE	
								S10AXSL.....	107
								S10PBSL.....	163

Index


STYLE	PAGE	STYLE	PAGE	STYLE	PAGE	STYLE	PAGE	STYLE	PAGE
S1AX.....	106	S81PB.....	163	1123HD-SDL.....	262	100SL.....	255		
S1BL.....	133	S81PBSL.....	163	115HD-FXG.....	256	6184SL.....	263		
S1BS.....	113	S811RAX.....	107	118.....	254	6185SL.....	263		
S1CX.....	121	S811RPB.....	163	128-FXG.....	256	6186SL.....	263		
S1EC.....	137	S81AX.....	106	128-GBG.....	258	632SL-FXG.....	257		
S1LT.....	148	S81CX.....	121	128-SDL.....	262	632SL-GBG.....	261		
S1LAX.....	106	S81LAX.....	106	1405HD-GBG.....	259	632SL-SDL.....	263		
S1LBL.....	133	S81LCX.....	121	1405SLHD-GBG.....	259	800.....	267		
S1LBS.....	113	S81RAX.....	106	1406HD-GBG.....	259	808-FXG.....	257		
S1LCX.....	121	S81RCX.....	121	1408HD-GBG.....	258	808-GBG.....	260		
S1LEC.....	137	S83AX.....	106	1411HD-GBG.....	259	810.....	267		
S1LLT.....	148	S83CX.....	121	198-GBG.....	258	818.....	255		
S1LPB.....	162	S83EC.....	137	203HD.....	251	818SL.....	255		
S1LRS.....	169	S83PB.....	162	205HD.....	251	8206.....	255		
S1LSA.....	175	S83RS.....	169	206HD.....	254	828-FXG.....	257		
S1LSG.....	183	S83SG.....	183	2109HD-GBG.....	258	828SL-FXG.....	257		
S1LSN.....	189	S83SN.....	189	210HD.....	251	828SL-GBG.....	261		
S1PB.....	162	S84AX.....	106	210SLHD.....	254	828SL-SDL.....	263		
S1RAX.....	106	S84AXSL.....	107	2110HD-GBG.....	258	8317-FXG.....	257		
S1RBL.....	133	S84LAX.....	106	2111HD-GBG.....	258	8321-GBG.....	260		
S1RBS.....	113	S84LPB.....	162	236HD-FXG.....	256	8321-SDL.....	263		
S1RCX.....	121	S84PB.....	162	237HD-FXG.....	256	8322-GBG.....	260		
S1REC.....	137	S84PBSL.....	163	255HD-FXG.....	256	8323-GBG.....	260		
S1RLT.....	148	S84RAX.....	106	256HD.....	254	8324-GBG.....	260		
S1RPB.....	162	S84RPB.....	162	262HD-FXG.....	256	86184SL.....	263		
S1RRS.....	169	S85AX.....	106	262HD-GBG.....	258	86185SL.....	263		
S1RS.....	169	S85AXSL.....	107	262HD-SDL.....	262	86186SL.....	263		
S1RSA.....	175	S85LAX.....	106	263HD-FXG.....	256	8708.....	255		
S1RSG.....	183	S85LPB.....	162	263HD-GBG.....	259	8752-FXG.....	257		
S1RSN.....	189	S85PB.....	162	263HD-SDL.....	262	8752-GBG.....	251		
S1SA.....	175	S85PBSL.....	163	263SLHD-FXG.....	259	896.....	255		
S1SG.....	183	S85RAX.....	106	263SLHD-GBG.....	259	TS100.....	267		
S1SN.....	189	S85RPB.....	162	263SLHD-SDL.....	262	TS104.....	255		
S2AX.....	106	S86AX.....	107	289HD.....	254	TS105.....	255		
S2CX.....	121	S86AXSL.....	107	296HD.....	254	TS108-FXG.....	257		
S2EC.....	137	S86LAX.....	107	296SLHD.....	254	TS108-GBG.....	260		
S2PB.....	162	S86LPB.....	163	4572SLHD-GBG.....	259	TS108-SDL.....	263		
S2RS.....	169	S86PB.....	163	601HD.....	254	TS115-FXG.....	257		
S2SG.....	183	S86PBSL.....	163	605HD.....	262	TS118.....	255		
S2SN.....	189	S86RAX.....	107	606HD.....	262	TS128-FXG.....	257		
S4AX.....	106	S86RPB.....	163	607HD.....	262	TS128-GBG.....	260		
S4AXSL.....	107	S8AX.....	106	608HD.....	262	TS128-SDL.....	263		
S4LAX.....	106	S8LAX.....	106	6184SL-SDL.....	262	TS1408-GBG.....	261		
S4LPB.....	162	S8LPB.....	162	6185SL-SDL.....	262	TS1411-GBG.....	261		
S4PB.....	162	S8PB.....	162	6186SL-SDL.....	262	TS198-GBG.....	260		
S4PBSL.....	163	S8RAX.....	106	632SL-FXG.....	256	TS206.....	255		
S4RAX.....	106	S8RPB.....	162	632SL-GBG.....	259	TS210.....	267		
S4RPB.....	162	S9AX.....	106	632SL-SDL.....	262	TS236-FXG.....	257		
S5AX.....	106	S9AXSL.....	107	6720SLHD-GBG.....	259	TS237-FXG.....	257		
S5AXSL.....	107	S9LAX.....	106	6720SLHD-SDL.....	262	TS255-FXG.....	257		
S5LAX.....	106	S9LPB.....	162	708HD.....	254	TS256.....	255		
S5LPB.....	162	S9PB.....	162	752HD-FXG.....	256	TS262-FXG.....	257		
S5PB.....	162	S9PBSL.....	163	752HD-GBG.....	259	TS262-GBG.....	260		
S5PBSL.....	163	S9RAX.....	106	959HD.....	254	TS262-SDL.....	263		
S5RAX.....	106	S9RPB.....	162	959SLHD.....	254	TS263-FXG.....	257		
S5RPB.....	162	PROFILES		961HD-GBG.....	258	TS263-GBG.....	260		
S810AX.....	107	100.....	251	961HD-SDL.....	262	TS263-SDL.....	263		
S810AXSL.....	107	1005HD.....	251	969HD.....	251	TS289.....	255		
S810LAX.....	107	100SL.....	254	978HD.....	251	TS296.....	255		
S810LPB.....	163	104.....	254	980HD.....	254	TS708.....	255		
S810PB.....	163	105.....	254	982HD-FXG.....	256	TS752-FXG.....	257		
S810PBSL.....	163	108-FXG RG.....	256	982HD-GBG.....	258	TS752-GBG.....	261		
S810RAX.....	107	108-GBG.....	258	982HD-SDL.....	262				
S810RPB.....	163	108-SDL.....	262	19020T.....	254				
S811AX.....	107	1089SLHD-GBG.....	259	19200T.....	254				
S811AXSL.....	107	1101HD.....	254	19210T.....	254				
S811LAX.....	107	1123HD-FXG.....	256	19220T.....	254				
S811LPB.....	163	1123HD-GBG.....	258	TRADITIONS					



A learning center for everything door related.

Visit the Reeb® Learning Center for education on choosing the proper door unit, new products, and what product options are available.

Visit the Reeb Learning Center at learn.reeb.com.



Online Therma-Tru® Catalog

For an interactive format of this catalog, please visit reeb.com/catalogs



Reeb® Warranty Information

View product warranties for Therma-Tru® at reeb.com/warranties



□ Bethlehem, PA

1000 Maloney Cir.
Bethlehem, PA 18015
(800) 862-8622 voice
(800) 772-7332 fax

□ Barclay, MD

1315 Goldsboro Rd.
Barclay, MD 21607
(800) 825-8331 voice
(800) 331-9387 fax

□ Mocksville, NC

346 Bethel Church Rd.
Mocksville, NC 27028
(800) 642-0886 voice
(800) 618-0620 fax

□ Providence, RI

19 Business Park Dr.
Smithfield, RI 02917
(800) 343-5703 voice
(800) 388-5979 fax

□ Syracuse, NY

7475 Henry Clay Blvd.
Liverpool, NY 13088
(800) 422-5224 voice
(800) 531-7332 fax



PART# REEBTT24

VERSION 1.0.0

For more information, visit reeb.com.

COPYRIGHT © 2024 REEB® MILLWORK CORP. ALL RIGHTS RESERVED.