

INTERIOR DOORS

REEB® IN-STOCK PRIMED STILE & RAIL DOOR CATALOG



Elevate Your Home with Interior Primed Stile & Rail Doors

Primed stile and rail doors are an ideal choice for homeowners seeking to add a clean look to their Modern, Traditional or Craftsman style homes. They feature architecturally correct layouts, crisp shadow lines and highly defined panels, providing a superior level of detail. These doors are an excellent choice for discerning homeowners seeking increased strength, better durability and greater life expectancy at a similar price point to their molded door counterparts.

Table of Contents

Primed Doors Construction	4	Contemporary Flush MDF Transoms	40	Locks	62
			44	› Standard Residential Series	62
				› Builder's Series	63
Primed Doors	6	Fire-Rated Doors	46	Catches	64
9/16" Single Hip Raised Panel	6	1-1/4" Raised Panel	46	Image Index	65
› Ovolo Sticking	6	› Ovolo Sticking	46	Index	66
				Resources	70
3/8" MDF Flat Panel	10	13/16" Flat Panel	48	Handling	71
› Ovolo Sticking	10	› Ovolo Sticking	48		
› Shaker Sticking	12	› Shaker Sticking	50		
5/8" MDF Flat Panel	16	Primed Barn Doors	52		
› Ovolo Sticking	16	9/16" Plank Panel	52		
› Shaker Sticking	18	› Z Layout	52		
		› K Layout	53		
French 1-1/4" Bar	20	Barn Door Hardware	54		
› Clear Glass	20	Barnfold® Hardware	55		
› Frit Glass	24	Flat Frames	56		
		Rabbeted Frames	57		
French, Ovolo Sticking	26	› Single Rabbeted	57		
› Decorative Glass	26	› Double Rabbeted	57		
› Clear Glass	28	Split Frames	58		
› White Laminate Glass	29	Stops	58		
› Frit Glass	30	Sills	59		
		Hinges	60		
French, Shaker Sticking	31	› Baldwin®	61		
› Clear Glass	31	› Reeb® Specialty Products	61		
› Frit Glass	32	› Emtek®	61		
Louvers					
› 1-1/4" Louver Slats	34				
› 2-1/2" Louver Slats	36				
› Contemporary Louver	38				


Primed Doors Construction

Primed stile and rail doors are wood components joined together with dowel pins. The stiles and rails have an engineered wood core covered with an MDF veneer creating an excellent surface for painting. Constructing a door with different components brings definition that cannot be replicated by a molded door.

Rail: The horizontal component of the door, crafted with a solid engineered core for lasting performance.

Veneer: An MDF veneer is permanently bonded to the engineered wood core, eliminating dents, dings, and gouges which makes a superior paint surface.

Stile: The stiles have a solid wood engineered core for added strength, stability, and reduced sound transmission.



Solid Engineered Core

Built for strength and stability, stiles and rails feature a solid engineered core, with some doors using wood block or wood stave for added durability.

Panel/Glass: Flat and Raised Panels are made with MDF for a smooth paint finish, stability, and comply with no added formaldehyde regulation.




Dowel Pins: Traditional dowel pins securely join the stiles and rails, reinforcing the door's strength.



Sharp Detail

Primed stile and rail doors join components together to create sharp shadow lines on all sticking.



Architecturally Correct

Each door is made with perfectly proportioned stiles, rails and panels that are created individually to ensure that every door is architecturally correct.



Panel Design

Choose from flat panels for a sleek look or raised panels with single hip detailing for added depth.



Glass Designs


Select a full glass panel for an open feel or divided lites with bars for a classic, timeless look.

Primed

9/16" Single Hip Raised Panel



OVOLO STICKING




Panel Profile,
Ovolo Sticking



PR82R 1-3/8"
9/16" Raised Panel,
Ovolo Sticking

1/0 x 6/8	2/0 x 6/8	1/6 x 7/0	2/6 x 7/0	2/4 x 8/0
1/2 x 6/8	2/2 x 6/8	1/8 x 7/0	2/8 x 7/0	2/6 x 8/0
1/3 x 6/8	2/4 x 6/8	1/10 x 7/0	2/10 x 7/0	2/8 x 8/0
1/4 x 6/8	2/6 x 6/8	2/0 x 7/0	3/0 x 7/0	2/10 x 8/0
1/6 x 6/8	2/8 x 6/8	2/2 x 7/0	1/6 x 8/0	3/0 x 8/0
1/8 x 6/8	3/0 x 6/8	2/4 x 7/0	2/0 x 8/0	




PR82R 1-3/8" Bifold
9/16" Raised Panel,
Ovolo Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8

OVOLO STICKING


SIZES 2/4 AND UP HAVE WIDE (5-1/2") STILES



PR82R 1-3/4"

9/16" Raised Panel,
Ovolo Sticking

1/0 x 6/8	2/6 x 6/8	1/8 x 7/0	1/6 x 8/0
1/2 x 6/8	2/8 x 6/8	1/10 x 7/0	2/0 x 8/0
1/3 x 6/8	2/10 x 6/8	2/0 x 7/0	2/4 x 8/0
1/4 x 6/8	3/0 x 6/8	2/2 x 7/0	2/6 x 8/0
1/6 x 6/8		2/4 x 7/0	2/8 x 8/0
1/8 x 6/8	1/0 x 7/0	2/6 x 7/0	2/10 x 8/0
1/10 x 6/8	1/2 x 7/0	2/8 x 7/0	3/0 x 8/0
2/0 x 6/8	1/3 x 7/0	2/10 x 7/0	
2/2 x 6/8	1/4 x 7/0	3/0 x 7/0	
2/4 x 6/8	1/6 x 7/0		




PR82A 1-3/8"

9/16" Raised Panel,
Ovolo Sticking

1/0 x 6/8	2/6 x 6/8	3/0 x 7/0
1/2 x 6/8	2/8 x 6/8	
1/3 x 6/8	2/10 x 6/8	1/6 x 8/0
1/4 x 6/8	3/0 x 6/8	2/0 x 8/0
1/6 x 6/8		2/4 x 8/0
1/8 x 6/8	1/6 x 7/0	2/6 x 8/0
1/10 x 6/8	2/0 x 7/0	2/8 x 8/0
2/0 x 6/8	2/4 x 7/0	2/10 x 8/0
2/2 x 6/8	2/6 x 7/0	3/0 x 8/0
2/4 x 6/8	2/8 x 7/0	

SIZES 2/4 AND UP HAVE WIDE (5-1/2") STILES



PR82A 1-3/4"

9/16" Raised Panel,
Ovolo Sticking

1/6 x 6/8	1/6 x 7/0	1/6 x 8/0
1/8 x 6/8	1/8 x 7/0	2/0 x 8/0
1/10 x 6/8	1/10 x 7/0	2/4 x 8/0
2/0 x 6/8	2/0 x 7/0	2/6 x 8/0
2/2 x 6/8	2/2 x 7/0	2/8 x 8/0
2/4 x 6/8	2/4 x 7/0	2/10 x 8/0
2/6 x 6/8	2/6 x 7/0	3/0 x 8/0
2/8 x 6/8	2/8 x 7/0	
2/10 x 6/8	2/10 x 7/0	
3/0 x 6/8	3/0 x 7/0	




Primed

Bifolds are carton packed with track and hardware.

9/16" Single Hip Raised Panel

OVOLO STICKING



1/0 - 1/10

PR44 1-3/8"

9/16" Raised Panel,
Ovolo Sticking


1/0 x 6/8	1/8 x 6/8	2/6 x 6/8
1/2 x 6/8	1/10 x 6/8	2/8 x 6/8
1/3 x 6/8	2/0 x 6/8	2/10 x 6/8
1/4 x 6/8	2/2 x 6/8	3/0 x 6/8
1/6 x 6/8	2/4 x 6/8	



PR44 1-3/8" Bifold

9/16" Raised Panel,
Ovolo Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



1/0 - 1/10

PR44 1-3/4"

9/16" Raised Panel,
Ovolo Sticking


1/6 x 6/8	2/4 x 6/8
1/8 x 6/8	2/6 x 6/8
1/10 x 6/8	2/8 x 6/8
2/0 x 6/8	2/10 x 6/8
2/2 x 6/8	3/0 x 6/8



PR55R 1-3/8"

9/16" Raised Panel,
Ovolo Sticking

1/6 x 6/8	2/4 x 6/8	2/10 x 6/8
1/8 x 6/8	2/6 x 6/8	3/0 x 6/8
2/0 x 6/8	2/8 x 6/8	



1/0 - 1/10

PR66 1-3/8"

9/16" Raised Panel,
Ovolo Sticking


1/0 x 6/8	1/6 x 6/8	2/2 x 6/8	2/10 x 6/8
1/2 x 6/8	1/8 x 6/8	2/4 x 6/8	3/0 x 6/8
1/3 x 6/8	1/10 x 6/8	2/6 x 6/8	
1/4 x 6/8	2/0 x 6/8	2/8 x 6/8	



PR66 1-3/8" Bifold

9/16" Raised Panel,
Ovolo Sticking

2/0 x 6/8	5/0 x 6/8
2/6 x 6/8	6/0 x 6/8
3/0 x 6/8	
4/0 x 6/8	



1/6 - 1/10

PR66 1-3/4"

9/16" Raised Panel,
Ovolo Sticking

1/6 x 6/8	2/2 x 6/8	2/10 x 6/8
1/8 x 6/8	2/4 x 6/8	3/0 x 6/8
1/10 x 6/8	2/6 x 6/8	
2/0 x 6/8	2/8 x 6/8	



PR56R 1-3/8"

9/16" Raised Panel,
Ovolo Sticking

1/6 x 8/0	2/8 x 8/0
2/0 x 8/0	3/0 x 8/0
2/4 x 8/0	
2/6 x 8/0	




Primed

3/8" MDF Flat Panel



OVOLO STICKING




Panel Profile,
Ovolo Sticking



PR8020 1-3/8"
3/8" MDF Flat Panel,
Ovolo Sticking

1/0 x 6/8
1/2 x 6/8
1/3 x 6/8
1/4 x 6/8
1/6 x 6/8
1/8 x 6/8
1/10 x 6/8
2/0 x 6/8
2/2 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8

1/6 x 8/0
1/8 x 8/0
1/10 x 8/0
2/0 x 8/0
2/2 x 8/0
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0




PR8082 1-3/8"
3/8" MDF Flat Panel,
Ovolo Sticking

1/0 x 6/8
1/2 x 6/8
1/3 x 6/8
1/4 x 6/8
1/6 x 6/8
1/8 x 6/8
1/10 x 6/8
2/0 x 6/8
2/2 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8


1/6 x 8/0
1/8 x 8/0
1/10 x 8/0
2/0 x 8/0
2/2 x 8/0
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0

OVOLO STICKING




PR8044 1-3/8" *
3/8" MDF Flat Panel,
Ovolo Sticking

2/0 x 6/8
2/2 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



PR8040 1-3/8"
3/8" MDF Flat Panel,
Ovolo Sticking

1/6 x 6/8	3/0 x 6/8	2/6 x 7/0
2/0 x 6/8		2/8 x 7/0
2/4 x 6/8	1/6 x 7/0	3/0 x 7/0
2/6 x 6/8	2/0 x 7/0	
2/8 x 6/8	2/4 x 7/0	



PR8055 1-3/8"
3/8" MDF Flat Panel,
Ovolo Sticking

1/6 x 6/8	2/4 x 6/8
1/8 x 6/8	2/6 x 6/8
1/10 x 6/8	2/8 x 6/8
2/0 x 6/8	2/10 x 6/8
2/2 x 6/8	3/0 x 6/8




PR8055 1-3/8" (8/0)
3/8" MDF Flat Panel,
Ovolo Sticking

1/6 x 8/0	2/10 x 8/0
2/0 x 8/0	3/0 x 8/0
2/4 x 8/0	
2/6 x 8/0	
2/8 x 8/0	



Primed

3/8" MDF Flat Panel



Panel Profile,
Shaker Sticking




SHAKER STICKING




PR8720 1-3/8"
3/8" MDF Flat Panel,
Shaker Sticking

1/0 x 6/8	2/4 x 6/8	2/6 x 7/0	2/2 x 8/0
1/2 x 6/8	2/6 x 6/8	2/8 x 7/0	2/4 x 8/0
1/3 x 6/8	2/8 x 6/8	2/10 x 7/0	2/6 x 8/0
1/4 x 6/8	2/10 x 6/8	3/0 x 7/0	2/8 x 8/0
1/6 x 6/8	3/0 x 6/8		2/10 x 8/0
1/8 x 6/8		1/6 x 8/0	3/0 x 8/0
1/10 x 6/8	1/6 x 7/0	1/8 x 8/0	
2/0 x 6/8	2/0 x 7/0	1/10 x 8/0	
2/2 x 6/8	2/4 x 7/0	2/0 x 8/0	




PR8720 1-3/8" Bifold
3/8" MDF Flat Panel,
Shaker Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



PR8782 1-3/8"
3/8" MDF Flat Panel,
Shaker Sticking

1/0 x 6/8	2/4 x 6/8	2/6 x 7/0	2/2 x 8/0
1/2 x 6/8	2/6 x 6/8	2/8 x 7/0	2/4 x 8/0
1/3 x 6/8	2/8 x 6/8	2/10 x 7/0	2/6 x 8/0
1/4 x 6/8	2/10 x 6/8	3/0 x 7/0	2/8 x 8/0
1/6 x 6/8	3/0 x 6/8		2/10 x 8/0
1/8 x 6/8		1/6 x 8/0	3/0 x 8/0
1/10 x 6/8	1/6 x 7/0	1/8 x 8/0	
2/0 x 6/8	2/0 x 7/0	1/10 x 8/0	
2/2 x 6/8	2/4 x 7/0	2/0 x 8/0	



PR8782 1-3/8" Bifold
3/8" MDF Flat Panel,
Shaker Sticking


2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



Primed

3/8" MDF Flat Panel

SHAKER STICKING



PR8730 1-3/8"

3/8" MDF Flat Panel,
Shaker Sticking


1/0 x 6/8	2/2 x 6/8	1/8 x 7/0	3/0 x 7/0
1/2 x 6/8	2/4 x 6/8	1/10 x 7/0	
1/3 x 6/8	2/6 x 6/8	2/0 x 7/0	1/6 x 8/0
1/4 x 6/8	2/8 x 6/8	2/2 x 7/0	2/0 x 8/0
1/6 x 6/8	2/10 x 6/8	2/4 x 7/0	2/4 x 8/0
1/8 x 6/8	3/0 x 6/8	2/6 x 7/0	2/6 x 8/0
1/10 x 6/8		2/8 x 7/0	2/8 x 8/0
2/0 x 6/8	1/6 x 7/0	2/10 x 7/0	3/0 x 8/0



PR8730 1-3/8" Bifold

3/8" MDF Flat Panel,
Shaker Sticking


2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



PR8760 1-3/8"

3/8" MDF Flat Panel,
Shaker Sticking


1/0 x 6x8	1/10 x 6/8	2/10 x 6/8	2/6 x 7/0
1/2 x 6/8	2/0 x 6/8	3/0 x 6/8	2/8 x 7/0
1/3 x 6/8	2/2 x 6/8		2/10 x 7/0
1/4 x 6/8	2/4 x 6/8	1/6 x 7/0	3/0 x 7/0
1/6 x 6/8	2/6 x 6/8	2/0 x 7/0	
1/8 x 6/8	2/8 x 6/8	2/4 x 7/0	



PR8760 1-3/8" (8/0)

3/8" MDF Flat Panel,
Shaker Sticking


1/6 x 8/0	2/4 x 8/0
1/8 x 8/0	2/6 x 8/0
1/10 x 8/0	2/8 x 8/0
2/0 x 8/0	2/10 x 8/0
2/2 x 8/0	3/0 x 8/0



PR8740 1-3/8"

3/8" MDF Flat Panel,
Shaker Sticking


1/6 x 6/8	3/0 x 6/8	2/6 x 7/0
2/0 x 6/8		2/8 x 7/0
2/4 x 6/8	1/6 x 7/0	3/0 x 7/0
2/6 x 6/8	2/0 x 7/0	
2/8 x 6/8	2/4 x 7/0	



PR8744 1-3/8" *

3/8" MDF Flat Panel,
Shaker Sticking


2/0 x 6/8	2/10 x 6/8
2/2 x 6/8	3/0 x 6/8
2/4 x 6/8	
2/6 x 6/8	
2/8 x 6/8	



PR8762 1-3/8"

3/8" MDF Flat Panel,
Shaker Sticking

1/6 x 6/8	2/10 x 6/8
2/0 x 6/8	3/0 x 6/8
2/4 x 6/8	
2/6 x 6/8	
2/8 x 6/8	




PR8762 1-3/8" (8/0)

3/8" MDF Flat Panel,
Shaker Sticking

2/0 x 8/0
2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
3/0 x 8/0




SHAKER STICKING



PR8755 1-3/8"
3/8" MDF Flat Panel,
Shaker Sticking

1/0 x 6/8	1/10 x 6/8	2/10 x 6/8	2/6 x 7/0
1/2 x 6/8	2/0 x 6/8	3/0 x 6/8	2/8 x 7/0
1/3 x 6/8	2/2 x 6/8		2/10 x 7/0
1/4 x 6/8	2/4 x 6/8	1/6 x 7/0	3/0 x 7/0
1/6 x 6/8	2/6 x 6/8	2/0 x 7/0	
1/8 x 6/8	2/8 x 6/8	2/4 x 7/0	



PR8755 1-3/8" Bifold
3/8" MDF Flat Panel,
Shaker Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8




PR8755 1-3/8" (8/0)
3/8" MDF Flat Panel,
Shaker Sticking

1/6 x 8/0	2/10 x 8/0
2/0 x 8/0	3/0 x 8/0
2/4 x 8/0	
2/6 x 8/0	
2/8 x 8/0	

Bifolds are carton packed with track and hardware.
*The PR8744 in sizes 1/0 - 1/10 is a narrow layout with only 2 panels. Please use the PR8782 for these sizes.

Primed

5/8" MDF Flat Panel



Panel Profile,
Ovolo Sticking

OVOLO STICKING



PR8020 1-3/4"

5/8" MDF Flat Panel,
Ovolo Sticking

1/0 x 6/8	2/8 x 6/8	2/0 x 7/0	2/6 x 8/0
1/2 x 6/8	2/10 x 6/8	2/2 x 7/0	2/8 x 8/0
1/3 x 6/8	3/0 x 6/8	2/4 x 7/0	2/10 x 8/0
1/4 x 6/8		2/6 x 7/0	3/0 x 8/0
1/6 x 6/8	1/0 x 7/0	2/8 x 7/0	
1/8 x 6/8	1/2 x 7/0	2/10 x 7/0	
1/10 x 6/8	1/3 x 7/0	3/0 x 7/0	
2/0 x 6/8	1/4 x 7/0		
2/2 x 6/8	1/6 x 7/0	1/6 x 8/0	
2/4 x 6/8	1/8 x 7/0	2/0 x 8/0	
2/6 x 6/8	1/10 x 7/0	2/4 x 8/0	



PR8082 1-3/4"


5/8" MDF Flat Panel,
Ovolo Sticking

1/0 x 6/8	2/4 x 6/8	2/0 x 7/0	1/8 x 8/0
1/2 x 6/8	2/6 x 6/8	2/2 x 7/0	1/10 x 8/0
1/3 x 6/8	2/8 x 6/8	2/4 x 7/0	2/0 x 8/0
1/4 x 6/8	2/10 x 6/8	2/6 x 7/0	2/2 x 8/0
1/6 x 6/8	3/0 x 6/8	2/8 x 7/0	2/4 x 8/0
1/8 x 6/8		2/10 x 7/0	2/6 x 8/0
1/10 x 6/8	1/6 x 7/0	3/0 x 7/0	2/8 x 8/0
2/0 x 6/8	1/8 x 7/0		2/10 x 8/0
2/2 x 6/8	1/10 x 7/0	1/6 x 8/0	3/0 x 8/0



Primed

5/8" MDF Flat Panel



Panel Profile,
Shaker Sticking



SHAKER STICKING




PR8720 1-3/4"
5/8" MDF Flat Panel,
Shaker Sticking

1/0 x 6/8	2/2 x 6/8	1/2 x 7/0	2/4 x 7/0	1/10 x 8/0
1/2 x 6/8	2/4 x 6/8	1/3 x 7/0	2/6 x 7/0	2/0 x 8/0
1/3 x 6/8	2/6 x 6/8	1/4 x 7/0	2/8 x 7/0	2/2 x 8/0
1/4 x 6/8	2/8 x 6/8	1/6 x 7/0	2/10 x 7/0	2/4 x 8/0
1/6 x 6/8	2/10 x 6/8	1/8 x 7/0	3/0 x 7/0	2/6 x 8/0
1/8 x 6/8	3/0 x 6/8	1/10 x 7/0	2/8 x 8/0	2/8 x 8/0
1/10 x 6/8	2/0 x 7/0	1/6 x 8/0	2/10 x 8/0	3/0 x 8/0
2/0 x 6/8	1/0 x 7/0	2/2 x 7/0	1/8 x 8/0	




PR8782 1-3/4"
5/8" MDF Flat Panel,
Shaker Sticking

1/0 x 6/8	2/2 x 6/8	1/8 x 7/0	3/0 x 7/0	2/6 x 8/0
1/2 x 6/8	2/4 x 6/8	1/10 x 7/0	2/8 x 8/0	2/0 x 8/0
1/3 x 6/8	2/6 x 6/8	2/0 x 7/0	1/6 x 8/0	2/10 x 8/0
1/4 x 6/8	2/8 x 6/8	2/2 x 7/0	1/8 x 8/0	3/0 x 8/0
1/6 x 6/8	2/10 x 6/8	2/4 x 7/0	1/10 x 8/0	
1/8 x 6/8	3/0 x 6/8	2/6 x 7/0	2/0 x 8/0	
1/10 x 6/8	2/8 x 7/0	2/2 x 8/0		
2/0 x 6/8	1/6 x 7/0	2/10 x 7/0	2/4 x 8/0	




PR8730 1-3/4"
5/8" MDF Flat Panel,
Shaker Sticking

1/6 x 6/8	1/6 x 7/0	1/6 x 8/0
2/0 x 6/8	2/0 x 7/0	2/0 x 8/0
2/4 x 6/8	2/4 x 7/0	2/4 x 8/0
2/6 x 6/8	2/6 x 7/0	2/6 x 8/0
2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
2/10 x 6/8	2/10 x 7/0	3/0 x 8/0
3/0 x 6/8	3/0 x 7/0	



PR8760 1-3/4"
5/8" MDF Flat Panel,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



PR8740 1-3/4"
5/8" MDF Flat Panel,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8




PR8755 1-3/4"
5/8" MDF Flat Panel,
Shaker Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8

Primed

1-1/4" BAR FRENCH



Bar Profile,
Ovolo Sticking





CLEAR GLASS



PR8010 1-3/8"
1-1/4" Bar, Clear Glass,
Ovolo Sticking
1/6 x 6/8
2/0 x 6/8
2/6 x 6/8



PR8010 1-3/4"
1-1/4" Bar, Clear Glass,
Ovolo Sticking
1/6 x 6/8
2/0 x 6/8



PR8012 1-3/8" (8/0)
1-1/4" Bar, Clear Glass,
Ovolo Sticking
1/6 x 8/0
2/0 x 8/0



PR8012 1-3/4" (8/0)
1-1/4" Bar, Clear Glass,
Ovolo Sticking
1/6 x 8/0
2/0 x 8/0

Primed

1-1/4" BAR FRENCH

CLEAR GLASS



PR8015 1-3/8"

1-1/4" Bar, Clear Glass,
Ovolo Sticking

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



PR8015 1-3/4"

1-1/4" Bar, Clear Glass,
Ovolo Sticking

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



PR8018 1-3/8" (8/0)

1-1/4" Bar, Clear Glass,
Ovolo Sticking

2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0



PR8018 1-3/4" (8/0)


1-1/4" Bar, Clear Glass,
Ovolo Sticking

2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0



Primed

1-1/4" BAR FRENCH




Bar Profile,
Ovolo Sticking






FRIT GLASS




PR8010F 1-3/8"
1-1/4" Bar, Frit Glass,
Ovolo Sticking

1/6 x 6/8
2/0 x 6/8




PR8012F 1-3/8" (8/0)
1-1/4" Bar, Frit Glass,
Ovolo Sticking

1/6 x 8/0
2/0 x 8/0



PR8015F 1-3/8"
1-1/4" Bar, Frit Glass,
Ovolo Sticking

2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8




PR8018F 1-3/8" (8/0)
1-1/4" Bar, Frit Glass
Ovolo Sticking,

2/4 x 8/0
2/6 x 8/0
2/8 x 8/0
2/10 x 8/0
3/0 x 8/0

 CLEAR  OBSCURE

Primed

FRENCH



Panel Profile,
Ovolo Sticking





DECORATIVE GLASS



PR8490 1-3/8"

Clear Art on Satin Etch Glass,
Ovolo Sticking

2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



CLEAR




OBSCURE

Primed

FRENCH

CLEAR GLASS



PR8001 1-3/8"

Clear Glass,
Ovolo Sticking

1/6 x 6/8	2/8 x 6/8	1/6 x 8/0	2/8 x 8/0
2/0 x 6/8	2/10 x 6/8	2/0 x 8/0	2/10 x 8/0
2/4 x 6/8	3/0 x 6/8	2/4 x 8/0	3/0 x 8/0
2/6 x 6/8		2/6 x 8/0	

Panel Profile,
Ovolo Sticking



Primed

FRENCH


WHITE LAMINATE GLASS



PR1501WL 1-3/8"

White Laminate Glass,
Ovolo Sticking

2/0 x 6/8	2/8 x 6/8	2/0 x 8/0	2/8 x 8/0
2/4 x 6/8	3/0 x 6/8	2/4 x 8/0	3/0 x 8/0
2/6 x 6/8		2/6 x 8/0	




Panel Profile,
Ovolo Sticking



Primed

FRENCH

FRIT GLASS



PR8001F 1-3/8"

Frit Glass,
Ovolo Sticking

1/6 x 6/8	2/8 x 6/8	1/6 x 8/0	2/8 x 8/0
2/0 x 6/8	2/10 x 6/8	2/0 x 8/0	2/10 x 8/0
2/4 x 6/8	3/0 x 6/8	2/4 x 8/0	3/0 x 8/0
2/6 x 6/8		2/6 x 8/0	

Panel Profile,
Ovolo Sticking



Primed

FRENCH


CLEAR GLASS



PR8711 1-3/8"

Clear Glass,
Shaker Sticking

1/6 x 6/8 2/6 x 8/0
2/0 x 6/8 2/8 x 8/0
2/4 x 6/8 3/0 x 8/0
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8




Glass Profile,
Shaker Sticking



PR8711 1-3/4"

Clear Glass,
Shaker Sticking

2/0 x 6/8 2/8 x 7/0
2/6 x 6/8 3/0 x 7/0
2/8 x 6/8
3/0 x 6/8



CLEAR



OBSCURE

Primed

FRENCH


FRIT GLASS



PR8711F 1-3/8"

Frit Glass,
Shaker Sticking


1/6 x 6/8 2/6 x 8/0
2/0 x 6/8 2/8 x 8/0
2/4 x 6/8 3/0 x 8/0
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



PR8711F 1-3/4"

Frit Glass,
Shaker Sticking

2/0 x 6/8 2/8 x 7/0
2/6 x 6/8 3/0 x 7/0
2/8 x 6/8
3/0 x 6/8




Glass Profile,
Shaker Sticking






FRIT GLASS




PR8733F 1-3/8"
Frit Glass,
Shaker Sticking

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8




PR8733F 1-3/8" (8/0)
Frit Glass,
Shaker Sticking

2/6 x 8/0
2/8 x 8/0
3/0 x 8/0



PR8735F 1-3/8"
Frit Glass,
Shaker Sticking

2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



PR8735F 1-3/8" (8/0)
Frit Glass,
Shaker Sticking

2/6 x 8/0
2/8 x 8/0
3/0 x 8/0




CLEAR




OBSCURE

Primed

LOUVERS




When the blind side is on the hinge side, the louvers run **down**, meaning you **cannot** see into the next room.




When the blind side is on the stop side, the louvers run **up**, meaning you **can** see into the next room.

When ordering a louver door, it is important to specify which side is the blind side. View the door as if you are in the inside of the room and the door is opening toward you.



Louver Profile,
Louvered Sticking


1-1/4" LOUVER SLATS



PR730 1-3/8"

Primed, 1-1/4" Slats,
Louvered Sticking

1/6 x 6/8	2/4 x 6/8	1/6 x 7/0	2/10 x 7/0	2/4 x 8/0
1/8 x 6/8	2/6 x 6/8	2/0 x 7/0	3/0 x 7/0	2/6 x 8/0
1/10 x 6/8	2/8 x 6/8	2/4 x 7/0		2/8 x 8/0
2/0 x 6/8	2/10 x 6/8	2/6 x 7/0	1/6 x 8/0	3/0 x 8/0
2/2 x 6/8	3/0 x 6/8	2/8 x 7/0	2/0 x 8/0	




PR730 1-3/4"

Primed, 1-1/4" Slats,
Louvered Sticking


1/6 x 6/8	2/10 x 6/8
2/0 x 6/8	3/0 x 6/8
2/4 x 6/8	
2/6 x 6/8	
2/8 x 6/8	

1-1/4" LOUVER SLATS




PRN730FJ 1-1/8" Bifold
Primed, 1-1/4" Slats, 1-1/8" Modified
Finger Joint, Louvered Sticking

2/0 x 6/8	4/0 x 6/8
2/4 x 6/8	4/8 x 6/8
2/6 x 6/8	5/0 x 6/8
2/8 x 6/8	5/4 x 6/8
3/0 x 6/8	6/0 x 6/8




PR732 1-3/8"
Primed, 1-1/4" Slats,
Louvered Sticking

1/6 x 6/8	1/6 x 7/0
2/0 x 6/8	2/0 x 7/0
2/2 x 6/8	2/4 x 7/0
2/4 x 6/8	2/6 x 7/0
2/6 x 6/8	2/8 x 7/0
2/8 x 6/8	3/0 x 7/0
2/10 x 6/8	
3/0 x 6/8	



PRN732FJ 1-1/8" Bifold
Primed, 1-1/4" Slats, 1-1/8" Modified
Finger Joint, Louvered Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8




PR742 1-3/8"
Primed, 1-1/4" Slats,
Louvered Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8




Primed

LOUVERS




When the blind side is on the hinge side, the louvers run **down**, meaning you **cannot** see into the next room.



When the blind side is on the stop side, the louvers run **up**, meaning you **can** see into the next room.

When ordering a louver door, it is important to specify which side is the blind side. View the door as if you are in the inside of the room and the door is opening toward you.




Louver Profile,
Louvered Sticking






2-1/2" LOUVER SLATS




PR730W 1-3/8"
Primed, 2-1/2" Slats,
Louvered Sticking

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



PR730W 1-3/8" Bifold
Primed, 2-1/2" Slats,
Louvered Sticking

2/0 x 6/8
2/6 x 6/8
3/0 x 6/8
4/0 x 6/8
5/0 x 6/8
6/0 x 6/8



PR732W 1-3/8"
Primed, 2-1/2" Slats,
Louvered Sticking


1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
2/10 x 6/8
3/0 x 6/8

Primed


CONTEMPORARY LOUVERS



Reeb® contemporary louver doors have shaker sticking and unique slotted louver ventilation. Cut at an angle into the panel, the slotted louvers give the same ventilation possibilities as louver slats, but with a different aesthetic. This contemporary door pairs well with other shaker-style flat panel doors.



Slotted Louver Profile,
Shaker Sticking






SLOTTED LOUVER



PR730F 1-3/8"
3/8" Flat Panel Slotted
Louder, Shaker Sticking

1/6 x 6/8	2/6 x 6/8
2/0 x 6/8	2/8 x 6/8
2/4 x 6/8	3/0 x 6/8



PR730F 1-3/8" Bifold
3/8" Flat Panel Slotted
Louder, Shaker Sticking

2/0 x 6/8	4/0 x 6/8
2/6 x 6/8	5/0 x 6/8
3/0 x 6/8	6/0 x 6/8



PR730F 1-3/4"
3/8" Flat Panel Slotted
Louder, Shaker Sticking

1/6 x 6/8	2/10 x 6/8	2/4 x 7/0
2/0 x 6/8	3/0 x 6/8	2/6 x 7/0
2/4 x 6/8		2/8 x 7/0
2/6 x 6/8	1/6 x 7/0	2/10 x 7/0
2/8 x 6/8	2/0 x 7/0	3/0 x 7/0


Primed

CONTEMPORARY MDF

Reeb's modern-style Flush MDF doors have a premium 1/4" thick veneer. Unlike traditional flush doors with a thin veneer over a solid particle core where the grooves cut into the door must be shallow, the grooves in RSP flush doors are cut 1/8" deep, resulting in crisp shadow lines for greater definition.



These contemporary doors have a unique lattice wood core that provides exceptional strength and improved stability. They have the feel of a real wood door without the weight that can lead to hinge issues. These doors can be prepped for the typical backset options or a mortise pocket.





FLUSH MDF



PRF2302 1-3/8"

Flush MDF,
Square Grooves

1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8



PRF2302 1-3/4"

Flush MDF,
Square Grooves

1/6 x 6/8	1/6 x 7/0	1/6 x 8/0
2/0 x 6/8	2/0 x 7/0	2/0 x 8/0
2/4 x 6/8	2/4 x 7/0	2/4 x 8/0
2/6 x 6/8	2/6 x 7/0	2/6 x 8/0
2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
2/10 x 6/8	2/10 x 7/0	2/10 x 8/0
3/0 x 6/8	3/0 x 7/0	3/0 x 8/0

Primed


CONTEMPORARY MDF

FLUSH MDF



PRF2355 1-3/8"
Flush MDF,
Square Grooves

1/6 x 6/8	2/8 x 6/8
2/0 x 6/8	3/0 x 6/8
2/4 x 6/8	
2/6 x 6/8	




PRF2355 1-3/4"
Flush MDF,
Square Grooves

1/6 x 6/8	3/0 x 6/8	2/8 x 7/0
2/0 x 6/8		2/10 x 7/0
2/4 x 6/8	1/6 x 7/0	
2/6 x 6/8	2/0 x 7/0	3/0 x 8/0
2/8 x 6/8	2/4 x 7/0	
2/10 x 6/8	2/6 x 7/0	



PRF2356 1-3/4" (8/0)
Flush MDF,
Square Grooves

1/6 x 8/0	2/8 x 8/0
2/0 x 8/0	2/10 x 8/0
2/4 x 8/0	3/0 x 8/0
2/6 x 8/0	



PRF2315 1-3/8"
Flush MDF,
Square Grooves

1/6 x 6/8	2/8 x 6/8
2/0 x 6/8	3/0 x 6/8
2/4 x 6/8	
2/6 x 6/8	






FLUSH MDF



PRF2315 1-3/4"

Flush MDF,
Square Grooves

1/6 x 6/8	2/0 x 7/0	2/4 x 8/0
2/0 x 6/8	2/4 x 7/0	2/6 x 8/0
2/4 x 6/8	2/6 x 7/0	2/8 x 8/0
2/6 x 6/8	2/8 x 7/0	2/10 x 8/0
2/8 x 6/8	2/10 x 7/0	3/0 x 8/0
2/10 x 6/8	3/0 x 7/0	
3/0 x 6/8		
		1/6 x 8/0
1/6 x 7/0	2/0 x 8/0	



PRF2310 1-3/8"

Flush MDF,
Square Grooves


1/6 x 6/8
2/0 x 6/8
2/4 x 6/8
2/6 x 6/8
2/8 x 6/8
3/0 x 6/8




PRF2310 1-3/4"

Flush MDF,
Square Grooves


1/6 x 6/8	2/0 x 7/0	2/4 x 8/0
2/0 x 6/8	2/4 x 7/0	2/6 x 8/0
2/4 x 6/8	2/6 x 7/0	2/8 x 8/0
2/6 x 6/8	2/8 x 7/0	2/10 x 8/0
2/8 x 6/8	2/10 x 7/0	3/0 x 8/0
2/10 x 6/8	3/0 x 7/0	
3/0 x 6/8		
		1/6 x 8/0
1/6 x 7/0	2/0 x 8/0	



PRF2315



PRF2310



PRF2302

For a consistent design,
the strike side will always
be on the stile line side
of the door.

Interior Door Units

After choosing the perfect door, there are additional features that can be included to complete your door unit. These include adding transoms and sidelites for more light, choosing a frame that matches your door, and selecting hardware to match your home's interior.

INTERIOR TRANSOM



PRT001

Primed, Clear Glass,
Ovolo Sticking

2/6, 2/8 & 3/0 for use with Single Door
4/0 x 1/0 for use with 2/0 Double Door
5/0 x 1/0 for use with 2/6 Double Door
6/0 x 1/0 for use with 3/0 Double Door

2/6 x 1/0 4/0 x 1/0
2/8 x 1/0 5/0 x 1/0
3/0 x 1/0 6/0 x 1/0



PRT003

Primed, Divided Lites, Clear Glass
Ovolo Sticking

For use with Single Door

2/6 x 1/0
2/8 x 1/0
3/0 x 1/0



PRT004

Primed, Divided Lites, Clear Glass,
Ovolo Sticking

For use with 2/0 Double Door

4/0 x 1/0



PRT005

Primed, Divided Lites,
Clear Glass, Ovolo Sticking

5/0 x 1/0 for use with 2/6 Double Door
5/4 x 1/0 for use with 2/8 Double Door
6/0 x 1/0 for use with 3/0 Double Door

5/0 x 1/0
5/4 x 1/0
6/0 x 1/0

INTERIOR SIDELITES



PR8706 1-3/8" (8/0)

1-1/4" Bar, Clear Glass,
Ovolo Sticking

1/2 x 8/0



PR8705 1-3/8" (6/8)

1-1/4" Bar, Clear Glass,
Ovolo Sticking

1/0 x 6/8
1/2 x 6/8




Primed

20 MINUTE FIRE-RATED DOORS

1-1/4" RAISED PANEL

These doors are labeled with a 20 minute positive pressure rating. The panels are layered with a fire rated material and the stiles are solid wood. Additional requirements may be necessary for door installation.




Panel Profile,
Ovolo Sticking



1-1/4" RAISED PANEL, OVOLO STICKING

DOORS HAVE WIDE (5-1/2") STILES




PR82RFR 1-3/4"

20 Minute Fire Rated
1-1/4" Raised Panel,
Ovolo Sticking

2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
2/10 x 6/8	2/10 x 7/0	2/10 x 8/0
3/0 x 6/8	3/0 x 7/0	3/0 x 8/0


DOORS HAVE WIDE (5-1/2") STILES



PR82AFR 1-3/4"

20 Minute Fire Rated
1-1/4" Raised Panel,
Ovolo Sticking

2/8 x 6/8	2/8 x 7/0	2/8 x 8/0
2/10 x 6/8	2/10 x 7/0	2/10 x 8/0
3/0 x 6/8	3/0 x 7/0	3/0 x 8/0



PR66FR 1-3/4"

20 Minute Fire Rated
1-1/4" Raised Panel,
Ovolo Sticking

2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



PR55RFR 1-3/4"

20 Minute Fire Rated
1-1/4" Raised Panel,
Ovolo Sticking

2/8 x 6/8	3/0 x 7/0
3/0 x 6/8	



PR56RFR 1-3/4" (8/0)

20 Minute Fire Rated
1-1/4" Raised Panel,
Ovolo Sticking

3/0 x 8/0




Primed

20 MINUTE FIRE-RATED DOORS

13/16" FLAT PANEL

These doors are labeled with a 20 minute positive pressure rating. The panels are layered with a fire rated material and the stiles are solid wood. Additional requirements may be necessary for door installation.



Panel Profile,
Ovolo Sticking




13/16" FLAT PANEL, OVOLO STICKING



PR8020FR 1-3/4"

20 Minute Fire Rated
13/16" Flat Panel
Ovolo Sticking

2/8 x 6/8 2/8 x 7/0 2/8 x 8/0
2/10 x 6/8 2/10 x 7/0 2/10 x 8/0
3/0 x 6/8 3/0 x 7/0 3/0 x 8/0



PR8082FR 1-3/4"

20 Minute Fire Rated
13/16" Flat Panel
Ovolo Sticking

2/8 x 6/8 2/8 x 7/0 2/8 x 8/0
2/10 x 6/8 2/10 x 7/0 2/10 x 8/0
3/0 x 6/8 3/0 x 7/0 3/0 x 8/0



PR8055FR 1-3/4"

20 Minute Fire Rated
13/16" Flat Panel
Ovolo Sticking

2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



PR8055FR 1-3/4" (8/0)

20 Minute Fire Rated
13/16" Flat Panel
Ovolo Sticking

2/8 x 8/0
2/10 x 8/0
3/0 x 8/0




Primed

20 MINUTE FIRE-RATED DOORS

13/16" FLAT PANEL

These doors are labeled with a 20 minute positive pressure rating. The panels are layered with a fire rated material and the stiles are solid wood. Additional requirements may be necessary for door installation.



Panel Profile,
Shaker Sticking




13/16" FLAT PANEL, SHAKER STICKING



PR8720FR 1-3/4"

20 Minute Fire Rated
13/16" Flat Panel
Shaker Sticking


2/8 x 6/8 2/8 x 7/0 2/8 x 8/0
2/10 x 6/8 2/10 x 7/0 2/10 x 8/0
3/0 x 6/8 3/0 x 7/0 3/0 x 8/0



PR8782FR 1-3/4"

20 Minute Fire Rated
13/16" Flat Panel
Shaker Sticking


2/8 x 6/8 2/8 x 7/0 2/8 x 8/0
2/10 x 6/8 2/10 x 7/0 2/10 x 8/0
3/0 x 6/8 3/0 x 7/0 3/0 x 8/0



PR8760FR 1-3/4"

20 Minute Fire Rated
13/16" Flat Panel
Shaker Sticking


2/8 x 6/8 3/0 x 7/0
2/10 x 6/8
3/0 x 6/8



PR8760FR 1-3/4" (8/0)

20 Minute Fire Rated
13/16" Flat Panel
Shaker Sticking


2/8 x 8/0
2/10 x 8/0
3/0 x 8/0



PR8730FR 1-3/4"

20 Minute Fire Rated
13/16" Flat Panel
Shaker Sticking

2/8 x 6/8 3/0 x 7/0 3/0 x 8/0
3/0 x 6/8



PR8740FR 1-3/4"

20 Minute Fire Rated
13/16" Flat Panel
Shaker Sticking


2/8 x 6/8 3/0 x 7/0
3/0 x 6/8



PR8755FR 1-3/4"

20 Minute Fire Rated
13/16" Flat Panel
Shaker Sticking

2/8 x 6/8
2/10 x 6/8
3/0 x 6/8



PR8755FR 1-3/4" (8/0)


20 Minute Fire Rated
13/16" Flat Panel
Shaker Sticking

2/8 x 8/0
2/10 x 8/0
3/0 x 8/0

Barn Doors

9/16" Plank Panel

Z LAYOUT




PR180 1-3/8"

9/16" Plank Panel, Z Layout, Shaker Sticking

2/6 x 6/8 3/0 x 7/0 3/0 x 8/0
2/8 x 6/8
3/0 x 6/8

LAYOUT OPTIONS




Panel Profile,
Shaker Sticking
(Shown from above)



Barn Doors

9/16" Plank Panel

K LAYOUT




PR181 1-3/8"

9/16" Plank Panel, K Layout, Shaker Sticking

2/6 x 6/8 3/0 x 7/0 3/0 x 8/0
 2/8 x 6/8
 3/0 x 6/8


LAYOUT OPTIONS

STANDARD




1 2

REVERSE




1 2

UNIFORM A



1 2

UNIFORM B



1 2

Panel Profile,
 Shaker Sticking
 (Shown from above)



Barn doors can be hung in different configurations according to design preference. Please be sure to specify when ordering. Primed barn doors come with groove already machined in the bottom of the door to be used with barn door hardware.

Barn Door Hardware



Goldberg's line of interior, residential sliding barn door hardware kits makes the most of the available living space, while adding a rustic, yet elegant look. All major components are manufactured from steel and come with a 1-year warranty.

AVAILABLE FINISHES



BLACK



SILVER



STAINLESS
STEEL



ARCHITECTURAL
BRONZE



7" Pull Handle



Privacy Latch



6" Flush Pull



Roller Hanger



7" Pull Handle



Privacy Latch



6" Flush Pull



Roller Hanger

Barnfold® Hardware



Due to the wall space required for the long track, sometimes there is no room to install a conventional barn door. Barnfold® Series folding barn door hardware combines the style of the popular J-strap hangers with the space-saving convenience of bifold doors.

AVAILABLE FINISHES



BLACK



Barnfold J-Strap
Hanger



4" Pull Handle



Hinge



Frames



Flat Frames

Flat frames come in a variety of species including solid and veneered wood. They include the need for a stop. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE



PINE VENEERED



KNOTTY ALDER VENEERED



FIR VENEERED



MAPLE VENEERED




SOLID POPLAR



PRIMED SOLID POPLAR



SOLID OAK



OAK VENEERED

Rabbeted Frames



Single Rabbeted

Single rabbeted frames mimic the appearance of exterior frames for interior use. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE



PRIMED SOLID POPLAR



Double Rabbeted

Double rabbeted frames work well with either a 1-3/8" or 1-3/4" thick door. This option may not be available in all markets so please confirm availability prior to ordering.



PRIMED



CLEAR PINE



CLEAR FIR



PRIMED SOLID POPLAR

Frames



Split Frames

Split frames are two pieces of wood together which work well for odd wall sizes. Due to their construction, a split frame is able to work for a range of wall sizes. For example, Reeb® stocks a split frame that has a size range of 4-1/2" to 5-1/4" thick.

Also with split frames is the availability to use interior casing. When installing a split frame with casing, the two pieces must be taken apart. This allows the unit to be shipped with the casing pre-attached and ready for a complete install. This option may not be available in all markets, so please confirm availability prior to ordering.



PRIMED SOLID POPLAR



SOLID OAK

Stops

Known as a "stop", these small pieces of wood attach to a flat frame to give the door a place to stop. Optional draft seal weatherstrip stops are available for use to prevent drafts.




PRIMED WM-888
3/8" x 1-1/8"



PRIMED WM-936
7/16" x 1-3/8"



PRIMED WM-936 W/ DRAFT SEAL
Draft seal also available in black



PRIMED WM-948
3/8" x 1-1/8"



PRIMED WM-888H
1/2" x 1-1/8"



PRIMED WM-876
7/16" x 1-3/8"



PRIMED WM-876 W/ DRAFT SEAL
Draft seal also available in black

Sills



OAK SADDLE SILL

Oak saddle sills provide an aesthetic solution to residential threshold applications. If the unit does not include weatherstrip, a standard width saddle sill works well.



OAK SADDLE SILL WITH WEATHERSTRIP

For flat frames with Draft Seal or single rabbeted frames with weatherstrip, a wider saddle sill works best. It allows the bottom of the frame to sit flush on top of the sill. Three-sided units do not need a sweep, but four-sided units will use a sweep for the best seal.



Hinges

Ball Bearing Hinges

Ball bearing hinges have a steel ball bearing, or buffer, in between the knuckles. Heavier doors put more stress on the hinges, so having the ball bearings reduces friction. This results in better performance and a longer-lasting hinge.



Ball Bearing Square



Ball Bearing Radius

Non Ball Bearing Hinges

Standard, or plain bearing, have no buffer between each knuckle of the barrel. This tends to wear the hinge down over time as the sections grind against one another and are better suited for lightweight doors.



Non Ball Bearing Square



Non Ball Bearing Radius

Hinge Sizes

Most interior doors are 1-3/8" thick and use 3.5" x 3.5" hinges. On an 1-3/4" door in an interior application, Reeb® will automatically utilize a 4" hinge.




3.5" x 3.5"



4" x 4"

Available Finishes



USP
PRIMED WHITE



US1D
FLAT BLACK



US3
BRIGHT BRASS



US3LF*
BRIGHT BRASS



US4
SATIN BRASS



US4B
BRIGHT SATIN BRASS




US5
ANTIQUE BRASS



US7
FRENCH ANTIQUE



US10B
OIL RUBBED BRONZE



US14
POLISHED NICKEL




US15
SATIN NICKEL



US15LF*
SATIN NICKEL



US15A
ANTIQUE NICKEL



US26
BRIGHT CHROME



US26D
SATIN CHROME



US32D
STAINLESS STEEL



VB
VENETIAN BRONZE



BALDWIN

AVAILABLE FINISHES	3.5" X 3.5" SQUARE		3.5" X 3.5" RADIUS		4" X 4" SQUARE		4" X 4" RADIUS	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
US3LF*		X		X		X		X
US10B		X		X		X		
US15LF*		X		X		X		
VB		X				X		

LF* - Lifetime Warranty



AVAILABLE FINISHES	3.5" X 3.5" SQUARE		3.5" X 3.5" RADIUS		4" X 4" SQUARE		4" X 4" RADIUS	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
USP				X				X
US1D		X	X	X		X	X	X
US3	X	X	X	X	X	X	X	X
US4	X	X		X	X	X		X
US4B	X		X	X	X		X	X
US5	X	X	X	X	X	X	X	X
US10B	X	X	X	X	X	X	X	X
US15	X	X	X	X	X	X	X	X
US15A				X				X
US26	X	X	X	X		X	X	X
US26D	X	X	X	X	X	X	X	X
US32D				X			X	X

EMTEK®

AVAILABLE FINISHES	3.5" X 3.5" SQUARE SOLID BRASS		3.5" X 3.5" SQUARE STEEL		3.5" X 3.5" RADIUS SOLID BRASS		3.5" X 3.5" RADIUS STEEL		4" X 4" SQUARE SOLID BRASS		4" X 4" SQUARE STEEL		4.5" X 4.5" SQUARE STEEL	
	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING	BALL BEARING	NON BALL BEARING
US1D		X	X	X			X		X	X	X	X	X	
US3		X	X	X		X	X		X	X	X	X	X	
US4		X	X						X	X				
US7		X	X	X		X	X		X	X	X	X		
US10B		X	X	X		X	X		X	X	X	X	X	
US14		X	X	X			X		X	X	X	X	X	
US15		X	X	X		X	X		X	X	X	X	X	
US26		X	X	X					X	X	X	X		

Locks

Schlage® door knobs fit and accentuate decor from a classic look to bold contemporary designs. For available functions, reference the Reeb® In-Stock Price Catalog.

Standard Residential Series

The **Standard Residential Series** provides tough, reliable performance in a variety of styles and finishes.



Jazz
US15



Accent
US26



Georgian
US5



Flair
US5



Andover
US26



Latitude
US1D



Plymouth
US26D

	Jazz	Latitude	Accent	Flair	Andover	Plymouth	Georgian
US1D		X	X			X	X
US3			X	X	X	X	X
US5			X	X	X		X
US15	X	X	X	X	X	X	X
US15A			X		X		X
US26			X		X	X	
US26D					X	X	X
716			X	X		X	X

Standard Residential Series Warranty

The **Standard Residential Series** features a limited lifetime mechanical warranty, has a limited lifetime finish warranty, fits universal backsets, and all levers are non-handed.



Builders Series

The **Builders Series** provides an economical lock that delivers on style.



Dover
US32D



Torino
US15



LaSalle
US3



Byron
US3



Marin
US32D



Corona
US15

	Dover	LaSalle	Marin	Torino	Byron	Corona
US3		X		X	X	X
US15		X		X		X
US32D	X		X		X	

Builder's Series Warranty

The **Builder's Series** features a limited lifetime mechanical warranty, a 5-year finish warranty, and fits universal backsets.



Available Finishes



US1D
FLAT BLACK



US3
BRIGHT BRASS




US5
ANTIQUE BRASS



US15
SATIN NICKEL



US15A
ANTIQUE NICKEL



US26
BRIGHT CHROME



US26D
SATIN CHROME



US32D
STAINLESS STEEL



716
AGED BRONZE

Catches

Catches are an alternative way to close a door and are often used in closet applications. Ball Catches and Roller Catches are recessed in the top of the door while a Surface Magnetic Catch is installed on the face of the door. A strike is installed on the head frame and the two keep the door closed without the need of a latch. The Concealed Magnetic Catch is recessed into the top of the door and the head frame, which conceals the catch.

Precision™

Concealed
Magnetic Catch



	US1D	US3	US5	US10B	US15	US26	US26D	US92
Reeb® Specialty Products Ball Catch	X	X	X	X	X	X	X	
Ives® Surface Magnetic Catch		X						X
Ives® Roller Catch		X		X	X	X		

Available Finishes



US1D
FLAT BLACK



US10B
OIL RUBBED
BRONZE



US3
BRIGHT BRASS



US5
ANTIQUE BRASS



US15
SATIN NICKEL



US26
BRIGHT CHROME




US26D
SATIN CHROME

Image Index

PAGE	DOOR STYLE
COVER	PR8720
2	PR8782
7	PR82A
9	PR55R
11	PR8020
13	PR8720
15	PR8760
17	PR8082
18	PR8760
21	PR8010
23	PR8015
25	PR8010F

PAGE	DOOR STYLE
27	PR8490
28	PR8001
29	PR150WL
30	PR8001F
31	PR8711
33	PR8733F
35	PRN730FJ
37	PR732W
39	PR730F
41	PRF2302
42	PRF2315
43	PRF2310

PAGE	DOOR STYLE
45	PR8001/PRT001
47	PR56RFR
49	PR8082FR
50	PR8720FR
52	PR180
53	PR181
54	PR8730
55	PR8720
59	PR8782
65	PR8055



Index

DOOR STYLE	PAGE	DOOR HEIGHT	3'0" STILE	TOP RAIL	BOTTOM RAIL	LOCK RAIL	PANEL	VENDOR
PR1501WL	29	6/8	4-9/16"	4-9/16"	9-3/32"	N/A	N/A	RSP
PR1501WL	29	8/0	4-9/16"	4-9/16"	9-3/32"	N/A	N/A	RSP
PR180	52	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	9/16"	RSP
PR180	52	7/0	4-3/8"	4-5/16"	9-3/16"	N/A	9/16"	RSP
PR180	52	8/0	4-3/8"	4-5/16"	9-3/16"	N/A	9/16"	RSP
PR181	53	6/8	4-3/8"	4-5/16"	9-3/16"	4-5/16"	9/16"	RSP
PR181	53	7/0	4-3/8"	4-5/16"	9-3/16"	4-5/16"	9/16"	RSP
PR181	53	8/0	4-3/8"	4-5/16"	9-3/16"	4-5/16"	9/16"	RSP
PR44	8	6/8	4-5/8"	4-9/16"	9-3/16"	7-1/2"	9/16"	RSP
PR44 1-3/4"	8	6/8	4-5/8"	4-9/16"	9-3/16"	7-1/2"	9/16"	RSP
PR44 BIFOLD	8	6/8	2-5/32"	4-9/16"	8-3/16"	7-1/2"	9/16"	RSP
PR55R	8	6/8	4-5/8"	4-9/16"	9-3/16"	N/A	9/16"	RSP
PR55RFR	47	6/8	5-3/4"	4-9/16"	9-3/16"	N/A	1-1/4"	RSP
PR55RFR	47	7/0	5-3/4"	4-9/16"	9-3/16"	N/A	1-1/4"	RSP
PR56R	8	8/0	4-5/8"	4-9/16"	9-3/16"	N/A	9/16"	RSP
PR56RFR	47	8/0	5-3/4"	4-9/16"	9-3/16"	N/A	1-1/4"	RSP
PR66	8	6/8	4-5/8"	4-9/16"	9-3/16"	7-1/2"	9/16"	RSP
PR66 BIFOLD	8	6/8	2-5/32"	4-9/16"	8-3/16"	7-1/2"	9/16"	RSP
PR66 1-3/4"	8	6/8	5-3/4"	4-9/16"	9-3/16"	7-1/2"	9/16"	RSP
PR66FR 1-3/4"	47	6/8	5-3/4"	4-9/16"	9-3/16"	7-1/2"	1-1/4"	RSP
PR730	34	6/8	4-1/4"	4-1/4"	7"	5-1/4"	N/A	RSP
PR730	34	7/0	4-1/4"	4-1/4"	7"	5-1/4"	N/A	RSP
PR730	34	8/0	4-1/4"	4-1/4"	7"	5-1/4"	N/A	RSP
PR730 1-3/4"	26	6/8	4-1/4"	4-1/4"	7"	5-1/4"	N/A	RSP
PR730F	39	6/8	4-3/8"	4-5/16"	9-3/16"	7-3/8"	3/8"	RSP
PR730F BIFOLD	39	6/8	4-3/8"	4-5/16"	9-3/16"	7-3/8"	3/8"	RSP
PR730F 1-3/4"	39	6/8	4-3/8"	4-5/16"	9-3/16"	7-3/8"	3/8"	RSP
PR730F 1-3/4"	39	7/0	4-3/8"	4-5/16"	9-3/16"	7-3/8"	3/8"	RSP
PR730W	37	6/8	4-1/4"	4-5/16"	7-7/16"	5"	N/A	RSP
PR730W BIFOLD	37	6/8	4-1/4"	4-5/16"	6-7/16"	5"	N/A	RSP
PR732	35	6/8	4-1/4"	4-1/4"	7"	5-1/4"	9/16"	RSP
PR732	35	7/0	4-1/4"	4-1/4"	7"	5-1/4"	9/16"	RSP
PR732W	37	6/8	4-1/4"	4-5/16"	7-7/16"	5"	9/16"	RSP
PR742	35	6/8	4-1/4"	4-1/16"	7"	5-3/16"	9/16"	RSP
PR8001	28	6/8	4-5/8"	4-9/16"	9-3/16"	N/A	N/A	RSP
PR8001	28	8/0	4-5/8"	4-9/16"	9-3/16"	N/A	N/A	RSP
PR8001F	30	6/8	4-5/8"	4-9/16"	9-3/16"	N/A	N/A	RSP
PR8001F	30	8/0	4-5/8"	4-9/16"	9-3/16"	N/A	N/A	RSP
PR8010	21	6/8	4-5/8"	4-9/16"	9-3/16"	N/A	N/A	RSP
PR8010 1-3/4"	21	6/8	4-5/8"	4-9/16"	9-3/16"	N/A	N/A	RSP
PR8010F	25	6/8	4-5/8"	4-9/16"	9-3/16"	N/A	N/A	RSP
PR8012	21	8/0	4-5/8"	4-9/16"	9-3/16"	N/A	N/A	RSP
PR8012 1-3/4"	21	8/0	4-5/8"	4-9/16"	9-3/16"	N/A	N/A	RSP
PR8012F	25	8/0	4-5/8"	4-9/16"	9-3/16"	N/A	N/A	RSP
PR8015	22	6/8	4-5/8"	4-9/16"	9-3/16"	N/A	N/A	RSP

Index

DOOR STYLE	PAGE	DOOR HEIGHT	3'0" STILE	TOP RAIL	BOTTOM RAIL	LOCK RAIL	PANEL	VENDOR
PR8015 1-3/4"	22	6/8	4-5/8"	4-9/16"	9-3/16"	N/A	N/A	RSP
PR8015F	25	6/8	4-5/8"	4-9/16"	9-3/16"	N/A	N/A	RSP
PR8018	22	8/0	4-5/8"	4-9/16"	9-3/16"	N/A	N/A	RSP
PR8018 1-3/4"	22	8/0	4-5/8"	4-9/16"	9-3/16"	N/A	N/A	RSP
PR8018F	25	8/0	4-5/8"	4-9/16"	9-3/16"	N/A	N/A	RSP
PR8020	10	6/8	4-5/8"	4-9/16"	9-3/16"	N/A	3/8"	RSP
PR8020	10	8/0	4-5/8"	4-9/16"	9-3/16"	N/A	3/8"	RSP
PR8020 1-3/4"	17	6/8	4-5/8"	4-9/16"	9-3/16"	N/A	5/8"	RSP
PR8020 1-3/4"	17	7/0	4-5/8"	4-9/16"	9-3/16"	N/A	5/8"	RSP
PR8020 1-3/4"	17	8/0	4-5/8"	4-9/16"	9-3/16"	N/A	5/8"	RSP
PR8020FR 1-3/4"	49	6/8	4-5/8"	4-9/16"	9-3/16"	N/A	13/16"	RSP
PR8020FR 1-3/4"	49	7/0	4-5/8"	4-9/16"	9-3/16"	N/A	13/16"	RSP
PR8020FR 1-3/4"	49	8/0	4-5/8"	4-9/16"	9-3/16"	N/A	13/16"	RSP
PR8040	11	6/8	4-5/8"	4-9/16"	9-3/16"	N/A	3/8"	RSP
PR8040	11	7/0	4-5/8"	4-9/16"	9-3/16"	N/A	3/8"	RSP
PR8044	11	6/8	4-5/8"	4-9/16"	9-3/16"	7-1/2"	3/8"	RSP
PR8055	11	6/8	4-5/8"	4-9/16"	9-3/16"	N/A	3/8"	RSP
PR8055	11	8/0	4-5/8"	4-9/16"	9-3/16"	N/A	3/8"	RSP
PR8055FR 1-3/4"	49	6/8	4-5/8"	4-9/16"	9-3/16"	N/A	13/16"	RSP
PR8055FR 1-3/4"	49	8/0	4-5/8"	4-9/16"	9-3/16"	N/A	13/16"	RSP
PR8082	10	6/8	4-5/8"	4-9/16"	9-3/16"	7-5/8"	3/8"	RSP
PR8082	10	8/0	4-5/8"	4-9/16"	9-3/16"	7-5/8"	3/8"	RSP
PR8082 1-3/4"	17	6/8	4-5/8"	4-9/16"	9-3/16"	7-5/8"	5/8"	RSP
PR8082 1-3/4"	17	7/0	4-5/8"	4-9/16"	9-3/16"	7-5/8"	5/8"	RSP
PR8082 1-3/4"	17	8/0	4-5/8"	4-9/16"	9-3/16"	7-5/8"	5/8"	RSP
PR8082FR 1-3/4"	49	6/8	4-5/8"	4-9/16"	9-3/16"	7-5/8"	13/16"	RSP
PR8082FR 1-3/4"	49	7/0	4-5/8"	4-9/16"	9-3/16"	7-5/8"	13/16"	RSP
PR8082FR 1-3/4"	49	8/0	4-5/8"	4-9/16"	9-3/16"	7-5/8"	13/16"	RSP
PR82A	7	6/8	4-5/8"	6-1/2"	9-3/16"	7-1/2"	9/16"	RSP
PR82A	7	7/0	4-5/8"	6-1/2"	9-3/16"	7-1/2"	9/16"	RSP
PR82A	7	8/0	4-5/8"	6-1/2"	9-3/16"	7-1/2"	9/16"	RSP
PR82A 1-3/4"	7	6/8	5-3/4"	6-1/2"	9-3/16"	7-1/2"	9/16"	RSP
PR82A 1-3/4"	7	7/0	5-3/4"	8-1/2"	11-3/16"	7-1/2"	9/16"	RSP
PR82A 1-3/4"	7	8/0	5-3/4"	6-1/2"	9-3/16"	7-1/2"	9/16"	RSP
PR82AFR 1-3/4"	47	6/8	5-3/4"	6-1/2"	9-3/16"	7-1/2"	1-1/4"	RSP
PR82AFR 1-3/4"	47	7/0	5-3/4"	6-1/2"	9-3/16"	7-1/2"	1-1/4"	RSP
PR82AFR 1-3/4"	47	8/0	5-3/4"	6-1/2"	9-3/16"	7-1/2"	1-1/4"	RSP
PR82R	6	6/8	4-5/8"	4-9/16"	9-3/16"	7-1/2"	9/16"	RSP
PR82R	6	7/0	4-5/8"	4-9/16"	9-3/16"	7-1/2"	9/16"	RSP
PR82R	6	8/0	4-5/8"	4-9/16"	9-3/16"	7-1/2"	9/16"	RSP
PR82R BIFOLD	6	6/8	2-5/32"	4-9/16"	8-3/16"	7-1/2"	9/16"	RSP
PR82R 1-3/4"	7	6/8	5-3/4"	4-9/16"	9-3/16"	7-1/2"	9/16"	RSP
PR82R 1-3/4"	7	7/0	5-3/4"	6-9/16"	11-3/16"	7-1/2"	9/16"	RSP
PR82R 1-3/4"	7	8/0	5-3/4"	4-9/16"	9-3/16"	7-1/2"	9/16"	RSP
PR82RFR 1-3/4"	47	6/8	5-3/4"	4-9/16"	9-3/16"	7-1/2"	1-1/4"	RSP

Index

DOOR STYLE	PAGE	DOOR HEIGHT	3'0" STILE	TOP RAIL	BOTTOM RAIL	LOCK RAIL	PANEL	VENDOR
PR82RFR 1-3/4"	47	7/0	5-3/4"	4-9/16"	9-3/16"	7-1/2"	1-1/4"	RSP
PR82RFR 1-3/4"	47	8/0	5-3/4"	4-9/16"	9-3/16"	7-1/2"	1-1/4"	RSP
PR8490	27	6/8	4-7/16"	4-5/16"	9-3/16"	N/A	N/A	SIMPSON
PR8705	44	6/8	2-7/16"	4-5/16"	9-3/16"	N/A	N/A	RSP
PR8706	44	8/0	2-7/16"	4-5/16"	9-3/16"	N/A	N/A	RSP
PR8711	31	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	N/A	RSP
PR8711	31	8/0	4-3/8"	4-5/16"	9-3/16"	N/A	N/A	RSP
PR8711 1-3/4"	31	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	N/A	RSP
PR8711 1-3/4"	31	7/0	4-3/8"	4-5/16"	9-3/16"	N/A	N/A	RSP
PR8711F	32	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	N/A	RSP
PR8711F	32	8/0	4-3/8"	4-5/16"	9-3/16"	N/A	N/A	RSP
PR8711F 1-3/4"	32	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	N/A	RSP
PR8711F 1-3/4"	32	7/0	4-3/8"	4-5/16"	9-3/16"	N/A	N/A	RSP
PR8720	13	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	3/8"	RSP
PR8720	13	7/0	4-3/8"	4-5/16"	9-3/16"	N/A	3/8"	RSP
PR8720	13	8/0	4-3/8"	4-5/16"	9-3/16"	N/A	3/8"	RSP
PR8720 BIFOLD	13	6/8	2-1/32"	4-5/16"	8-3/16"	N/A	3/8"	RSP
PR8720 1-3/4"	19	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	5/8"	RSP
PR8720 1-3/4"	19	7/0	4-3/8"	4-5/16"	9-3/16"	N/A	5/8"	RSP
PR8720 1-3/4"	19	8/0	4-3/8"	4-5/16"	9-3/16"	N/A	5/8"	RSP
PR8720FR 1-3/4"	51	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	13/16"	RSP
PR8720FR 1-3/4"	51	7/0	4-3/8"	4-5/16"	9-3/16"	N/A	13/16"	RSP
PR8720FR 1-3/4"	51	8/0	4-3/8"	4-5/16"	9-3/16"	N/A	13/16"	RSP
PR8730	14	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	3/8"	RSP
PR8730	14	7/0	4-3/8"	4-5/16"	9-3/16"	N/A	3/8"	RSP
PR8730	14	8/0	4-3/8"	4-5/16"	9-3/16"	N/A	3/8"	RSP
PR8730 BIFOLD	14	6/8	2-1/32"	4-5/16"	8-3/16"	N/A	3/8"	RSP
PR8730 1-3/4"	19	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	5/8"	RSP
PR8730 1-3/4"	19	7/0	4-3/8"	4-5/16"	9-3/16"	N/A	5/8"	RSP
PR8730 1-3/4"	19	8/0	4-3/8"	4-5/16"	9-3/16"	N/A	5/8"	RSP
PR8730FR 1-3/4"	51	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	13/16"	RSP
PR8730FR 1-3/4"	51	7/0	4-3/8"	4-5/16"	9-3/16"	N/A	13/16"	RSP
PR8730FR 1-3/4"	51	8/0	4-3/8"	4-5/16"	9-3/16"	N/A	13/16"	RSP
PR8733F	33	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	N/A	RSP
PR8733F	33	8/0	4-3/8"	4-5/16"	9-3/16"	N/A	N/A	RSP
PR8735F	33	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	N/A	RSP
PR8735F	33	8/0	4-3/8"	4-5/16"	9-3/16"	N/A	N/A	RSP
PR8740	14	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	3/8"	RSP
PR8740	14	7/0	4-3/8"	4-5/16"	9-3/16"	N/A	3/8"	RSP
PR8740FR 1-3/4"	51	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	13/16"	RSP
PR8740FR 1-3/4"	51	7/0	4-3/8"	4-5/16"	9-3/16"	N/A	13/16"	RSP
PR8744	14	6/8	4-3/8"	4-5/16"	9-3/16"	7-7/16"	3/8"	RSP
PR8755	15	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	3/8"	RSP
PR8755	15	7/0	4-3/8"	4-5/16"	9-3/16"	N/A	3/8"	RSP
PR8755	15	8/0	4-3/8"	4-5/16"	9-3/16"	N/A	3/8"	RSP
PR8755 BIFOLD	15	6/8	2-1/32"	4-5/16"	8-3/16"	N/A	3/8"	RSP

Index

DOOR STYLE	PAGE	DOOR HEIGHT	3'0" STILE	TOP RAIL	BOTTOM RAIL	LOCK RAIL	PANEL	VENDOR
PR8755 1-3/4"	19	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	3/8"	RSP
PR8755FR 1-3/4"	51	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	13/16"	RSP
PR8755FR 1-3/4"	51	8/0	4-3/8"	4-5/16"	9-3/16"	N/A	13/16"	RSP
PR8760	14	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	3/8"	RSP
PR8760	14	7/0	4-3/8"	4-5/16"	9-3/16"	N/A	3/8"	RSP
PR8760	14	8/0	4-3/8"	4-5/16"	9-3/16"	N/A	3/8"	RSP
PR8760FR 1-3/4"	51	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	13/16"	RSP
PR8760FR 1-3/4"	51	7/0	4-3/8"	4-5/16"	9-3/16"	N/A	13/16"	RSP
PR8760FR 1-3/4"	51	8/0	4-3/8"	4-5/16"	9-3/16"	N/A	13/16"	RSP
PR8762	14	6/8	4-3/8"	4-5/16"	9-3/16"	N/A	3/8"	RSP
PR8762	14	8/0	4-3/8"	4-5/16"	9-3/16"	N/A	3/8"	RSP
PR8782	13	6/8	4-3/8"	4-5/16"	9-3/16"	7-7/16"	3/8"	RSP
PR8782	13	7/0	4-3/8"	4-5/16"	9-3/16"	7-7/16"	3/8"	RSP
PR8782	13	8/0	4-3/8"	4-5/16"	9-3/16"	7-7/16"	3/8"	RSP
PR8782 BIFOLD	13	6/8	2-1/32"	4-5/16"	8-3/16"	7-7/16"	3/8"	RSP
PR8782 1-3/4"	19	6/8	4-3/8"	4-5/16"	9-3/16"	7-7/16"	5/8"	RSP
PR8782 1-3/4"	19	7/0	4-3/8"	4-5/16"	9-3/16"	7-7/16"	5/8"	RSP
PR8782 1-3/4"	19	8/0	4-3/8"	4-5/16"	9-3/16"	7-7/16"	5/8"	RSP
PR8782FR 1-3/4"	51	6/8	4-3/8"	4-5/16"	9-3/16"	7-7/16"	13/16"	RSP
PR8782FR 1-3/4"	51	7/0	4-3/8"	4-5/16"	9-3/16"	7-7/16"	13/16"	RSP
PR8782FR 1-3/4"	51	8/0	4-3/8"	4-5/16"	9-3/16"	7-7/16"	13/16"	RSP
PRF2302	41	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2302 1-3/4"	41	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2302 1-3/4"	41	7/0	N/A	N/A	N/A	N/A	N/A	RSP
PRF2302 1-3/4"	41	8/0	N/A	N/A	N/A	N/A	N/A	RSP
PRF2310	43	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2310 1-3/4"	43	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2310 1-3/4"	43	7/0	N/A	N/A	N/A	N/A	N/A	RSP
PRF2310 1-3/4"	43	8/0	N/A	N/A	N/A	N/A	N/A	RSP
PRF2315	42	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2315 1-3/4"	43	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2315 1-3/4"	43	7/0	N/A	N/A	N/A	N/A	N/A	RSP
PRF2315 1-3/4"	43	8/0	N/A	N/A	N/A	N/A	N/A	RSP
PRF2355	42	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2355 1-3/4"	42	6/8	N/A	N/A	N/A	N/A	N/A	RSP
PRF2355 1-3/4"	42	7/0	N/A	N/A	N/A	N/A	N/A	RSP
PRF2356 1-3/4"	42	8/0	N/A	N/A	N/A	N/A	N/A	RSP
PRN730FJ BIFOLD	35	6/8	1-1/4"	3-3/16"	3"	3-5/16"	N/A	RSP
PRN732FJ BIFOLD	35	6/8	1-1/4"	3-3/16"	3"	3-5/16"	N/A	RSP
PRT001 TRANSOM	44	1/0	4-1/2"	2-13/16"	2-13/16"	N/A	N/A	RSP
PRT003 TRANSOM	44	1/0	4-1/2"	2-13/16"	2-13/16"	N/A	N/A	RSP
PRT004 TRANSOM	44	1/0	4-1/2"	2-13/16"	2-13/16"	N/A	N/A	RSP
PRT005 TRANSOM	44	1/0	4-1/2"	2-13/16"	2-13/16"	N/A	N/A	RSP

Reeb® Learning Center

*A Learning Center for
Everything Door Related*

Product Education

Sharpen your sales skills with focused insights on Reeb's full product lineup.

Guided Learning


Build a strong foundation or explore advanced topics with step-by-step learning.

Short, Engaging Videos

Clear, visual guidance for features, and best practices.

Manufacturer Videos

Gain insights directly from the source with featured videos from trusted manufacturers.



Start learning today at
learn.reeb.com



Free
Access



Mobile
Friendly



24/7
Availability

Interior Wood Stile & Rail Doors

Primed Stile & Rail Doors are ideal for painting, but Reeb also stocks Wood Stile & Rail if you are looking for the warm, natural look of real wood. Scan here to view your options.

www.reeb.com/catalogs



Warranty

Scan here to view online warranties for Interior Stile and Rail Doors, along with our other in-stock Reeb products.

www.reeb.com/warranties



Handling

HANDLING & INSTALLATION

Immediately after receipt of your order, inspect each door for any damage or defects.

NOTIFY YOUR DEALER PROMPTLY OF ANY PROBLEM.

Handle all doors with clean gloves and equipment. Damage caused by handling is not considered a factory defect and is not covered under your warranty.

When moving the doors, avoid dragging the doors across one another or against another surface. Always use two people to lift and move the doors. Avoid leaning the door – they must be stored flat.

Keep the doors covered to maintain cleanliness but remember to allow air circulation.

THE DOORS SHOULD NOT BE SUBJECT TO ABNORMAL OR EXTREME CHANGES IN TEMPERATURE OR HUMIDITY LEVELS.

Avoid sudden temperature changes, such as forced heat to dry out the building or storage in a building before it is enclosed.

Deliver the doors to the building only after plaster and concrete is dry.

Allow doors at least 48 hours to adjust to the prevailing humidity (become acclimatized) before hanging. Do not expose doors to humidity levels higher than 65%RH, lower than 30%RH, to temperatures above 90 degrees Fahrenheit or to direct sunlight.

Hang doors with adequate clearance to allow for some swelling in damp weather.

Be sure all jambs and stops are set perfectly square and plumb.

The width of the door may be trimmed no more than 1/4" on either side. The height may be trimmed 2" from the bottom rail.

Wood panels "float." Use a hammer and wooden block to adjust the panels if necessary, before installation. Be careful not to damage the surface of the wood.

Use 3 hinges on doors of 7' in height or less. Use 4 hinges on doors over 7' in height.

INTERIOR FINISHING

FINISHING PRIMED DOORS

The door should first be fitted and hung in its frame and drilled for all hardware. Then, prior to finishing, the door should be removed from the frame and stripped of all hardware so the finish can be applied with the door laid flat.

The doors are factory primed with an ultra-high-quality primer and have a gloss finish. Prior to finishing, remove all handling marks, labels, surface imperfections and sheen with a light sanding, by hand, using 220 grit sandpaper or a fine grade steel wool. Carefully remove all dust from the door surface.

Your finish should never be applied as a heavy coat. The finish must be applied in multiple light coats with appropriate drying time between each coat. Carefully follow the manufacturer's instructions for drying time between coats.

 **Bethlehem, PA**
1000 Maloney Cir.
Bethlehem, PA 18015
(800) 862-8622 voice
(800) 772-7332 fax

 **Barclay, MD**
1315 Goldsboro Rd.
Barclay, MD 21607
(800) 825-8331 voice
(800) 331-9387 fax

 **Mocksville, NC**
346 Bethel Church Rd.
Mocksville, NC 27028
(800) 642-0886 voice
(800) 618-0620 fax

 **Providence, RI**
19 Business Park Dr.
Smithfield, RI 02917
(800) 343-5703 voice
(800) 388-5979 fax

 **Syracuse, NY**
7475 Henry Clay Blvd.
Liverpool, NY 13088
(800) 422-5224 voice
(800) 531-7332 fax



an **S B P** brand

PART# REEBPSR26

VERSION 1.0.0

For more information, visit **reeb.com**.

COPYRIGHT © 2026 REEB® MILLWORK ALL RIGHTS RESERVED.